PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51)	51) International Patent Classification: C07H 21/04, C07K 14/46, C07K 16/28, C12P 19/34, C12Q 1/68		\ >	ational Publication Number: ational Publication Date:	WO 00/18787 06 April 2000 (06.04.2000)	
(21) (22)	International Application Number: International Filing Date: 28 September		/US99/22429 (28.09.1999)	Published		
(30)	Priority Data: 60/102,031 28 September 1998 (28.09.1998) US					
(60)	Parent Application or Grant WASHINGTON UNIVERSITY [/]; (). P. [/]; (). INOUE, Hiroshi [/]; (). MUECKLI (). PERMUTT, M., Alan [/]; (). INOUE, I (). MUECKLER, Mike [/]; (). REED, Jan	ER, Mil Hiroshi	ke [/]; [/];		·	

(54) Title: GENE MUTATED IN WOLFRAM SYNDROME

(54) Titre: MUTATION DE GENE ASSOCIEE AU SYNDROME DE WOLFRAM

(57) Abstract

This invention provides a novel gene, WFS1, isolated from human chromosome 4p. Mutation of the WFS1 gene is associated with the development of Wolfram Syndrome. The WFS1 gene, along with cDNAs, encoded protein and antibodies immunologically specific for the protein, provide a biological marker for early diagnosis of the syndrome, and for predicting predisposition of an individual for the syndrome. The gene also will be useful in gene replacement therapy, or for development of new methods and agents for treating Wolfram Syndrome.

(57) Abrégé

L'invention se rapporte à un nouveau gène, WFS1, que l'on a isolé sur le chromosome humain 4p. La mutation de ce gène WFS1 est associée au développement du syndrome de Wolfram. La protéine codée par ce gène WFS1, associé à des séquences d'ADNc, ainsi que des anticorps spécifiques de ladite protéine d'un point de vue immunologique fournissent un marqueur biologique permettant un diagnostic précoce du syndrome ainsi qu'un diagnostic de la prédisposition d'un sujet à développer ce syndrome. Ce gène peut également être utilisé en thérapie génique de remplacement ou pour le développement de nouvelles méthodes et de nouveaux agents permettant de traiter le syndrome de Wolfram.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:		(11) International Publication Number:	WO 00/18787
C07H 21/04, C07K 14/46, 16/28, C12Q 1/68, C12P 19/34	A1	(43) International Publication Date:	6 April 2000 (06.04.00)
(21) International Application Number: PCT/USS (22) International Filing Date: 28 September 1999 (2)		CY, DE, DK, ES, FI, FR, GB,	
(30) Priority Data: 60/102,031 28 September 1998 (28.09.98) (71) Applicant: WASHINGTON UNIVERSITY [US/US]; Box 8013, 600 South Euclid Avenue, St. Louis, M (US).	Сатрі	Before the expiration of the ti claims and to be republished in amendments.	me limit for amending the
(71)(72) Applicants and Inventors: PERMUTT, M. [US/US]; 6341 Washington Avenue, St. Louis, M (US). INOUE, Hiroshi [JP/JP]; Yamaguchi U School of Medicine, Third Dept. of Internal Medic Yamaguchi (JP). MUECKLER, Mike [US/US]; Wa University School of Medicine, Dept. of Cell Bio Dept. of Surgery, Division of Human Molecular of St. Louis, MO 63110 (US).	O 6313 iniversite ine, Ut ishingto logy ar	O y e n d	
(74) Agents: REED, Janet, E. et al., Dann, Dorfman, He Skillman, 1601 Market Street, Suite 720, Philadel 19103 (US).			

(57) Abstract

This invention provides a novel gene, WFSI, isolated from human chromosome 4p. Mutation of the WFSI gene is associated with the development of Wolfram Syndrome. The WFSI gene, along with cDNAs, encoded protein and antibodies immunologically specific for the protein, provide a biological marker for early diagnosis of the syndrome, and for predicting predisposition of an individual for the syndrome. The gene also will be useful in gene replacement therapy, or for development of new methods and agents for treating Wolfram Syndrome.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia	
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia	
AT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal	
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland	
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad	
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo	
BB	Barbados	GII	Ghana	MG	Madagascar	TJ	Tajikistan	
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan	
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey	
BG	Bulgaria	Hυ	Hungary	ML	Mali	TT	Trinidad and Tobago	
BJ	Benin	LE	Ireland	MN	Mougolia	UA	Ukraine	
BR	Brazil	IL.	Israel	MR	Mauritania	υG	Uganda	
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America	
CA	Canada	ľŤ	Italy	MX	Mexico	UZ	Uzbekistan	
CIF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam	
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia	
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe	
а	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			
CM	Cameroon		Republic of Korea	PL	Poland			
CN	China	KR	Republic of Korea	PT	Portugal			
CU	Cuba	KZ.	Kazakstan	RO	Romania			
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation			
DE	Germany	니	Liechtenstein	SD	Sudan			
DK	Denmark	LK	Sri Lanka	SE	Sweden			
EE	Estonia	LR	Liberia	SG	Singapore			
i								
I								

Description

- 1 -

GENE MUTATED IN WOLFRAM SYNDROME

FIELD OF THE INVENTION

This invention relates to the field of diagnosis and treatment of certain forms of diabetes. In particular, this invention provides a novel gene, the disruption of which is associated with Wolfram Syndrome, and methods of using the gene and specific mutants thereof as diagnostic tool for prediction and early detection of the syndrome.

20 BACKGROUND OF THE INVENTION

Various scientific and scholarly articles are referred to in brackets throughout the specification. These articles are incorporated by reference herein to describe the state of the art to which this invention pertains.

Wolfram syndrome (WFS) (OMIM 222300) was first described in 1938 as a combination of familial juvenile-onset diabetes mellitus and optic atrophy. Other clinical features subsequently emerged and accordingly, WFS is also referred to as the DIDMOAD (diabetes insipidus, diabetes mellitus, optic atrophy, and deafness) syndrome. Most patients with this

-2-

progressive disorder eventually develop all four cardinal manifestations, and die prematurely with widespread atrophic changes throughout the brain. Insulin-requiring diabetes mellitus occurs with mean age of onset at 6-8 years. When examined, pancreatic islets display atrophic and insulin-producing β -cells selectively absent. The disease is believed to account for 1/150 patients with young-onset insulin-requiring diabetes mellitus.

The pathogenesis of Wolfram syndrome is unknown. Diagnosis is usually made in offspring of unaffected often-related parents, suggesting autosomal recessive inheritance. Linkage of the gene to markers on chromosome 4p (Polymeropoulos et al., Nature Genetics 8: 95-97, 1994) was reported, and later confirmed (Collier et al., Am L Hum Genet 59: 855-863, 1996). Recombinants placed the gene in an interval between markers 5.5 cM apart.

Isolation and characterization of the gene or genes associated with Wolfram Syndrome is vital for the prediction, diagnosis and, ultimately, treatment of the disease. Currently there is no way of knowing for sure if an individual is predisposed to Wolfram Syndrome, particularly children too young to have developed the characteristic symptoms. Early diagnosis may lead to effective methods of treatment. Identification and isolation of the gene or genes associated with Wolfram Syndrome would further enable the development of screening procedures to assist in genetic counseling, as well as enabling detailed study of its function and subsequent development of therapeutic methods or agents.

SUMMARY OF THE INVENTION

In accordance with the present invention, a gene is provided, whose mutation is highly correlated with Wolfram Syndrome in humans. The symptoms of Wolfram

-3-

5

10

15

20

25

30

35

40

45

50

55

10

15

20

25

30

35

Syndrome consist of diabetes insipidus, diabetes mellitus, optic atrophy and deafness. This gene is found in human genome between markers *D4S500* and *D4S431* on chromosome 4p, and is referred to herein as *WFS1*. One variant of *WFS1* is found in SEQ ID NO:1.

Another aspect of the invention comprises several isolated nucleic acids from the human and mouse In a preferred embodiment, these nucleic WFS1 genes. acids are the genomic sequence of the WFS1 gene from human (SEQ ID NO:1), a cDNA sequence from the human WFS1 gene (SEQ ID NO:2), and a cDNA from the mouse WFS1 gene (SEQ ID NO:4). In another preferred embodiment, the isolated nucleic acids are substantially the same or 60% homologous to SEQ ID NO:1, SEQ ID NO:2, and SEQ ID NO:4. In yet another preferred embodiment, the nucleic acids encode SEO ID NO:3 and SEO ID NO:5, substantially the same variants of SEQ ID NO:3 and SEQ ID NO:5, variants with at least 60% homology to SEQ ID NO:3 and SEQ ID NO:5, and variants of SEQ ID NO:3 with the mutations and polymorphisms listed in Table 1. In a final preferred embodiment, the isolated nucleic acids are oligonucleotides (SEQ ID Nos:6-41) that have been designed based on SEQ ID NO:1.

In accordance with another aspect of the invention, a selection of isolated polypeptides is provided, which result from the expression of part or all of the human and mouse WFS1 genes. In one preferred embodiment, the polypeptides are encoded by SEQ ID NO:3 and SEQ ID NO:5. In another preferred embodiment, the polypeptides are substantially the same as SEQ ID NO:3 and SEQ ID NO:5, or at least 60% homologous to SEQ ID NO:3 and SEQ ID NO:5.

In accordance with another aspect of the invention, a selection of antibodies that are immunologically specific to the aforementioned

- 4 -

polypeptides is provided.

In accordance with another aspect of the invention, a series of methods is provided, which use the WFS1 gene to genetically characterize mammalian subjects. In a preferred embodiment, the WFS1 gene is used to make labeled probes which are used to detect WFS1 nucleic acids. In another preferred embodiment, variant forms of WFS1 are sequenced, compared to the sequence of WFS1, and mutations and polymorphisms determined. In a particularly preferred embodiment, human genomic DNA is sequenced and compared to SEQ ID NO:1. In a very particularly preferred embodiment, the primers in Table 2 are used to sequence the variant human gene. In yet another preferred embodiment, restriction enzymes are selected that differentially digest the wild type and variant gene, WFS1 nucleic acids are digested and separated by size, and the WFS1 nucleic acids are detected. In a particularly preferred embodiment, the human DNA is digested, and the primers in Table 2 are used to amplify the DNA before digestion.

Other features and advantages of the present invention will be better understood by reference to the drawings, detailed descriptions and examples that follow.

25 BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1. Pedigrees of Wolfram syndrome families, with individuals designated by disease status (bold-lined symbols affected, thin-lined symbols unaffected), and with derived haplotypes of chromosome 4p markers. Bold, underlined numbers represent disease-associated chromosomes. Italicized, underlined numbers refer to disease-associated chromosomes with historical recombinants. Consanguineous Japanese families: Fig. 1a, WS-1; Fig. 1b, WS-2; Fig. 1c,

50

5

10

15

20

25

30

35

40

45

10

15

20

-5-

WS-3 (an affected daughter, not shown, was deceased before initiation of the study). Caucasian families: Fig. 1D, WS-4; and Fig. 1E, WS-5. Markers were ordered from telomeric to centromeric as described in Example 1.

Figure 2. Physical map of the Wolfram syndrome critical region. Fig. 2A: The horizontal line at the top of the figure represents a portion of chromosome 4p, with the centromere to the right and pter to the left. The dashed line represents the interval of D4S500-D4S431, the critical region of the Wolfram syndrome gene. P1 and BAC clones are represented as lines. Their length reflects the number of STSs and not the actual size. The name of each clone is given to the right of the line. Marker names are noted above the line and correspond to the symbols on the line. Fig. 2B: An expanded schematic of the genomic structure of the Wolfram gene, WFS1, with exons indicated by boxes. The entire gene is encompassed within a 33.4 kb region.

Figure 3. Expression of WFS1 mRNA in adult tissues. Fig. 3A: Northern analysis with human adult polyA+ RNA (5 μg) derived from various tissues was hybridized with a ³²P-labeled 854-bp genomic fragment of the WFS1 gene. Fig. 3B: Re-hybridization of the blot with ³²P-labeled β-actin cDNA as a loading control. Fig. 3C: Northern analysis with human adult total RNA (20 μg) hybridized with ³²P-labeled WFS1 cDNA. Fig. 3D: Re-hybridization of the blot in c. with ³²P-labeled ribosomal cDNA as a loading control.

Figure 4. Hydrophobicity analysis was conducted by the method of Kyte and Doolittle (J Molec Biol 157: 105-132, 1982) using a window size of 9 amino acid residues. Average hydrophobicity values are plotted as a function of position along the polypeptide chain.

Figure 5. Comparison of human and mouse WFS1

- 6 -

protein sequences. Plain text indicate identical residues. Amino acid gaps between human and mouse proteins are shown by dashes. The locations of the mutations found in Wolfram syndrome patients, 3 missense, the premature stop codon (X), 2 deletions, and the 7 bp repeat insertion, are indicated below the sequences. A predicted prenyltransferase α -subunit repeat structure (A493 to L502) is underlined.

Figure 6. Co-segregation of WFS1 mutations with the disease phenotype in Wolfram syndrome families. Gig. 10 6a: The 1685del(N) in family WS-2, showing that each affected child (III-1, -2, -3, and -4) is homozygous for the mutation. Fig. 6b: Sequence chromatograms of the region of exon 8 showing the 15 bp deletion in a patient homozygous for the mutation, along with a normal control. 15 Fig. 6c: Segregation of the 1681C to T and the microscopic deletion in family WS-5. The 1681C to T mutation destroys a BsmF1 site in a 766 bp PCR (polymerase chain reaction) fragment. The hemizygous T(-) affected children (II-1, -2, and -4) have only a 766 20 bp uncut fragment, while the hemizygous C(-) mother (I-4) and unaffected daughter (II-3) have 686 bp and 80 bp bands, and the heterozygous CT father (I-3) has 766 bp, 686 bp and 80 bp bands. The symbols "-" and "+" refer to the absence or presence of enzyme.

DETAILED DESCRIPTION OF THE INVENTION

I. <u>Definitions</u>

25

Various terms relating to the biological molecules of the present invention are used hereinabove and also throughout the specification and claims.

With reference to nucleic acids molecules, the term "isolated nucleic acid" is sometimes used. This term, when applied to DNA, refers to a DNA molecule that

50

5

10

15

20

25

30

35

40

5 -7-

is separated from sequences with which it is immediately contiguous (in the 5' and 3' directions) in the naturally occurring genome of the organism from which it was derived. For example, the "isolated nucleic acid" may comprise a DNA molecule inserted into a vector, such as a plasmid or virus vector, or integrated into the genomic DNA of a procaryote or eucaryote. An "isolated nucleic acid molecule" may also comprise a cDNA molecule.

With respect to RNA molecules, the term
"isolated nucleic acid" primarily refers to an RNA
molecule encoded by an isolated DNA molecule as defined
above. Alternatively, the term may refer to an RNA
molecule that has been sufficiently separated from RNA
molecules with which it would be associated in its
natural state (i.e., in cells or tissues), such that it
exists in a "substantially pure" form (the term
"substantially pure" is defined below).

With respect to proteins or peptides, the term "isolated protein (or peptide)" or "isolated and purified protein (or peptide)" is sometimes used herein. This term refers primarily to a protein produced by expression of an isolated nucleic acid molecule of the invention. Alternatively, this term may refer to a protein which has been sufficiently separated from other proteins with which it would naturally be associated, so as to exist in "substantially pure" form.

The term "substantially pure" refers to a

preparation comprising at least 50-60% by weight the compound of interest (e.g., nucleic acid, oligonucleotide, protein, etc.). More preferably, the preparation comprises at least 75% by weight, and most preferably 90-99% by weight, the compound of interest. Purity is measured by methods appropriate for the

-8-

compound of interest (e.g. chromatographic methods, agarose or polyacrylamide gel electrophoresis, HPLC analysis, and the like).

Nucleic acid sequences and amino acid sequences can be compared using computer programs that align the similar sequences of the nucleic or amino acids thus define the differences. In the comparisons made in the present invention, the BLAST programs (NCBI) and parameters used therein were employed, and the DNAstar system (Madison, WI) was used to align sequence fragments of genomic DNA sequences. However, equivalent alignments and similarity/identity assessments can be obtained through the use of any standard alignment software. For instance, the GCG Wisconsin Package version 9.1, available from the Genetics Computer Group in Madison, Wisconsin, and the default parameters used (gap creation penalty=12, gap extension penalty=4) by that program may also be used to compare sequence identity and similarity.

The term "substantially the same" refers to nucleic acid or amino acid sequences having sequence variation that do not materially affect the nature of the protein (i.e. the structure, stability characteristics, substrate specificity and/or biological activity of the protein). With particular reference to nucleic acid sequences, the term "substantially the same" is intended to refer to the coding region and to conserved sequences governing expression, and refers primarily to degenerate codons encoding the same amino acid, or alternate codons encoding conservative substitute amino acids in the encoded polypeptide. With reference to amino acid sequences, the term "substantially the same" refers generally to conservative substitutions and/or variations in regions of the polypeptide not involved in

-9-

5

10

15

20

25

30

35

40

45

50

55

10

15

20

25

30

determination of structure or function.

The terms "percent identical" and "percent similar" are also used herein in comparisons among amino acid and nucleic acid sequences. When referring to amino acid sequences, "percent identical" refers to the percent of the amino acids of the subject amino acid sequence that have been matched to identical amino acids in the compared amino acid sequence by a sequence analysis program. "Percent similar" refers to the percent of the amino acids of the subject amino acid sequence that have been matched to identical or conserved amino acids. Conserved amino acids are those which differ in structure but are similar in physical properties such that the exchange of one for another would not appreciably change the tertiary structure of the resulting protein. Conservative substitutions are defined in Taylor (1986, J. Theor. Biol. 119:205). When referring to nucleic acid molecules, "percent identical" refers to the percent of the nucleotides of the subject nucleic acid sequence that have been matched to identical nucleotides by a sequence analysis program.

With respect to antibodies, the term "immunologically specific" refers to antibodies that bind to one or more epitopes of a protein of interest, but which do not substantially recognize and bind other molecules in a sample containing a mixed population of antigenic biological molecules.

With respect to oligonucleotides or other single-stranded nucleic acid molecules, the term "specifically hybridizing" refers to the association between two single-stranded nucleic acid molecules of sufficiently complementary sequence to permit such hybridization under pre-determined conditions generally

-10-

used in the art (sometimes termed "substantially complementary"). In particular, the term refers to hybridization of an oligonucleotide with a substantially complementary sequence contained within a single-stranded DNA or RNA molecule, to the substantial exclusion of hybridization of the oligonucleotide with single-stranded nucleic acids of non-complementary sequence.

A "coding sequence" or "coding region" refers to a nucleic acid molecule having sequence information necessary to produce a gene product, when the sequence is expressed.

The term "operably linked" or "operably inserted" means that the regulatory sequences necessary for expression of the coding sequence are placed in a nucleic acid molecule in the appropriate positions relative to the coding sequence so as to enable expression of the coding sequence. This same definition is sometimes applied to the arrangement other transcription control elements (e.g. enhancers) in an expression vector.

Transcriptional and translational control sequences are DNA regulatory sequences, such as promoters, enhancers, polyadenylation signals, terminators, and the like, that provide for the expression of a coding sequence in a host cell.

The terms "promoter", "promoter region" or "promoter sequence" refer generally to transcriptional regulatory regions of a gene, which may be found at the 5' or 3' side of the coding region, or within the coding region, or within introns. Typically, a promoter is a DNA regulatory region capable of binding RNA polymerase in a cell and initiating transcription of a downstream (3' direction) coding sequence. The typical 5' promoter sequence is bounded at its 3' terminus by the

-11-

transcription initiation site and extends upstream (5' direction) to include the minimum number of bases or elements necessary to initiate transcription at levels detectable above background. Within the promoter sequence is a transcription initiation site (conveniently defined by mapping with nuclease S1), as well as protein binding domains (consensus sequences) responsible for the binding of RNA polymerase.

A "vector" is a replicon, such as plasmid, phage, cosmid, or virus to which another nucleic acid segment may be operably inserted so as to bring about the replication or expression of the segment.

The term "nucleic acid construct" or "DNA construct" is sometimes used to refer to a coding sequence or sequences operably linked to appropriate regulatory sequences and inserted into a vector for transforming a cell. This term may be used interchangeably with the term "transforming DNA". Such a nucleic acid construct may contain a coding sequence for a gene product of interest, along with a selectable marker gene and/or a reporter gene.

The term "selectable marker gene" refers to a gene encoding a product that, when expressed, confers a selectable phenotype such as antibiotic resistance on a transformed cell.

The term "reporter gene" refers to a gene that encodes a product which is easily detectable by standard methods, either directly or indirectly.

A "heterologous" region of a nucleic acid construct is an identifiable segment (or segments) of the nucleic acid molecule within a larger molecule that is not found in association with the larger molecule in nature. Thus, when the heterologous region encodes a mammalian gene, the gene will usually be flanked by DNA

-12-

5

10

15

20

25

30

35

40

45

50

55

10

15

20

25

30

35

that does not flank the mammalian genomic DNA in the genome of the source organism. In another example, a heterologous region is a construct where the coding sequence itself is not found in nature (e.g., a cDNA where the genomic coding sequence contains introns, or synthetic sequences having codons different than the native gene). Allelic variations or naturally-occurring mutational events do not give rise to a heterologous region of DNA as defined herein. The term "DNA construct", as defined above, is also used to refer to a heterologous region, particularly one constructed for use in transformation of a cell.

A cell has been "transformed" or "transfected" by exogenous or heterologous DNA when such DNA has been introduced inside the cell. The transforming DNA may or may not be integrated (covalently linked) into the genome of the cell. In prokaryotes, yeast, and mammalian cells for example, the transforming DNA may be maintained on an episomal element such as a plasmid. With respect to eukaryotic cells, a stably transformed cell is one in which the transforming DNA has become integrated into a chromosome so that it is inherited by daughter cells through chromosome replication. This stability is demonstrated by the ability of the eukaryotic cell to establish cell lines or clones comprised of a population of daughter cells containing the transforming DNA. A "clone" is a population of cells derived from a single cell or common ancestor by mitosis. A "cell line" is a clone of a primary cell that is capable of stable growth in vitro for many generations.

Description

In accordance with the present invention, a novel human gene, WFS1, has been isolated. The inheritance of a mutated WFS1 gene is highly correlated

-13-

5

10

15

20

25

30

35

40

45

50

55

10

20

25

30

with the development of Wolfram Syndrome in the human population. Normal function of WFS1 appears to be essential for survival of pancreatic islet β -cells and neurons. Included in the invention is the method for using the gene sequence to genetically screen for presence of the potentially mutated forms of the gene for diagnosis and prognosis of the disease in patients.

The WFS1 gene in humans spans 33.4 kb on chromosome 4p and is composed of 8 exons (Fig. 2B; SEQ ID The ~5kb of sequence upstream of the start of WFS1 open reading frame is expected to contain one or more transcriptional or translational regulatory The WFS1 human cDNA is 3.688 kb long (SEQ ID NO:2) and encodes a predicted protein 890 residues long with a predicted molecular mass of 100.29 kDa (SEQ ID Comparison of the WFS1 cDNA sequence with those in public databases found no related genes. A mouse cDNA of WFS1 has also been isolated. The mouse cDNA (SEQ ID NO:4) is 3511 nucleotides long and has 83.9% nucleotide identity to the human gene. The predicted protein sequence encoded by the mouse cDNA (SEQ ID NO:5) has a 86.1% amino acid similarity to the predicted human WFS1 protein.

The inventors have isolated the WFS1 gene represented by SEQ ID NO:1 from the human genome by positional cloning. Previous work had isolated the Wolfram gene between markers D4S432 and D4S431 on chromosome 4p, 5.5 cM (~5500 kb) apart. In the development of this invention, five families with individuals having typical Wolfram syndrome phenotypes were genotyped with genetic markers shown to locate between D4S432 and D4S431 by physical and/or radiation hybrid mapping (see Example 1). The region containing the Wolfram gene was thus narrowed further to a region

5 -14-

10

15

20

25

30

35

40

45

50

55

10

15

20

25

30

between D4S500 and D4S431. The critical region between D4S500 and D4S431 was estimated to be <250 kb as determined by contig mapping of BAC and P1 genomic clones. Three clones were sequenced and the sequence of much of the contig region was determined.

Exon trapping of two BAC clones was employed to generate expressed sequence tags (ESTs) of the region and then to determine areas with open reading frames that would be likely to contain a gene. Among a number of ESTs isolated was one predicted to be the 3' end 1.8 kb exon of a gene. A genomic fragment of this region hybridized to a 3.7 kb RNA on a Northern blot. The gene was determined to be expressed in all tissues, but surprisingly was most abundant in pancreatic islets compared to that in the exocrine pancreas. The abundance of WFS1 RNA in pancreatic islets was particularly revealing because one of the outcomes Wolfram Syndrome is atrophy of pancreatic islets.

A full length cDNA clone of WFS1 was obtained by screening a human infant brain cDNA library (SEQ ID This clone was 3,688 nucleotides long and contained an appropriate start methionine, open reading frame, and polyadenylation signal. Comparison of the cDNA sequence of WFS1 with those in public databases revealed no related genes. Translation of the cDNA sequence predicts a polypeptide of 890 amino acid residues with a molecular mass of 100.29 kDa. protein is distinguished grossly by the presence of 3 structural domains, a hydrophilic N-terminal region of -300 residues, a hydrophilic C-terminal region of -240 residues, and a central hydrophobic core of ~350 residues. Inspection of the hydrophobicity curve suggests the presence of ~10 transmembrane segments.

When patients with Wolfram Syndrome were

35 checked for mutagenesis in the WFS1 gene, seven mutations

5 -15-

were found in the full-length clones derived from the original EST. PCR (polymerase chain reaction) was used to amplify exons of WFS1 from subjects with Wolfram Syndrome, and the products were sequenced. Comparison of these sequences with the wild type gene revealed probable loss of function mutations in all cases, as described in greater detail below.

The following description set forth the general procedures involved in practicing the present invention. To the extent that specific materials are mentioned, it is merely for purposes of illustration and is not intended to limit the invention. Unless otherwise specified, general cloning procedures, such as those set forth in Sambrook et al., Molecular Cloning, Cold Spring Harbor Laboratory (1989) (herein "Sambrook et al.") or Ausubel et al. (eds) Current Protocols in Molecular Biology, John Wiley & Sons (1999) (herein "Ausubel et al.") are used. Unless otherwise specified, general genome analysis procedures were used, such as set forth in Genome Analysis: A Laboratory Manual, Cold Spring

I. Preparation of WFS1 nucleic acid molecules, encoded proteins and immunologically specific antibodies

A. Nucleic Acid Molecules

Harbor Laboratory Press (1997).

Nucleic acid molecules comprising part or all of the WFS1 gene of the invention may be prepared by two general methods: (1) they may be synthesized from appropriate nucleotide triphosphates, or (2) they may be isolated from biological sources. Both methods utilize protocols well known in the art.

The availability of nucleotide sequence information, such as Sequence I.D. Nos. 1, 2 and 4, enables preparation of an isolated nucleic acid molecule

-16-

10

15

20

25

30

35

5

10

15

20

25

30

35

40

45

50

55

of the invention by oligonucleotide synthesis. Synthetic oligonucleotides may be prepared by the phosphoramadite method employed in the Applied Biosystems 38A DNA Synthesizer or similar devices. The resultant construct may be purified by high performance liquid chromatography (HPLC). Long, double-stranded polynucleotides, such as a DNA molecule of the present invention, must be synthesized in stages, due to the size limitations inherent in current oligonucleotide synthetic methods. Thus, for example, a double-stranded DNA molecule several kilobases in length may be synthesized as multiple smaller segments of appropriate complementarily. Complementary segments thus produced may be annealed such that each segment possesses appropriate cohesive termini for attachment of an adjacent segment. Adjacent segments may be ligated by annealing cohesive termini in the presence of DNA ligase to construct an entire doublestranded molecule. A synthetic DNA molecule so constructed may then be cloned and amplified in an appropriate vector.

WFS1 nucleic acid sequences may be isolated from appropriate biological sources using methods known in the art. In a preferred embodiment, a human genomic clone is isolated from a human genomic P1 library. In another preferred embodiment, a cDNA clone is isolated from the Marathon-Ready human fetal brain λ gt10 cDNA library (Clontech). In yet another preferred embodiment, a mouse cDNA is isolated from a mouse pancreatic β -cell line (MIN6) cDNA library. The isolation of human and mouse clones is not limited to the aforementioned libraries, and other commercially available human and mouse libraries may be used. Alternatively, cDNA or genomic clones from other species may be obtained.

In accordance with the present invention, nucleic acids having the appropriate sequence homology

-17-

5		-1/-
		with part or all of Sequence I.D. Nos. 1, 2 or 4 may be
		identified by using hybridization and washing condition
		of appropriate stringency. For example, hybridizations
10		may be performed, according to the method of Sambrook et
	5	al., using a hybridization solution comprising: 5 x SSC,
		5 x Denhardt's reagent, 1.0% SDS, 100 μg/ml denatured,
		fragmented salmon sperm DNA, 0.05% sodium pyrophosphate
15		and up to 50% formamide. Hybridization is carried out at
		37-42°C for at least six hour. Following hybridization,
	10	filters are washed as follows: (1) 5 minutes at room
		temperature in 2 x SSC and 1% SDS; (2) 15 minutes at room
20		temperature in 2 x SSC and 0.1% SDS; (3) 30 minutes-1
		hour at 37°C in 1 x SSC and 1% SDS; (4) 2 hours at 42-
		650in 1 X SSC and 1% SDS, changing the solution every 30
25	15	minutes. In a preferred embodiment, hybridizations are
7		performed in hybridization solution comprising 0.5 M
		NaPO., 2 mM EDTA, 7% SDS and 0.1% sodium pyrophosphate (pH
		7.1) at about 65°C for 20 hours. For high-stringency
30		conditions, membranes are subsequently washed
	20	sequentially for 1 hour each in: (1) 2X SSC, 0.5X SET,
		0.1% sodium pyrophosphate; and (2) 0.1% SSC, 0.5% SET,
		0.1% sodium pyrophosphate. For low-stringency
35		conditions, membranes are washed at 50°C for 30 minutes
		in 2X SSC, 0.5X SET, 0.1% sodium pyrophosphate.
	25	One common formula for calculating the
		stringency conditions required to achieve hybridization
40		between nucleic acid molecules of a specified sequence
		homology (Sambrook et al., 1989):
45	30	$T_m = 81.5$ °C + 16.6Log [Na+] + 0.41(% G+C) - 0.63 (% formamide) - 600/#bp in duplex
45		
		As an illustration of the above formula, using [N+] =
٠.		[0.368] and 50% formamide, with GC content of 42% and an
50		average probe size of 200 bases, the T_m is 57°C. The T_m
	35	of a DNA duplex decreases by 1 - 1.5°C with every 1%

-18-

decrease in homology. Thus, targets with greater than about 75% sequence identity would be observed using a hybridization temperature of 42°C.

5

10

15

20

25

30

35

40

45

50

55

10

15

20

25

30

The stringency of the hybridization and wash depend primarily on the salt concentration and temperature of the solutions. In general, to maximize the rate of annealing of the probe with its target, the hybridization is usually carried out at salt and temperature conditions that are 20-25°C below the calculated T_m of the of the hybrid. Wash conditions should be as stringent as possible for the degree of identity of the probe for the target. In general, wash conditions are selected to be approximately 12-20°C below the T_m of the hybrid. In regards to the nucleic acids of the current invention, a moderate stringency hybridization is defined as hybridization in 6X SSC, 5X Denhardt's solution, 0.5% SDS and 100 μ g/ml denatured salmon sperm DNA at 42°C, and wash in 2X SSC and 0.5% SDS at 55°C for 15 minutes. A high stringency hybridization is defined as hybridization in 6% SSC, 5% Denhardt's solution, 0.5% SDS and 100 μ g/ml denatured salmon sperm DNA at 42°C, and wash in 1X SSC and 0.5% SDS at 65°C for 15 minutes. A very high stringency hybridization is defined as hybridization in 6X SSC, 5X Denhardt's solution, 0.5% SDS and 100 $\mu g/ml$ denatured salmon sperm DNA at 42°C, and wash in 0.1X SSC and 0.5% SDS at 65°C for 15 minutes.

Nucleic acids of the present invention may be maintained as DNA in any convenient cloning vector. In a preferred embodiment, genomic clones are maintained in a COS-7 cells in the vector pSPL3 (Life Technologies, Inc.). In another preferred embodiment, PCR products are subcloned into pAMP10 using the UDG cloning kit (GIBCO

-19-

BRL), and propagated in a suitable *E. coli* host cell. In another preferred embodiment, clones are maintained in plasmid cloning/expression vector, such as pGEMT (PROMEGA), and propagated in *E. coli*.

WFS1 nucleic acid molecules of the invention (including those containing known polymorphisms and mutations) include cDNA, genomic DNA, RNA, and fragments thereof which may be single- or double-stranded. Thus, this invention provides oligonucleotides (sense or antisense strands of DNA or RNA) having sequences capable of hybridizing with at least one sequence of a nucleic acid molecule of the present invention, such as selected segments of Sequence I.D. Nos. 1, 2 and 4. Such oligonucleotides are useful as probes for detecting WFS1 genes (and specific mutations) in test samples, e.g. by PCR amplification, or as potential regulators of gene expression.

B. Proteins and Antibodies

A full-length WFS1-encoded protein of the present invention may be prepared in a variety of ways, according to known methods. The protein may be purified from appropriate sources, e.g., human or animal cultured cells or tissues, by immunoaffinity purification.

However, due to the limited amount of such a protein that may be present in a sample at any given time, particularly in tumors or tumor cell lines, conventional purification techniques are not preferred in the present invention.

The availability of the isolated WFS1 coding sequence enables production of protein using in vitro expression methods known in the art. For example, a cDNA or gene may be cloned into an appropriate in vitro transcription vector, such a pSP64 or pSP65 for in vitro

-20-

transcription, followed by cell-free translation in a suitable cell-free translation system, such as wheat germ or rabbit reticulocytes. *In vitro* transcription and translation systems are commercially available, e.g., from Promega Biotech, Madison, Wisconsin or BRL, Rockville, Maryland.

Alternatively, the recombinant protein may be produced by expression in a suitable procaryotic or eukaryotic system. For example, part or all of a DNA molecule, such as the cDNA having SEQ ID NO:2 or No. 4, may be inserted into a plasmid vector adapted for expression in a bacterial cell, such as E. coli, or into a baculovirus vector for expression in an insect cell. Such vectors comprise the regulatory elements necessary for expression of the DNA in the bacterial host cell, positioned in such a manner as to permit expression of the DNA in the host cell. Such regulatory elements required for expression include promoter sequences, transcription initiation sequences and, optionally, enhancer sequences.

The protein produced by WFS1 gene expression in a recombinant procaryotic or eukaryotic system may be purified according to methods known in the art. A commercially available expression/secretion system can be used, whereby the recombinant protein is expressed and thereafter secreted from the host cell, to be easily purified from the surrounding medium. If expression/secretion vectors are not used, an alternative approach involves purifying the recombinant protein by affinity separation, such as by immunological interaction with antibodies that bind specifically to the recombinant protein. Such methods are commonly used by skilled practitioners.

Proteins prepared by the aforementioned methods
35 may be analyzed according to standard procedures. For

-21-

10

15

20

25

30

5

10

15

20

25

30

35

40

45

50

55

example, such proteins may be subjected to amino acid sequence analysis, according to known methods.

Included in the present invention are antibodies capable of immunospecifically binding to proteins of the invention. Polyclonal antibodies directed toward WFS1-encoded proteins may be prepared according to standard methods. Monoclonal antibodies may be prepared, which react immunospecifically with various epitopes of the proteins. Monoclonal antibodies may be prepared according to general methods of Köhler and Milstein, following standard protocols. Polyclonal or monoclonal antibodies that immunospecifically interact with WFS1-encoded proteins can be utilized for identifying and purifying such proteins. For example, antibodies may be utilized for affinity separation of proteins with which they immunospecifically interact. Antibodies may also be used to immunoprecipitate proteins from a sample containing a mixture of proteins and other biological molecules. Other uses of antibodies are described below.

II. Uses of WFS1 Nucleic Acids, Encoded Proteins and Immunologically Specific Antibodies

A. WFS1 Nucleic Acids

Nucleic acids comprising part or all of the WFS1 gene may be used for a variety of purposes in accordance with the present invention. As illustrated in Example 1, selected WFS1 sequences (DNA, RNA or fragments thereof) may be used as probes to identify mutations or rearrangements in a patient's DNA, and/or monitor the level of WFS1 transcripts in tissues. As discussed earlier, WFS1 mutations are associated with the occurrence of Wolfram Syndrome, a disease of autosomal recessive inheritance. Early identification of patients

-22-

5

10

15

20

25

30

35

5

10

15

20

25

30

35

40

45

50

55

destined to develop Wolfram Syndrome may lead to preventive therapies. Identification of heterozygous individuals that are at risk of having a child with Wolfram Syndrome will be very useful in genetic counseling.

WFS1 sequences may be utilized as probes in a variety of assays known in the art, including but not limited to: (1) in situ hybridization; (2) Southern hybridization; (3) northern hybridization; and (4) assorted amplification reactions, such as polymerase chain reaction (PCR). In a preferred embodiment, large deletion and premature termination mutations are detected by separation on acrylamide or agarose gel electrophoresis and Southern blotting with probes made from WFS1 gene sequences. Knowledge of the wildtype sequence allows the identification of point mutations in non-functional WFS1 genes. In another preferred embodiment, mutated genes are differentiated from wildtype genes by using restriction enzyme sites that appear or disappear as the result of the mutation. WFS1 nucleic acids are digested and the fragments are then separated and probed as described above.

Both of the above-mentioned preferred embodiments are illustrated in Example 1. The human genomic WFS1 sequence was used to design screening procedures to quickly screen all the individuals in a Wolfram Syndrome patient's extended family. In the case of large deletion mutations, the screen entailed amplifying the region of the gene encompassing the deletion, then separating the products by agarose gel electrophoresis and performing Southern blot hybridization using a labelled wild type PCR fragment. In the case of point mutations, the PCR primers were designed as above, the mutant and wildtype products were digested with a restriction enzyme that was specific to

-23-

10

15

20

25

30

35

10

15

20

25

30

35

40

45

50

55

either the sequence at the point mutation or the corresponding wildtype sequence. The products of the digestion, along with undigested control nucleic acids, were separated and detected as above. In all of the six extended families studied, inheritance of a homozygous complement of a mutated WFS1 gene was consistent with the development of the disease and the pedigree of the family. Of particular interest are the three mis-sense mutations in the human WFS1 predicted polypeptide, whose wild type sequence is found to be conserved in the predicted mouse polypeptide. This sequence conservation, together with the mutational effect of non-conservative amino acid substitutions at these sites, suggests that these amino acids are critical for gene function. A primary screen of these sequences is a useful way to expedite the identification of mutations. Other critical mis-sense mutations may also be useful in connection with this invention. These other mutations can be found using procedures detailed in Example 1 and others well known in the art.

The WFS1 nucleic acids of the invention may also be utilized as probes to identify related genes either from humans or from other species. In a preferred embodiment, a cDNA has been isolated from mouse insulinoma cDNA library by standard screening methods and RACE PCR. The mouse cDNA was 3,511 nucleotides long with 83.9% nucleotide identity to the coding sequence of the human gene and 86.1% predicted amino acid similarity. While the cloning of the mouse cDNA is illustrated in Example 1, those skilled in the art will appreciate that the isolation of WFS1 from other species is by no means limited to mouse. Other mammalian species of interest include, but are not limited to, cow, cat, dog, horse, pig and rat. As is well known in the art, hybridization stringency may be adjusted so as to allow hybridization

-24-

5

10

15

20

25

30

35

40

45

50

55

10

15

20

30

35

of nucleic acid probes with complementary sequencing of varying degrees of homology.

The cDNA from the mouse wfs1 gene is very useful because it allows further study of the gene and Wolfram Syndrome in system more conducive to research than human. The mouse clone may be used to create a targeting construct, which can be used for the targeted mutagenesis of the endogenous mouse gene. By creating both null and site-directed mutants, a mouse model system for Wolfram Syndrome can be generated. This mouse system can subsequently be used to elucidate the cellular function of the Wolfram gene product, as well as assist Systems other in developing therapies for the syndrome. than mouse can also be used to advantage. These systems include, but are not limited to animal models developed in mouse, various cultured human and mammalian cell systems (e.g., mouse and rat insulinoma cells) and frog oocyte expression systems.

As described above, the coding region of WFS1 may also used to advantage to produce substantially pure WFS1 encoded proteins or selected portions thereof. As described below, these proteins may also be used in diagnosis and therapy of Wolfram Syndrome.

25 B. Proteins and Antibodies

The WFS1-encoded protein, or fragments thereof, may be used to produce polyclonal or monoclonal antibodies, which also may serve as sensitive detection reagents for the presence and accumulation of the WFS1-encoded polypeptide in cultured cells or tissues from living patients (the term "patient" refers to both humans and animals). Because the WFS1-encoded protein has not yet been isolated from natural sources, such antibodies will greatly accelerate the identification, isolation and characterization of this protein in mammalian cells and

-25-

tissues. Recombinant techniques enable expression of fusion proteins containing part or all of the WFS1-encoded protein. The full-length protein or fragments of the protein may be used to advantage to generate an array of monoclonal antibodies specific for various epitopes of the protein, thereby potentially providing even greater sensitivity for detection of the protein in cells or tissues. Monoclonal antibodies specific to variant portions of the WFS1 polypeptide may also be used to advantage in diagnosing presence of a variant form of the gene.

Polyclonal or monoclonal antibodies immunologically specific for the WFS1-encoded protein may be used in a variety of assays designed to localized and/or quantitate the protein. Such assays include, but are not limited to: (1) flow cytometric analysis; (2) immunochemical localization of the protein in cultured cells or tissues; and (3) immunoblot analysis (e.g., dot blot, Western blot) of extracts from cells and tissues. Additionally, as described above, such antibodies can be used for the purification of WFS1-encoded proteins (e.g., affinity column purification, immunoprecipitation).

The following example is provided to describe
the invention in greater detail. It is intended to
illustrate, not to limit, the invention.

EXAMPLE 1 Isolation and Identification of Wolfram Gene and Mutants

METHODS

Patients and families. Three families originated from Japan: WS-1 (Nanko et al., Brit J
Psychiatry 161: 282, 1992), WS-2 (Higashi, Am J Otology

-26-5 12: 57-60, 1991, and WS-3 (Maruta et al., Clin Neurol 27: 725,732, 1987). Cell lines for the Caucasian family WS-4 were obtained from the NIGMS Human Genetic Mutant Cell Repository, Camden, NJ. (family #1157). Family WS-5 is 10 Caucasian Australian and WS-6 Saudi Arabian. Minimum criteria for diagnosis were young-onset insulin-dependent diabetes mellitus and progressive optic atrophy. 15 Microsatellite analysis. Initial genotyping was carried out as described previously (Nestorowicz et 10 al., Hum Molec Genet 7: 1119-1128, 1998; Inoue et al., Diabetes 45: 789-794, 1996) with markers reported in the 20 1996 Genethon Microsatellite Map (D4S127, Hox7, D4S412, D4S3023, D4S2925, D4S431, D4S2935, D4S3007, D4S394, D4S2983, D4S2923). Second genotyping was performed with markers (D4S2957, D4S2375, A348XA5, D4S827, D4S500, and 15 25 D4S2366), shown to locate in the interval of D4S3023-D4S431 by physical and radiation hybrid mapping projects of chromosome 4. The STANFORD CHR 4 YAC MAP project and the CHROMOSOME 4 SUMMARY MAP were viewed at WEB sites 30 20 (http://shgc.stanford.edu/, http://cedar.genetics.soton.ac.uk/). Primer sequences were obtained from the Genome Database (GDB http://www.hgmp. mrc.ac.ok/gdb/gdbtop.html). 35 P1/BAC library screening. A human genomic P1 library (HD-K) was screened for clones containing D4S500 25 and D4S431 by PCR, using primers developed to 40 specifically hybridize with those markers. Sequencetagged sites (STSs) (SP6 and T7) from Pls 102C5, 89C1 and 77B6, as well as D4S500 and D4S431, were used for BAC library screening by either PCR or by direct 30 45 hybridization of library grid blots (Research Genetics, Inc., Huntsville, Alabama).

> Exon-trapping, sample and shotgun megabase genomic sequencing. Restriction fragments from BAC 460K9 and 33H22 were cloned into the BamHI site of pSPL3,

50

55

-27-

transfected into CoS-7 cells and spliced products obtained by RT-PCR were subcloned into pAMP10 using the UDG cloning kit (GIBCO BRL) and sequenced.

Sample and shotgun sequencing of BAC460K9 and 33H22 was accomplished as described (Wilson and Mardis, in Genome Analysis: A Laboratory Manual, Cold Spring Harbor Laboratory Press, New York, NY, 1997). Similarity searches with known genes and ESTs were performed using BLAST programs (NCBI). The sequencing project was compiled using LaserGene software (DNAStar, Madison, WI). Sequencing was performed on an ABI 373 with Prism dye terminator kits.

Northern blot analysis, cDNA screening, and 5' RACE analysis. A multiple adult human tissue polyA+ RNA Northern blot (Clontech- MTN human I) was probed with an 854-bp fragment (nt 2133-2986 WFS1 cDNA) as described by the manufacturer. Total cellular RNA was isolated (Chomczynski and Sacchi, Anal Biochem 162: 156-159, 1987) and Northern analysis performed with 20 μ g of RNA by hybridization with WFS1 cDNA labeled with [α -32P]dCTP as previously described (Ferrer et al., Diabetes 46: 386-392, 1997). RNA quality and loading was checked by staining the gel for ribosomal RNA and by hybridization with either β -actin or ribosomal RNA.

The same 854-bp fragment was used for screening an infant brain λ gt10 cDNA library. Six overlapping clones containing the WFS1 gene were isolated. 5' RACE analysis was performed using Marathon-Ready human fetal brain cDNA (Clontech, Palo Alto, CA). The RACE products were subcloned into pGEMT vector (Promega Biotech, Madison WI) and sequenced. A mouse pancreatic β -cell line (MIN6) cDNA library was screened with human WFS1 cDNA using standard reduced stringency conditions, and a 3.0 kb clone was isolated. A primer corresponding to the

-28-

predicted 5'-untranslated region, based on the mouse EST sequence (GenBank AA021827 and AA692227) that was homologous to the human cDNA, was synthesized and used for RT-PCR with MIN6 RNA (5'-CGGTTTCGGAGCAACTTCGC-3', SEQ ID NO:42 and 5'- CACCTCAGCCTCGTTCTCAG -3', SEQ ID NO:43).

sequence was incorporated into the 5' terminus of primers for direct sequence analysis using an ABI automated DNA sequencer Model 373 (Chadwick et al., Biotechniques 20: 676-683, 1996). Primers used for exon amplification, genomic sequencing and mutation detection are as in Table 2.

Mutation detection. M13 universal primer

The 2812del(TC) was detected with a labeled PCR fragment on a denaturing Long Ranger polyacrylamide gel (FMC Bioproducts). The 1685del(N₁₅) was detected by electrophoresis of PCR fragments on 4% agarose gels. The 2341C to T was detected by PCR, digestion with EcoNI (New England Biolabs (NEB)) and polyacrylamide-gel

electrophoresis. The mutated allele was observed as 209 bp and 35 bp fragments.

The 2254G to T mutation was detected by PCR, digestion with AvaII (NEB) and agarose gel electrophoresis, with two bands (240 bp, 137 bp) in the wild allele, and three (240 bp, 120 bp, 17 bp) in the mutant. The 2114G to A mutation was detected by PCR, digestion with Tfi I (NEB) and agarose gel electrophoresis. The wild allele has one band of 528 bp, and the mutated allele has two bands (396 bp, 132 bp).

The 1681C to T mutation destroys a BsmF1 restriction site, and primers are set 8a (Table 2), with resulting fragments described in Fig. 6c.

GenBank Accession Numbers. The human WFS1 and

-29-

mouse wfs1 cDNA sequences are deposited in GenBank: #AF084481 and #AF084482.

RESULTS

5

10

15

20

25

30

35

Linkage Analysis. Linkage studies were conducted on three Japanese families (WS-1, -2, and -3) and two Caucasian families (WS-4, -5) (Figs. 1A-1E), each with at least two individuals having typical Wolfram syndrome phenotypes. When genotyping with chromosome 4p markers used previously (Polymeropoulos et al., Nature Genetics §: 95-97, 1994; Collier et al., Am J Hum Genet 59: 855-863, 1996), estimates for recombination fractions (0) between WFS and the markers confirmed close linkage (lod =3.99 for D4S431 at 0 =0.05). Multipoint analysis with GENEHUNTER (version 1.1) (Kruglyak et al., Am J Hum Genet 59: 1347-1363, 1996) gave a lod >6.0 for the region encompassed by markers D4S827 and D4S394.

Haplotype Analysis and Mapping by

Recombination. Haplotypes were constructed by inspection. The boundaries for the WFS gene had been defined by a telomeric recombinant at D4S432 (Collier et al., 1996), and centromeric recombinants at D4S431 (Polymeropoulos et al., 1994; Collier et al., 1996). Recombinants in families WS-1 - WS-6 were identified by genotyping with genetic markers shown to locate between D4S432 and D4S431 by physical and/or radiation hybrid mapping. In family WS-1, subject III-2, recombination of the telomeric region from D4S827 was observed (Fig. 1A). In the Japanese family WS-2 (Fig. 1B), all affected subjects (III-1, -2, -3, and -4) were haploidentical centromeric to D4S500, suggesting the presence of a historical recombinant in the unrelated father (II-5). The centromeric boundary was confirmed as D4S431 by a recombinant in WS-5, subject III-2 (Fig. 1E). concluded that the WFS gene likely lies within the

55

5 .

10

15

20

25

30

35

40

45

-30-

interval D4S500-D4S431.

5

10

15

20

25

30

35

40

45

50

55

10

35

Construction of a genomic contig across the WFS critical region. In the STANFORD CHR 4 YAC MAP project, D4S827 and D4S431 are within two overlapping YACs encompassing the region (204H9 and 420E4). Further, D4S500 and D4S431 were located on the same YAC (420E4). A contig was constructed with genomic human P1/BAC clones, and a contiguous genomic map encompassing the WFS gene was obtained (Figure 2). STS content mapping confirmed overlapping clones. As the interval between D4S500 and D4S431 was covered by a P1 (102C5) and a BAC clone (33H22), the critical region was estimated to be <250 kb.

Identification of candidate genes within the WFS region, and cloning the WFS1 gene. By exon trapping 15 of BACs 33H22 and 460K9, an expressed sequence tag (EST) was found that resulted in the cloning of the y-isoform of the B regulatory subunit of the human protein phosphatase 2A (PP2ABRy). The genomic structure of PP2ABRy was determined, and direct sequence analysis of 20 probands excluded this gene. In parallel, we initiated large-scale genomic sequencing from BACs 460K9 and 33H22, and P1 102C5. A total of ~180 kb of sequence was analyzed. Among a number of EST matches, one was predicted to be the 3'-end exon containing a 1.8 kb open 25 reading frame (exon 8, Fig. 2B). This EST was further evaluated as it was unambiguously within the critical region.

The size of the full-length mRNA and pattern of tissue expression was determined by PCR amplification of 30 an 854-bp genomic fragment of the region that was hybridized to a multiple-tissue Northern blot with polyA+ RNA. A major transcript of ~3.7 kb was expressed in all tissues including pancreas (Fig. 3A). Northern analysis of total RNA (20 μ g) revealed the gene most abundantly

5

expressed in pancreatic islets compared to that in exocrine pancreas (Fig. 3C).

10

human infant brain cDNA library. Six clones were isolated and subsequently 5' RACE analysis was performed. These analyses yielded a composite cDNA sequence of 3.688 kb. The longest open reading frame extended from nt 171 to 2843. The methionine at position 171 was chosen as the translation initiation codon primarily because it

15

10

25

30

35

conforms to Kozak's rule (Kozak, Mamm Genome 7: 563-574, 1996). A consensus polyadenylation site (aataaa) was located at position 3615-20, 19 bases upstream from the polyA tail. The gene was named WFS1.

20

Predicted characteristics of the WFS1 protein,

A full-length clone was obtained by screening a

25

and cloning of the mouse cDNA. Comparison of the cDNA
- sequence of WFS1 with those in public databases revealed
no related genes. Translation of the cDNA sequence
predicts a polypeptide of 890 amino acid residues with a
molecular mass of 100.29 kDa. Hydrophobicity analysis of
the deduced amino acid sequence is presented in Figure 4.

30

the deduced amino acid sequence is presented in Figure 4. The protein is distinguished grossly by the presence of 3 structural domains, a hydrophilic N-terminal region of ~300 residues, a hydrophilic C-terminal region of ~240 residues, and a central hydrophobic core of ~350

35

residues. Inspection of the hydrophobicity curve suggests the presence of ~10 transmembrane segments, if it is assumed that this region of the protein consists of α -helical segments. Comparison of the predicted amino

40

acid sequence with entries in the Prosite database produced a single match to the prenyltransferase α -subunit repeat structure.

45

A mouse wfs1 cDNA was isolated from a mouse insulinoma (MIN6) (Ishihara et al., Diabetologia 36: 1139-1145) cDNA library, and completed by RT-PCR. The mouse wfs1 cDNA was 3511 nucleotides with 83.9%

-32-

5

nucleotide identity to the coding sequence of the human gene, and 86.1% amino acid similarity (Figure 5).

Genomic structure of the WFS1 gene and

10

15

mutations in WFS patients. The genomic structure of WFS1 was determined by comparison of cDNA and genomic sequences obtained by shotgun sequencing of BAC460K9 and 33H22 and sequences in the Stanford Human Genome Center database (http://www.shgc.stanford.edu). The gene was found to be composed of eight exons (Fig. 2B) in 33.4 kb of genomic DNA.

10

15

20

30

For mutation screening, exons were amplified and sequenced from patients' genomic DNA. A TC deletion at position 2812 for subject WS-1 III-2 predicted a frameshift at codon 882, designated del882fs/ter937

25

20

(Table 1), with absence of the normal stop codon at 891 and the introduction of a new downstream termination codon. The predicted WFS1 protein contains 937 amino acids, 47 more than the normal protein. All 3 affected sibs (WS-1 III-1, -2, and -4) were homozygous for this mutation, while the unaffected sib and the parents were

30

heterozygous, indicating a disease-specific mutation.

The 2812delTC mutation was not found in 80 healthy
control Japanese subjects (160 chromosomes, see Table 1).

35

In other WFS families, six additional mutations
were found in exon 8 (Table 1). In family WS-2, affected
offspring (III-1, -2, -3, and -4) inherited a 15 bp
deletion resulting in del508YVYLL, homozygous by descent
from related heterozygous parents. Co-segregation of
this deletion with the WFS phenotype is shown in Fig 6A.

40

45

A sequence chromatogram from an affected child homozygous for the 15 bp deletion is shown in Fig. 6B. In family WS-3, both affected offspring (II-1 and -2) were homozygous for a 2341 C to T transversion resulting in a P724L mutation. In the Caucasian family WS-4, all

50

55

35 affected offspring (II-1, -3, and -4) were found to be compound heterozygotes for a 2254 G to T transition

-33-

resulting in a G695V (paternal) mutation, and a 2114 G to A transversion resulting in a W648X (maternal) mutation. The W648X mutation predicts a premature termination, and lack of 242 amino acids of the C- terminus. In each of these 4 families the mutations were shown to co-segregate with the disease phenotype, both by sequencing and by either size change, or alteration of a restriction endonuclease site. None of the mutations were found in Japanese or Caucasian control subjects. No other coding variants were found on sequencing the entire gene in each proband.

In the Australian family WS-5, a 1681C to T transversion (P504L) was observed. This mutation destroys a BsmFl restriction site. In Fig. 6C, the father (I-3) is shown to be heterozygous for 1681C to T, and the mother (I-4) is homozygous 1681C. Yet surprisingly all affected offspring (II-1, -2, and -4) appeared to be homozygous 1681T. The unaffected child (II-3) appeared to be homozygous for 1681C. The most likely explanation for these findings is that the mother's chromosome, inherited by each child (see haplotypes in Fig. 1E), harbored a microscopic deletion for the WFS1 gene, and that the affected offspring were hemizygous for the P504L mutation.

A sixth family (WS-6) with one 10 year old affected child and two apparently unaffected younger sisters became available for analysis. The parents were Saudi Arabian first cousins. The affected child was homozygous for a 7bp repeat insertion at 1610 (CTGAAGG), resulting in a predicted frame shift and premature termination of the protein at codon 544. The parents were heterozygous, while the unaffected sisters were heterozygous and homozygous normal respectively. Sequence analysis also revealed a number of silent and intronic variants (polymorphisms) in various families (see Table 1).

-34-

Table 1. Mutations and polymorphisms in WFS1

	Mutation	Amino acid	Exon/intron	Family	Control chromosomes
	2812del (TC)	de1882fs/ter937	Exon 8	WS-1	160*
	1685del (CCTGCT	del508YVYLL	Exon 8	WS-2	160 -
	CTATGTCTA)				
15	2341C to T	P724L	Exon 8	WS-3	160 *
	2254G to T	G695V	Exon 8	WS-4	160b
	2114G to A	W648X	Exon 8	WS-4	160 ^b
	1681 C to T	P504L	Exon 8	WS-5	160b
)	delWFS1°			WS-5	ND
	1610insCTGAAGG	ins483fs/ter544	Exon 8	WS-6	160 ^d
	Changes of	•			
	uncertain				
	effect_		<u> </u>	···	
	1167G to A	1333V	Exon 8	WS-4 (same chr.	ND
				as W648X)	
	Polymorphisms			as W648X)	
	Polymorphisms 854G to C	D268D	Exon 6	as W648X)	ND
		D268D V395V	Exon 6 Exon 8		ND ND
	854G to C			WS-4	
	854G to C 1355T to C	V395V	Exon 8	WS-4 WS-4	ND
	854G to C 1355T to C 1457C to T	V395V C429C	Exon 8	WS-4 WS-4 WS-3	ND ND
	854G to C 1355T to C 1457C to T	V395V C429C	Exon 8	WS-4 WS-4 WS-3 WS-1,-2,-3,-4,	ND ND
	854G to C 1355T to C 1457C to T 1537A to G	V395V C429C R456H	Exon 8 Exon 8	WS-4 WS-4 WS-3 WS-1,-2,-3,-4, normals	ND ND
	854G to C 1355T to C 1457C to T 1537A to G	V395V C429C R456H L459L	Exon 8 Exon 8 Exon 8	WS-4 WS-4 WS-3 WS-1,-2,-3,-4, normals WS-3	ND ND ND
	854G to C 1355T to C 1457C to T 1537A to G 1545C to T 1570T to C	V395V C429C R456H L459L L507L	Exon 8 Exon 8 Exon 8 Exon 8	WS-4 WS-4 WS-3 WS-1,-2,-3,-4, normals WS-3	ND ND ND ND
	854G to C 1355T to C 1457C to T 1537A to G 1545C to T 1570T to C 1815C to T	V395V C429C R456H L459L L507L L549L	Exon 8 Exon 8 Exon 8 Exon 8 Exon 8	WS-4 WS-4 WS-3 WS-1,-2,-3,-4, normals WS-3 WS-4	ND ND ND ND ND
	854G to C 1355T to C 1457C to T 1537A to G 1545C to T 1570T to C 1815C to T 1925C to T	V395V C429C R456H L459L L507L L549L F585F	Exon 8 Exon 8 Exon 8 Exon 8 Exon 8 Exon 8	WS-4 WS-4 WS-3 WS-1,-2,-3,-4, normals WS-3 WS-4 WS-4	ND ND ND ND ND ND
	854G to C 1355T to C 1457C to T 1537A to G 1545C to T 1570T to C 1815C to T 1925C to T	V395V C429C R456H L459L L507L L549L F585F	Exon 8 Exon 8 Exon 8 Exon 8 Exon 8 Exon 8	WS-4 WS-4 WS-3 WS-1,-2,-3,-4, normals WS-3 WS-4 WS-4 WS-4	ND ND ND ND ND ND
	854G to C 1355T to C 1457C to T 1537A to G 1545C to T 1570T to C 1815C to T 1925C to T 2002G to A	V395V C429C R456H L459L L507L L549L F585F H611R	Exon 8	WS-4 WS-3 WS-1,-2,-3,-4, normals WS-3 WS-4 WS-4 WS-4 WS-1,-2,-3, normals	ND ND ND ND ND ND ND ND

50

b-Caucasian

c-Not confirmed

d-Palestinian Arabs

Table 2. Primers for amplification, sequencing and mutation detection (SEQ ID NOS: 6-41, consecutively).

DNA Fragment	Primers					
Exon 1*	5 'TGTAAAACGACGGCCAGTCTCCTGCAGAAGGCCGCGCGCT3 ' 5 'CAGGAAACAGCTATGACCGCCCACAGCCACCGCGCCAC3 '	247 bp				
Exon 2	5 ' TGTAAAACGACGCCAGTCTGTCTCCAGCAGACACTAA3 ' 5 ' CAGGAAACAGCTATGACCCACAATGCTGAACTGCAGAG3 '	276 bp				
Exon 3	5 ' TGTAAAACGACGCCAGTCTGAAGACCCTCATGCCTTG3 ' 5 ' CAGGAAACAGCTATGACCACACTTCTCTGTGGGCTGTG3 '	276 bp				
Exon 4	5 ' TGTAAAACGACGCCAGTTCGGAGAATCTGGAGGCTGA3 ' 5 ' CAGGAAACAGCTATGACCCATTACAAGCTGCTCAACCC3 '	253 bp				
Exon 5	5 ' TGTAAAACGACGCCAGTCGAAAGCCTTCCAGGCAGAG3 ' 5 ' CAGGAAACAGCTATGACCCTATGGGAAGGTCCTGGCTC3 '	353 bp				
Exon 6	5 'TGTAAAACGACGCCAGTCTAGGAACAGTGCGCCAGTT3 ' 5 'CAGGAAACAGCTATGACCATGGAGTCGCACAGGAAGGA3 '	268 bp				
Exon 7	5'TGTAAAACGACGGCCAGTGCCCATGCTGTTTTCTCTCA3' 5'CAGGAAACAGCTATGACCCCGAGGACACATCCTTATGA3'	371 bp				
Exon 8a	5 'TGTAAAACGACGGCCAGTCCTCGTTCCCACGTACCATC3 ' 5 'CAGGAAACAGCTATGACCGTAGCAGTAGGTGCCCTTGA3 '	766 bp				
Exon 8b	5 'TGTAAAACGACGGCCAGTCCTGGTCGTCCTCAATGTCA3 ' 5 'CAGGAAACAGCTATGACCCATAGAACCAGCAGAACAGC3 '	503 bp				
Exon 8c	5'TGTAAAACGACGGCCAGTTGGTTCACGTCTCTGGAGCT3' 5'CAGGAAACAGCTATGACCGAGTTGTAGACCTTCATGCC3'	240 bp				
Exon 8d*	5 'TGTAAAACGACGGCCAGTGGGCATGAAGGTCTACAACT3 ' 5 'CAGGAAACAGCTATGACCGAACTTCTTGATGTGGCAGG3 '	362 bp				
Excn 8e	5 'TGTAAAACGACGCCAGTCTGGATGCGCTGCCTCTACG3 ' 5 'CAGGAAACAGCTATGACCTCAGGCCGCCGACAGGAATG3 '	523 bp				
Exon 8f	5'TGTAAAACGACGGCCAGITCGCCTTCGACTTCTTTTTC3' 5'CAGGAAACAGCTATGACCCCAAACAAATAAGAAATGCT3'	499 bp				
2812del (TC)	5' GCC CAG CTC TCG CCC ACC AG 3' 5' TCA GGC CGC CGA CAG GAA TG 3'	120 bp				
1685del (N) ₁₈	5' CCT GGT CGT CCT CAA TGT CA 3' 5' GGT AGG GCA CAA GGT AGC AG 3'	119 bp				
2341C to T	Econi-F;5' GGGCATGAAGGTCTACAACTCCA 3' Econi-R;5' CCGTAGAGGCAGCGCATCCAGTCGCCGA <u>cct</u> AGAAC3'**	244 bp				
2254G to T	5'-GAGGGCATGAAGGTCTACAA-3' 5'- CCCACGGTAATCTCAAACTT-3'	377 bp				
2114G to A	5'-TAGTGTGCCCCTGCTGTTGC-3' 5'-CCCACGGTAATCTCAAACTT-3'	528 bp				

Due to the inability to directly sequence these PCR products, the fragments were subcloned into pGEM-T Easy Vector (Promega) as described by the manufacturer and several colonies sequenced for each individual.

50

5

10

15

20

25

30

35

40

45

^{**} Because originally there was no appropriate restriction enzyme site to distinguish mutated alleles, the EcoNI-R primer was modified (3-base change, tga to cct, underlined in primer sequence) and a new EcoNI site was introduced to the mutated allele (CC2341(C/T)NNNNNAGG).

-36-

DISCUSSION

10

15

20

25

30

35

5

10

15

20

25

30

35

40

45

50

55

Consanguineous families from isolated regions of Japan provided the genetic material that led to the discovery of mutations in WFS1 in WFS patients of diverse genetic backgrounds. We believe that mutant alleles at WFS1 are responsible for the disease for several reasons, beyond the fact that the gene maps to the critical region. In each of the six pedigrees, mutant alleles of WFS1 co-segregated with the disease phenotype. shown to be expressed in brain, pancreatic islets, and in a β-cell insulinoma cell line, consistent with the disease phenotype. Seven different mutations were found, as well as a presumed microscopic deletion. The three missense mutations were evolutionarily conserved between the mouse and human (Figure 5), further suggesting their biological significance. None of the mutations were observed in normal chromosomes.

The Australian Caucasian family WS-5 was particularly interesting, as each affected child appeared to be homozygous for a P504L mutant allele inherited from the heterozygous father (Fig. 6C). Repeat sampling and analysis confirmed these results. Analysis of the mother's DNA with new markers between D4S500 and D4S431 suggested that the deletion was confined to a region of <170 kb. Recently a patient with another autosomal recessive disorder was observed to be heterozygous for a missense mutation in combination with a partial deletion of a gene (Ries et al., Human Mutation 12: 44-51, 1998).

The expression pattern of WFS1 appeared ubiquitous by Northern analysis of polyA+ RNA (Fig. 3A). Yet interestingly, the most prominent mRNA observed in total RNA was that in pancreatic islets (Fig. 3C). This high level of expression of WFS1 in islets might explain why the earliest manifestation of WFS is insulindeficient diabetes mellitus (Barrett and Bundey, J Med

Genet 34: 838-841, 1997). Further analysis of the cell biology of WFS1 will be accomplished through generation

-37-

5

10

15

20

25

30

35

40

45

50

55

10

15

20

25

30

. 35

disorders.

of specific antibodies, monitoring expression in cultured cells, and gene targeting to define genotype/phenotype relationships.

Swift et al. hypothesized that heterozygous carriers of the gene for WFS were 26-fold more likely to require psychiatric hospitalization than non-carriers (Swift et al., Molecular Psychiatry 3: 86-91, 1998). Blackwood et al (Blackwood et al., Nature Genetics 12:427-430, 1996) reported highest lod scores with markers mapping to the region D4S431-D4S403 in a genome scan of a large family with bipolar affective disorder. These findings suggest that mutations in WFS1 might be implicated in patients with psychiatric diseases.

Mutations in WFS1 appear to result in premature death of pancreatic islet β -cells leading to juvenile onset insulin-requiring diabetes mellitus (Karasik et al., Diabetes Care 12: 135-138, 1989). The β -cell damage in autoimmune Type I diabetes likely results from the interaction of the HLA locus as a major susceptibility gene, along with multiple minor gene defects. In contrast, islet β -cell loss in WFS is monogenic in origin. Importantly, the WFS1 gene appears to play a major role in maintaining normal islet β-cell function, as mutations in this gene alone can result in loss of islet β -cells. Genome scans for both Type I and Type II diabetes mellitus have not implicated major genes in the 4p region. Yet since these are complex diseases, mutations in WFS1 might play a minor role in these more common forms of diabetes. In addition, WFS1 may represent a new therapeutic target for treatment and prevention of diabetes mellitus and for neurodegenerative

The present invention is not limited to the embodiments described and exemplified above, but is capable of variation and modification without departure from the scope of the appended claims.

Claims

-	-38-
5	

10

15

20

25

30

35

40

45

50

55

What is claimed:

1. A recombinant DNA molecule comprising a vector into which is inserted a heterologous DNA segment from human chromosome 4p, the segment being located between markers D4S500 and D4S431, the segment comprising a gene, mutations of which are associated with Wolfram Syndrome.

- 2. The recombinant DNA molecule of claim 1, wherein the gene is composed of exons that form an open reading frame having a sequence that encodes a polypeptide about 880 to 900 amino acids in length.
- 3. The recombinant DNA molecule of claim 2, wherein the open reading frame encodes an amino acid having greater than 60% identity with SEQ ID NO: 3 or SEQ ID NO:5.
- 4. The recombinant DNA molecule of claim 4, wherein said open reading frame comprises a sequence having greater than 60% homology with SEQ ID NO:2 or SEQ ID NO: 4.
- 5. The recombinant DNA molecule of claim 1, wherein the gene is composed of exons having sequences greater than 60% homologous with the sequences of the corresponding exons in SEQ ID NO:1.
- 30 6. An oligonucleotide between about 10 and 100 nucleotides in length, which specifically hybridizes with a portion of the recombinant DNA molecule of claim 1.
- 7. An isolated nucleic acid molecule having a
 35 sequence that is part or all of a sequence selected from
 the group consisting of:
 - a) SEQ ID NO:1;

5		-39-				
		b) a variant of SEQ ID NO:1 that is				
		substantially the same as SEQ ID NO:1 within the exons of				
		SEQ ID NO:1;				
10		c) a sequence having at least homology 60%				
	5	to SEQ ID NO:1 within the exons of SEQ ID NO:1;				
		d) SEQ ID NO:2;				
		e) a variant of SEQ ID NO:2 that is				
15		substantially the same as SEQ ID NO:2;				
		f) a sequence having at least homology 60%				
	10	to SEQ ID NO:2;				
		g) a sequence encoding a polypeptide				
20		substantially the same as SEQ ID NO:3;				
		h) a sequence encoding a polypeptide at				
		least 60% homologous to SEQ ID NO:3;				
	15	 i) a sequence encoding a polypeptide 				
25		substantially the same as SEQ ID NO:3, that additionally				
-	_	comprises one or more of the sequence variants set forth				
		in Table 1.				
		j) SEQ ID NO:4;				
30	20	k) a variant of SEQ ID NO:4 that is				
		substantially the same as SEQ ID NO:4;				
		 a sequence having at least homology 60st 				
		to SEQ ID NO:4;				
35		m) a sequence encoding a polypeptide				
	25	substantially the same as SEQ ID NO:5; and				
		n) a sequence encoding a polypeptide at				
		least 60% homologous to SEQ ID NO:5.				
40						
		8. An oligonucleotide between 10 and 100 bases				
	30	in length, that specifically hybridizes with a portion of				
		the nucleic acid molecule of claim 7.				
45						
		9. A polypeptide, which is produced by the				
		expression of the nucleic acid molecule of claim 7.				
	35					
50		10. Antibodies immunologically specific for				
		the polypeptide of claim 9.				

E	-40-	

11. A polypeptide produced by expression of an isolated nucleic acid molecule comprising part or all of an open reading frame of a gene located on human chromosome 4p between markers D4S500 and D4S431, mutations of which are associated with Wolfram Syndrome.

12. The polypeptide of claim 11, which comprises a hydrophilic N-terminal region of about 300 amino acid residues, a hydrophilic C-terminal region of about 240 residues, and a central hydrophobic core of about 350 residues.

13. The polypeptide of claim 12, having an amino acid sequence substantially the same as part or all of SEQ ID NO: 3 or SEQ ID NO:5.

14. Antibodies immunologically specific for part or all of the polypeptide of claim 11.

predisposition of an individual to develop Wolfram Syndrome, which comprises examining a WFS1 gene sequence of the individual for mutations resulting in expression of no gene product or a non-functional gene product, the mutations being indicative of the predisposition of the individual to develop Wolfram syndrome.

16. The method of claim 15, wherein the mutations comprises sequences selected from the group consisting of 2812del(TC), 1685del(CCTGCTCTATGTCTA), 2341C to T, 2254 G to T, 2114 G to A, 1681 C to T, and 1610ins(CTGAAGG).

17. The method of claim 16, wherein the
35 mutations are detected by PCR amplification using primers
selected from the group consisting of SEQ ID NOS: 32, 33,
34, 35, 36, 37, 38, 39, 40 and 41.




Figure 1a




Figure 1b




Figure 1c




Figure 1d





Figure 1e

Figure 2a






Figure 3a





Figure 3b






Figure 3d




Figure 4

9/10

1	MNSGTPPPBPSGPPPPPAPQPQARARLNATASLEQDKIEPPRAPRPQADPBAGRSAGEAA MDSNTAPLGPSCPQPPPAPQPQARBRLNATASLEQERBERPRAPGPQAGPGPGVRDAAAP	Human
61 61	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:	Mouse Human
121 120	ELNSCSAVAWLILAAKQGRREAVKLLRRCLADRKGITSENEAEVKQLSSETDLERAVRKA ELNSCTAVUWLVLAAKQGRREAVKLLRRCLADRRGITSENEREVROLSSETDLERAVRKA	Mouse Human
181 180	ALVMYWKLNPKKKKQVAVBELLENVGQVNEQDGGV0PGPVPKSLOKARRMLERLVSSESK ALVMYWKLNPKKKKAVAVAELLENVGOVNEHDGGACPGPVPKSLOKGRRMLERLVSSESK	Mouse Human
241 240	${\tt NYIALDDFVELTKKYAKGIIPTNLFLODEDEDEDELAGKSPEDLPLRQKVVKYPLHAIME}\\ {\tt NYIALDDFVEITKKYAKGVIPSSLFLOD-DEDDDELAGKSPEDLPLRLKVVKYPLHAIME}\\$	Mouse Human
301 299	IKEYLIDVASKAGMHWLSTIVPTHHINALIFFFIISNLTIDFFAFFIPLVVFYLSFVSMV IKEYLIDMASRAGMHWLSTIIPTHHINALIFFFIVSNLTIDFFAFFIPLVIFYLSFISMV	Mouse Human
361 359	ICTLKVFQDSKAWENFRTLTDLLLRFEPNLDVEGAEVNFGWNHLEPYIHFLLSVVFVIFS ICTLKVFQDSKAWENFRTLTDLLLRFEPNLDVEC <u>AEVNFGWNHL</u> EPYAHFLLSVFFVIFS	Mouse Human
421 419	FPLASKDCIPCSELAVISTFFTVTSYMSLSSSAEPYTRRALVTEVAAGLLSLLPTVPVDW FPIASKDCIPCSELAVITGFFTVTSYLSLSTHAEPYTHRALATEVTAGLLSLLPSMPLNW	Mouse Human
481 4 79	RFLKVLGQTFFTVPVGHFIILNVSLPCLLYVYLFYLFFRMACLRNFKGTYCYLVPYLVCF PYLKVLGQTFITVPVGHLVVLNVSVPCLLYVYLLYLFFRMACLRNFKGTYCYLVPYLVCF lins483fsAer544 L504 A508	Mouse Human
541 539	MWCELSVVILLQSTGLGLVRASIGYFLFLFALPILVAGLALMGTVQFARWFLSLDLTKIM MWCELSVVILLESTGLGLLRASIGYFLFLFALPILVAGLALVGVLQFARWFTSLELTKIA	Mouse Human
601 599	VTTVICGVPLLFRWWTKANFSVMGMVKSLTKSSMVKLILVWLTAILLFCWFYVYRSEGMK VTVAVCSVPLLLHWWTKASFSVVGMVKSLTRSSMVKLILVWLTAIVLFCWFYVYRSEGMK X648	Mouse Human
661 659	VYNSTLTWQQYGFLCGPRAWKETNMARTQILCSHLEGHRVTWTGRFKYVRVTEIDNSAES VYNSTLTWQQYGALCGPRAWKETNMARTQILCSHLGGHRVTWTGRFKYVRVTDIDNSAES V695	Mouse Human
721 719	AINMLPFFLGDWMRCLYGEAYP8CSSGNTSTAEEELCRLKQLAKHPCHIKKFDRYKFEIT AINMLPFFIGDWMRCLYGEAYPACSPGNTSTAEEELCRLKLLAKHPCHIKKFDRYKFEIT L724	Mouse Human
781 779	VGMPFGTNGNRGHEEDDITKDIVLRASSEFKDVLLNLRQGSLIEFSTILEGRLGSKWP VGMPFSSGADGSRBREEDDVTKDIVLRASSEFKSVLLSLRQGSLIEFSTILEGRLGSKWP	Mouse Human
839 839	VFELKAISCLNCMTQLSPARRHVKIEQDWRSTVHGALKFAFDFFFFFFLSAA MOUSE VFELKAISCLNCMAQLSPTRRHVKIEHDWRSTVHGAVKFAFDFFFFFLSAA Human A882fs/her937	

Figure 5

Figure 6a






Figure 6b



Normal



Figure 6c



SUBSTITUTE SHEET (RULE 26)

1

SECUENCE LISTING

<110> Permutt, M. Alan Inoue, Hiroshi Muekler, Mike

<120> Gene Mutated in Wolfram Syndrome

<130> WashU CI-0277

<150> US 60/102,031 <151> 1998-09-28

<160> 43

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 67212

<212> DNA

<213> Homo sapiens

<400> 1

60 aaqettgeta cactgeattt gattetggge actgatagea gtacttgget geagacacte gttccaaaca ggccccattt ttccatctct gctgctgtta ttaggggagc ccttagactc 120 tottgcageg ceggaatagg eggtcaagae gtgtgttaat attgcaacag caaatataat 180 240 gaatctgcag ttggggacgc tgaggccgga gtggtggatg aaaggtggcc ggagcctttt 300 ccacgggtcc asaccacctg ttacaggaga aggcgagcgg cctcgctaag caactggacg ttccgcgggc ggggcggggc cggggcccga gtccgctcgg aaactttcgc tgtgggcgag 360 420 ceggaceege ettetggee etegggeeca accaegeagg ggtagtgeeg ggeegeaget aggegaggeg cacegtgatt ggeggagatg tggagtgatt ggeggetaca ceggecacte 480 agcaggeega getggegeg cateeggggg geegegtetg gagtggaggg aggeegaagg 540 600 660 gtgcagattg ctcccccgcg gccgcagatc tcccgtttgc gccgcgttca gctgctcccg aacaactttt ctgccggccc agaggcccca gggcgtcgca gcgccgcgtg cggcccactc 720 acgggccggt gagtacttcg gcgctggggc agtggcgcgg tggctgtggg cagcgcgcag 780 gaggegggea agageeetga ggeactgtee teetegggee teagttteee etteegaget 840 900 gatgggtggc tggccccaaa gtcccgacaa ggtccccgaa gttggagggc cgggggtccc 960 gcccgctctg caacgcgcaa ggcgacccct gttcccgggc ccgaacgggt cacccggggg 1020 gegegeeeeg gteeeeegeg egetgtetge atggageeee geegegggeg ggaeageagg cccgagagge ggagtggceg gegggcagge cccctccccg cgccccgcgc catcccccc 1080 gagttgcccg gtcatgcccc tcccccgcgg tcccgggacc cacggccgcc ttaggtgccc 1140 gccaggccgt tggaaggcct gggcccccgg gaggtgttgt ggggggaagg ggggttcagt 1200 cccccagggg gacccggccc gcccgagggg cagcttaggg gtcattetga atccccacag 1260 1320 cccacttagg agegetgtgg cagtteetet ccctctcggg geccctcagt agagagttga 1380 ggggtttcta gtggcagcac ctggaccttg cctcgtatga actccacctt ctggatcatt agetttttgt ttgatcaacg aaaactttct ggagaatect acccageeet tttggatgtg 1440 atggegeeet ggeeteteac ceaettagea gatgatgtta tgaatteeaa ggaategeat 1500 ttgtgcaacc cccaccacc agatttaacc ctctcagtag ccttaggcgg agaagttata gtccccgttt gacaccccag gaagctgagg ctcagcaggg tttggtgcca gcccaggacc 1560 1620 1680 acgaagetga tggggcagag etggtgttag geetetgeee tateteteea gaageageee gtotototo accitggaca atgaccottg gcatttggcc caggotttgc agtttgtaaa 1740 ggetttetet tatgecagea tecateacte caggagetgt geeetgggta ecceatgtge 1800 tggctgcctg ttctctgcag caggagaggg agcccacggg aagcccagag gccacctttg 1860 teactgtece cacetgttta ettetgtgte caagggtetg tgatteccat ggggteteeg 1920 ttgtatccaa ccagggattt ggagggaggc ttctccacat ttcagcctct tttccctacc 1980

tgctggtttg tcctcccttc gcagacacag gaaaagttgg ctgggagacc ccatctcacc 2040 ttettteeca ggatggaaga geatggaggg egtetetgae ttaggeetee cetgeecate 2100 coggaccaat gotggacagg cttotggggc tggtcacaga ggggacctca gotcagtotc aaccoccaga gatgtotgca otgccagaca gaccogaaac accoatcott tgacggtggc 2160 2220 gataagaatc ataataggtc gggagcttta tgctacacgg gtcccctccc ctcccagttc 2280 cetaetteeg gaagtggtac caccacagee agecageeec agecacaaac cagaecacee 2340 2400 cetgtgeeet teatteetea eteceagttg ggteteteet ggeteetgag eeteactegg atgettgee tggttcagga cectegeete teeetggaeg acceecagge teeteeetgg teeegateeg ggeetggetg caegeageee tgetggttet teagetgeea etteeetetg 2460 2520 2580 ggctatcggg tcaggtccgc ctcccgagcc aggagccggc attctttcgg gccctcaggg accepteted etgeteacte agestetese testgtgtes tetetesage agteacetes 2640 cagecacety egtgtteetg gecacaagee tggeteactg tecetetget geeteetett 2700 2760 ctgggcacaa cccctgctgg aatgcccagc cacctcccag cttgcctggc tcctgcctgc ttgtccagaa ggctcagtca aggcctcctg caggatttct ggcctgcctc ttcccacagt 2820 ggagtgaggg cccccttctg tgccgtcttt gtgggtgtct gtttaggtgt taacccttcc 2880 2940 catctagatg aagctgctcc aatgctggcc ctggacaaga cttctctagg gcagggggc ccagcacagt gcttggcaca agatggacct accetcagte cacacetget gcccatecag 3000 gccgggcctg gagcaggtgc caggtgtgtg gtgggggctt ggccactatg gccgtcatga atgctgcttg gggcagtccc aattcaaacc cctctgttcc tgtgaatgtg ccacattgga 3060 3120 tagagetgga atgtteettg gtttgteeet taatactetg agcaaaaata ggtacetggg 3180 atccatcaag ggctttgtgc ccttgtcttg aggagcagcc ctgtgccagg gggctgggtc 3240 aggecaggee agageagaea teccagggee aggaeeteet gggeetgete eettagaget 3300 tgctcacaga tgggttttaa aataacattt gctttaattt caaaaacatc acacattcat 3360 tatagaaaac tagggaaata tgtttaaaag aagaataaaa tgaaaccgcg cataagcttt 3420 atccccagag acaacaagta tettettag ggggegtttt etteegtttt ttggcagata aattttgttt teateetaaa cagaeteegg etaatatett etgetgettt aaateetgee 3480 3540 3600 ttaacagtgt taggcccacc ttttccttgt ctcaaaacgt tcatgtacga ggtcacgttt 3660 accagetgta cagegttgea ceatatggag gggtgtagge tttatageea geceetteet ggacagtgct gaaagtgcca tatgatggac attgtgtgtg agccccgagg gcatctccag 3720 3780 tgactcccct ggactggcat cetggaggca gaggcactga tcagagagag tgaacatcat cttggcttcc cacaggggct gtttctgagg cactggcttg ggagatgggg ttgcccccc 3840 3900 agagagaaca gaatgggggt ggcctgggtg agggccagag cccttagggc agaaggccac 3960 gtgtggtcat tctgctgcgg gtctgagtgg atgcatggtg cctgcagccc tctccaggtg geggeetete agetgaaete ettggtgeeg gtgtttgtgt ttggaeggga taaaaatatg 4020 cctcattgct catgaggaaa gaatgctagc aactttggtt ttgtggatct tacacagtga 4080 cggcttctaa gccattgctg tggtcaccag tagggagttg gggctgagtg ccccaccgtg 4140 caggtgggga tetgagggtg cagagtggat geagetggag atgeetggat getggggtet gggggaggga ettgetaagg teccacagea trattgeetg gatggtgete etgeeetagg 4200 4260 ccaggetgee teaggttetg eccaeatgea ttaagtgett aaegtattee tggeaaggea 4320 geoggtette egagtggata agetgeagee etgeceteag ggeteacagt ggetgtaaca 43B0 tgcaggaaga ctcagagagg gaaggaccag acagcaggtc cttccaccgg gagatctttt 4440 ctgatcttca ttgtccctgt gaccaaccat gaccaggaat tgttgtgctt gttttgaaat 4500 aacaagccct ttgatccaaa ccagacttgg ccaaccccca gggaacctga aaattaatcc 4560 teetgtatte atceattett actaaccaga gattttaett taaacagttt ttttttaact 4620 4680 gcagtgtgac atacatggta cataggccag ctagaatctg ttttcctgaa attcctttta 4740 tgaagtgttt tccaactgaa catgcctttg tttagcacct gggagtaatg gcttagggtt 4800 tttettttee tttttettt ttttttttt gagaeggagt etegetttgt cacceagget ggagtgcagt ggcgcgatet cggctcactg caagetecat etectgggtt cacaccatte 4860 4920 tectgeetea geeteeceag tagttgggae tateggegee egeeaceaeg cetggetaat 4980 ttttttgtat ttttaataga gacggggttt cactgtgtta gccaggatgg tcttgatctc 5040 ctgaccttgt gatctgccg cctcggcctc ccaaagtgct gggattacag gcgtgagcca ccgcgcctgg ccggcttagt tttttttaa tgcccaatag tttgctttct cttctgccac 5100 5160 acacgtaatc cccatagcac ccctatgtgg gaggtgctat ccccatttta catatgggga 5220 aacagacaca gtgaggtcat gtggccacta gtaagggtaa ccgacgcccc acaccatgtt 5280 gettecaget gtaaceteta geagagggag ggetetgatg gagaggtgat egeetgagtg ctgtgtgttt acctgagtag gtgaggaaga cagggactcg ggacagacat agcttggaag 5340 5400 ctcccacaaa ggaggtatcg ctggagctct tgacttgaag ggtgcttagg gtctaggctg ggggagggg gtaagaaggc attccgggaa gagggccctg cagaaacaga agtgtggagg 5460 tragrattig tatgrigatg tigaagggta greagtgitt tgragtgaat gggccccggg 5520

agagagggtg	cagtggcagt	ctgatttcaa	agtcatcttt	ttcagaaatg	agcttgcaga	5580
			atttcaggtc			5640
ccttgagcag	gtccctcccc	tccctgcacc	tgggttcctg	tctgtgaagt	ggggtgaggt	5700
			tctgggatga			5760
gtccatgcga	ggaactcacg	acaataggac	ctaccttcca	gggccatacg	agaaactcat	5820
			ttggtcttga			5880
			ctctgtctga			5940
			acaaggccac			6000
ttttcaccat	ctcaggtggt	ccaataacct	gcaggaccgt	gattetattt	gccacageg	6060
			ctgccacagc			6120
			tggaaggtgc			6180
			cttgaccatg			6240
			ttgcacctgg			6300
			ttgaaatctg			6360
			gaatggagca			6420
			gctgcccca			6480
			tgggtgttca			6540
			gtcctcacag			6600
cegegeegee	cacygogoco	gaccccactg	tgggctgctc	accaccacac	agctggtggg	6660
gargaggagg	ccgaggcgca	gagegggaeg	cttcacacta	aggaccacac	tctctgttac	6720
cacagageca	ggagtatage	ceterageag	cttggggctg tggctgtggc	ceteseette	ggaggtcat	6780
						6840
			tcacacagca			6900
			cgctcatcca			6960
cccgggatcc	tgcagcgctt	teagetetgt	gtctgtggcc	ggtggttgtt	tasatasaat	7020
gggatggtgg	tgtttttcca	tgttgetaag	cagcatgtga	gggeetetgt	cyaacaaaac	7080
aaagecettg	ctccggcgtg	acacgggtca	cgggatctct	geteaeteta	strtetees	7-140
			gettttact			7200
cateagreer	etgaettegg	tgttgtggtt	tgggcctggg	geggggeeg	cygaacygca	7260
gatctgggta	tgaateccag	cccacccat	ttggctccct	ecectecece	actogeocce	7320
			atatttactt			7380
			tactggaaac			7440
aggtttgttc	tctgatggtt	ctggaggcag	aagtctgaag	tcaaggtgtg	ggcagggrgg	7500
gtccctcctg	gaggetetga	gggaggctca	gttcctcgcc	tetgteeage	teetggeage	7560
ggccagtggt	cctcctgctc	cttggccact	gtcacccgtc	teegeatgge	cetyctacac	7620
			gccagggctt			7680
			acctgttttt			7740
agacattggt	gggcacatga	tgtggggccc	aattcagccc	cctgcagcca	ggetecacat	7800
gggtgggctc	tgggtgttgc	tatcatcatc	cccgtttctt	ggatgaggga	aggccagggt	7860
tgtgtggete	atgcccagtg	aggcagggac	tccaggcctc	ggcatgtgca	ggtetgagat	7920
tgtaagtgcc	atgccatctg	tagagtcacg	tgggtgagtg	tcctcccatg	gtttcctccc	7920
tggaagcggt	gctggcccat	ggggactgta	ctgagtgtca	gegagateet	gtatggagtg	
tctggcagct	cccacctgcc	tccctctgct	tttctgtctc	cagcagacac	taagtgccag	8040
agcgggctct	gccggtgctg	gatgtgcctg	accttgactt	ttetteeagg	caggatggac	8100 8160
tccaacactg	ctccgctggg	ccccccccc	ccacagcccc	cgccagcacc	geageceeag	
gcgcgttccc	gactcaatgc	cacageeteg	ttggagcagg	agaggagcga	aaggeeeega	8220
gcacccggac	cccaggctgg	ccctggccct	ggtgttagag	acgcagcggc	ccccgctgaa	8280
			agagcagacg			8340
			tagctgggtg			8400
			gttcagcatt			8460
acaggcgtcc	atccagtggg	gctacccacc	tecteagage	cttgcacctg	tcacctttgt	8520
ggcacccact	cgaggtggtg	ctggtgcccc	cactcctctg	cagtccttct	cttcccaggg	8580
			aacagcgtcc			8640
cgggccctct	gtaaccaact	agggtggcag	gccagaggtg	acagccacac	tctcgggagt	B700
gaggccacat	gcgggcgaag	cccttggtgc	tgagtttccc	ctctccctga	gggagacttg	8760
tgagggacgg	gcgtccttca	cctccatcct	gaggcgggat	gctggggccc	tgggtgttca	8820
caggcagagc	tgactgaggc	ccttggtctt	cacaggccga	gctgactgag	gecetgggtg	8880
ttcaaagcag	agctgaggcc	cttggtgttc	acaggcagag	ctgacaggct	tgttggttcc	8940
tgggtggtga	tgtgagggtg	gtgggtgtga	gccaggggag	teeggeeeet	gggcaccttc	9000
tccagctgac	tcaggcctcg	gtcagccttc	acttttgcta	gagaggccgc	tgccagggag	9060

geteagtece ageteateae tgeceeteet geccatgeag aagececaga cecatggtga 9120 gtgcctgctg tgtacaccag ccttttccat gtgcctgcag gactcctcat ggcagtcctg 9180 9240 agaggggaaa ctgagacacc gagtctaggt gacttgccca agagacccag cgggtgagag acgaggtget cgagtggtcc aggtttcctt cttgtcccag tcaccccact ggcagggccg 9300 9360 tggggccicc ctgctgtggt cgcagcgcgc tgaggctccc atgtaccact tatgctgggc 9420 atgecettgg aaacteactg cageeetggg coetgtttgt etttgeatet cettaaaaga teactgtget cetetgettt gttttggagg cetetgggeg gatgagggee tgacceeggg 9480 atttgggccc agcctcacgg cttcagggga acagatacca gggctcggaa gcttggtttc 9540 aatctgggta atgagaacag cccgcaaagg acagagtcca agactgtgtg tttcagataa 9600 gaagagtcag gaagcagctg tggtttgttt ggcttcggtc tccaatgtgg gggtggtgaa 9660 gageaageee tgggegeege etgacageee agteeecace actgggeetg cagetggggg 9720 cagtgggcat cocgtotocc agtoactggt cactgatgtg gccaaagcag gcctggcoct 9780 gcatgcccag tggccgcagg gagggcaggg cccagggtcc ctgccagtag cagctgctgc **9840** gagaatetgt tatttagete ceccatecag ceaacatagg tgggtgagea teagttgaaa 9900 taccaatagg taacaacaag ggtagctatt taactgacac ttccccgagc taggcatctt tttagggcat tagcccactt gcctctttaa cagccctggg aggcaggctc tgctgctgcc 9960 10020 10080 ctgtttttca gatgggaaac cgagggatag agggcttaag tagatgaccc agcgtcccgt ggttggtgaa gggtggaggg gagatttaaa cataccgtgg agcctgtgct cactatgggc 10140 ctcaggtcat ctgcgcccag ggatccccat gtcccaggct cagagaagtg cacagagcag 10200 gttggcctgt ccctagatca gtgcctggcc aggccctggt gacaggagtg aaggctcagt 10260 10320 cctgcctcc gggagccctg agcaatatgg gagacaggag tgaacaagga actacattct ggggeteatg tagegegggg gacaacceae attgeagtee cetaggggee ceeeaggagg 10380 gectggteae tetteaggge ateaggagga etgeetggag gaggeategt eggageecea 10440 tetgagetge teettggeet gtacaettgg gaaacaggag aagageagee ttggggttge 10500 cettetetgg ttgcctccct gaggaactga ceceetttte ageeetteat teagcaagge 10560 tggggagggg ctgcttcaga aacgtcactg ggctggagcc ccacacttcc ttcccatcct 10620 ggetetgtgg cettggcaag teacetgeea eetggggaae eactgeegae gggtegggge 10680 ttggaaactc aggggeteet gggeecagae aggtaaagga aacagtgaet eeggetagaa 10740 aggagactgc agggattgtg aggctcttgg gcgtcctgtg ccagggcggg actcctcatg 10800 gcagccctga gaggggaaac tgtgtcctgt gtggagcgtg gatgcccacg tgctgagagg tgttgtctgt cctgattttt gacagcagcc caagtgatgt gccagtgggc cagggccggc 10860 10920 acctgcctgt cggtggctgc cccagggctg atgggcaggg gccgtttctt cacaggcagc tgtggtgagt cctgtgatca cctcagtgtt gtctccagcc ctggggggat ctgttgttct 10980 11040 11100 geteaacaag agaataaage tgggetegte acacetggte ceaggtgace cageaggeae agagaggtag agttgacacc aagcetcact cagecaccgt gacacggetg tgegagteca 11160 cgccctggca gagagcctgt tctgggcctg ttctgtttag ccctggggct aaagggcggg 11220 ctcagatgca cagagggaca ggcctggtgc aggtgggagg aaggaaagca gactgtgtca 11280 togtotcago ttcaggotgg gogtgotgtg gotatcatgt gottggootg tgotaagtgt 11340 gtgctaagca tgtggccctg gtgggcactc aggcctcctg ggcaccagcc gaggccccac 11400 coettoceae tatgeggeee tgagetetee tgetgtetet gteatteaeg ggtetaceag 11460 taggacaagg cotggggttg gtggaggagg gaaggaggtg agatttggga gotttoogag 11520 tegtaceege cacteegtet eegageagea geacteteat etetacaagt etetacagea 11580 gtgctgccac cgccttgacc agggaatcac cctactgtga ggtggcccag ctcactgtga 11640 gactotgggg cagtoatatg coefficient tgaccocagt gggtggccag cocacacgac tgotgaatot gocaggooto coagcoattg ggggtagggg gattgotttg gcagcoacag 11700 11760 ggacacagat gcggacagga gcaggagccc tggggaggag gtgcacccca ccaggaagca 11820 cccaccaatg ctgactgagg ctgcactgcc agttagagcc gctgggcgag ggacaaagaa 11880 gggccttcgg gtgtggggaa agcaggcacc ccagctccta cactaagggc accetgggca 11940 gagagggagc ccagtggggg gcacccaaga cccatgagga attggctgtg gtgtcaagag 12000 gtcagccagg ccaagcaggg ccctgagggt cagggaaagg agagggcatt gtcgtgagtg 12060 gggctcagct gttagatgga ttgtttacat taaaggccag ccaggaggcg gagcagagag 12120 aggagtagcc aggccacaag aaggctgagg gacaggtaga catggagggg agaaagccag 12180 ggtggcctcc aggtttctgg ctggggctgc caggtggacg gtggtggcac agcctgaggt 12240 agggtcctgg gggtggttcc cggcggggtc cgagcttagt cttagagggt acaagggggc 12300 ccaggaggga ctggggctct gatgcagatg tgggagtgcg ctgagcccct gctgccctgg 12360 12420 ggacaggcat agcaggaggt gctactcagg gcacccaccg ttgattattt aggaagcagc tgtcacgcct gttctttatc ctgacctggc ccatctgatt gctgatgtgc tcctgctgag 12480 cccccacac cacactgagg actggccaca ggatctggtg gcactcagtc ttctgggaac 12540 ttggcagtgt gcctgtccta ctttgcgctc caagcctcgg acgtcacctc caggaaccct 12600

12660 cccactgtgg gtgatgtcta cagtcaccta cacagcccca actctcatgg gtggacgtgc tegttettge etggeceagg geaggeegtg gtgageteag gggteetgee tgteagtttg gtgeeetegg etacgeaggg cetgttagaa gggtgeeete eetgeeaggg eetceageea 12720 12780 12840 ctgtctgtcc tgttcccgcc tcagagttca gccagcatag aaagagaggg ctgaggacca 12900 ttcagcctgt ccattcacga gaatcattgt cagtgtcaca gaggctgatg ggatgcctgt 12960 ggtgcagggt gaccccagct tececatgtg ggggatgege eggtggtgca aggccaccac cetgtgeect gtetetggea cagggatgat gacagcacac ageacatect ettttettte 13020 tacetttece tttggcacag cccettgttg tgggcgtcac gagaggcgca gagagatcgt 13080 ggaggtcaag ggcttgccca ggaccagtga gggagggagg gagagggcag cagcaccctt 13140 13200 ggagacggga ggattacatc atatttattt accacatgcc taagatcgca ctcttaagag catttgacat acatccaaaa atttttaaac actatggaag tatgtctgga tgcatcagta 13260 atatgaaagt ggaagccagc tgccctgctc ccagcccact ttgggaaaat tttgtgcatg 13320 ttttgagcca gctgtttggg aagggaggcc ccagccactg ccccttgggt gggtttgatg 13380 ttcattgtgt gggaagaagc cttccctcca tcctttcta tttctgcaga atatctgctc 13440 13500 aatcagggag ttgagcttgg cagttcagct gctcagccag ggaggtgctg tgtcctggac 13560 tatgetagga tttcagaagg agagagggca getgeaggee etatttgeag tggetteete 13620 ctggaatccc cgtctgctcc ctgtgtactg tccagcgtcg tagtggaagc tggtggcgag acgggtgaga cccacggaca tagatggcat ccacgaaggc tggcggagcc tgtgatagac 13680 gatggacgat gacccaggtt ccagcaagat atggcagtgg gctgtgccgg gaaggggcgc 13740 13800 atcctggagg atgccctagg tagtgcctga gaaagtgagg gtcattgact gattccacgt 13860 ggcatccatg aatctctcaa atccataggg cccgtgcatg acaaataatt aaaaagatgt 13920 agggtgttet ccatggaace tcacagaggg aaggagacet geccatggta tecagetetg 13980 atcacactgc tattttgtga ttgataggca gactttcaaa gaatgagtta gattcaggac ccttttagtt gtaagtgaca aaatctcaat ataaattgac acaagccaaa aaagtagagg 14040 ggcaagggat tgatgagtcc atagatctgt agagcctaga gtagtttgct tcaggcacgg 14100 14160 ctggatccag gggctcagat gatgtcatca ggaagtagtc ccccgccccc attccactct 14220gettteetgt getgeetgtg teteagggge tetgeecaca gggtgaeett ceacagttea agetggeate caegtgeeaa gatgageaga aggtgaaage ceattteeca geagttetag 14280 14340 cacaaactcc gctgggctgt gtccatccct gaaccaggtg ctgtagtcag ggagatgacc tggcaactet gattggccag gtgggggtgc gggcettetg tgcagcgcag gggagggggc 14400 agtgccaccc agaccatgag gactgagagt ggcggggttc cccaaaaggg acatcaaggt 14460 gcagtcatca gaaaaagcaa ggaacggagg tcgagcacac agaaaacacg tgtgtttgat 14520 14580 ggttettggt ggtccacact gatgcageeg gettetgggg gtgatettte tggcaetgag 14640 cagtgagcat gctgggattt gcctttgagc ccacgaaggc tcctgcttca tggactgagc 14700 taactggtct gcaggacgag cccaccactg ccatatggaa gctggaataa tgaagagggt gtgtgtacat ctcaaagaga ttctgggctg ggcgcagtgg ctcagacctg taatcccagc actttgggag gctgaggcag cagatcacct gaggtcaggg gttcaagacc agcctggcca 14760 14820 14880 acatggtgaa accetgtete tactaaaaat acaaaaaaac ttagetggge atggtggegg 14940 cogoctgtat toccagotac toaggaggot gaggoagaag aatogottga accogagagg 15000 cagaggttgt ggcgagccga gattttgtca ttgcattcca gcctgggcga tgagagcgaa acticigtotic aaaaaataat aataaaaaag agagagat totgtatato ggggagatgt 15060 cttgaaatgt caggotgtga ataacttotg tgaaaaatta attatggact ggaagaatot 15120 ttttagacca ccatatagac ttggaccttc catgttttga ttttttaaa aaagggaaga 15180 ataatatgac ttgtgaactt aggtcaagta aggagacttg aattcactag aggtgctggc 15240 15300 gttgtggtgg gaagtacagc aacagccctg gggtctcctg gggaagtggg ggagggaaga gaaagcctcc tcttgtgaac agcaactttg gaccactcac tacaaagcat ctcttttcat 15360 15420 cataaaccat cotatoagat tgatgttaac gatcagattg aagetgotto ggagcagtga tgtggcctgc accaggttgc acagcacctt actgtggagc atggatccac acgtgcgtct 15480 gtgtcattgt gatcgctcac gctgctctgt gggcccatgg ccttggtgcc tgcaggctct 15540 15600 gtgtctgcag ttcctctagg gatagtgagt ctgctgctga gcccgcagcc agaaaccacg 15660 ctggggggct ggcagggtga cggcagcaag gaaggagaac tgtccttgat ggattcaggg 15720 agcaccaagg tetgggggct etggggaggg tgggtgteca aaagggetge eetgegggae ctgatgccat ctctgagcag cgtccttgag gaccccggca aggaagctga gcccgaaact ctgtgcaaga gttgcgtcca gggagagtta catccaggga gagttacgtc cagggagagg 15780 15840 15900 ggcgtccagg aagaggggca ttcagggaga gggacattca gggaggagtc ttccagggac 15960 ggggacatec agggagaggg gegtecageg agaggageet etagggaggg gtacatecag 16020 ggaggtggcc tgtcagggag ggtggtgtcc agggaaagca gcatcaaggg agaggggtgt ccagggatgg gggcatccag ggagggggc ttccagggag aggggccttt gtgttggcga 16080 gttgtccatc cacagggctg gagtgcgtgt gcctgaccac gagagettgt gaagaatcca 16140

16200 totgattott toottotoca aacacatgoo toaccoacac agoottacot gtgagggoot 16260 caectgccae etgegaettt tgagttgtee cageeteect etgeeetete caaactgggt gtgaccette etetetgeet ttgcacetgg ccacatecca tggtetecca etggagteet gteteetgta cacetgggte atetgaagge agtggceagg cageaettgg tgetgeagag 16320 16380 16440 ccggttcaga gcctggcacg gtatggttct gggaaagccc tgggtgagtt ggaccagaaa 16500 ggetggteet cagtgtggtg ttactgggaa ccatgcagec tgteccgttg tcagccagec ttgggtgaaa tgggtaagac tgcatgatgc ttttgtaaat tcaggtaact tcttaggaag 16560 16620 taaaatgcag cacaaactgt agttgatgtt ttgacccttg gtctaataat tcaactggag aacctgtgct aggaaaatga cttcccaaaa gaaaagaaac ggttcatggc accaccgtag 16680 16740 aaaacaagag gttattggaa gcaacctaca gacctgatgg agaggagggg agggtcagta 16800 acctgactet gteteettga tggatetagg agecaceaaa atggtgaget gaetgeageg 16860 categtggga agecagagaa caatecaetg etgtggaetg aaagtttgtg teteteecag 16920 atteatitge tgaggiette acceccagte ceatggigt aggaggiggg geetitggag gtgatgaatc atgagcgatg gctttacggt ggaattagtg cccctataaa agaaacctca 16980 17040 gggagetece ttgeceette caecetgtga ggacacagee agaagacetg aaacaaaaag caggecetea gtagacaegg agtetgeaae actatgatet tggaetteee agteteeaga 17100 ategaaagaa atacatttet gatgtttgta agccaccage ttggtctatg gtattaatat 17160 ttttqttata acagctcgaa cagactaagg cattcactct taagaaggaa aaggtaatat 17220 caagatgtat atacactgat tataatatcc aaaaaatgtg gtttttgttg gtacaatcat 17280 17340 ggaaaacatg aacttgattt gttggggttc tgggcttcgg gtacaggtgc tttgtattat ttaggtcatg ggctgtcaaa cttgagtcct tggatctttc tagagcccca gctagagcag 17400 gectaggeca aggggtgtga tggtgggaet tggetetgtg etegeeteet teccatgeet 17460 cccacccga gcgctttgag ttgctgttga accacctcac ccgcatagag tttgctcatc 17520 ttgctctggc gctgcttgtg accggaaggc aaacagtggc tttctgggca tcttccctgt 17580 ctgtgtctgt gtctctctgt actcctggcc tggatttgaa agtgacaagc agcagcagat 17640 17700 ctgaagaccc tcatgccttg tcccctccat cctgacaagt gacaaagtct ggctttgtga catgtgtgtt tgtttcttct gtgttaaagg gcctacaaag ggagacatgg aaatcccctt 17760 17820 tgaagaagtc ctggagaggg ccaaggccgg ggaccccaag gcacagactg aggtgaggac tgcggtgccg gcagggactt cgggacgcgg ccccggcaca acaggcctgg ccacgagctc 178B0 cacageceae agagaagtgt eggtgeetga gateggggte aggagecage gtggtgcace 17940 ctaccccact tgagccccat gttggtaggg tgcccatgtt cactgtgcca gttttcctcc 18000 18060 tggcactcct ctggggagca gcgctcatcc cccttttgtc caactcacac ctcatcttgg 18120 gcatcacete etecaggatg accteetgge tteetgeage tgeetgetea gtgeeaeeee 18180 tcaacataca ctgtgtatgc tgcccactct tgtctccctg actggccttt cacctggctg ttagetgtgt geacggggce etcagagegg tgaccattea ettgggcate agecaaggge 18240 tgggctttgt gccagtgctg gggacatgat gtggccctct cttcatgggt gacaggttag 18300 tggaagaagc agacccaaaa aacccaagta gacaagacac agaaatacag tgattttgaa ttctggtgag gggagaagcc agcagaacgc tgagacggga ggtggcaggg ggtcctgtgt 18360 18420 18480 cctctgtgga ggcaagttct caccacctca ctctgtcccc ttgcacaggg ctcaagcaag 18540 tgaccacagt tatectgage agttteetge eccetettet ecetaaagag gagaaaaget 18600 tecaegegaa accataaatt aagaatttet ggetgggage ggtggeteae geetgtaate ccagcacttt gggaggctga ggcgggtgga tcacctgagg tcaggagttc gtgaccagcc 18660 tggccaacat gatgaaaccg tgtctccact acaaatagaa aaattagcca gacatggtgg 18720 tgcatgcctg taatcccagc tacttgggag gctgagacag gaaaatcact tgaacccagg 18780 aagtggaggt tgcagtgagc cgagatcgca ccaccacgct cccaactgag caacagagca 18840 18900 agactotgto toaaaaaaaa aaaaaaaaaa atttotttoo tgacctoaca gocatattgt 18960 actitaaagt tootoocaca toottitigoo caggoattig gaggoggggg gagcatagta agecetttta tgggetetet gtgeeetggg ceteaetttt tecatetgta gaatgagaag 19020 19080 actggaccat ttcagcaggg attctttttg caaagggcca gatagtgaat attctggact 19140 ctgcgcaatc tctgccgtgt tgctcagctt tgctgtggag cacgtaaaag cagcatggac 19200 aacatgtaaa tgaatggtta tggttgtatt tcaataaaac tttatttgca aaaacaggca gtgggccagt gctaaccett ggttagctgg cgtctctcca gccctggctt tctatggtcc 19260 cctgactgtt ttgagaggtg taaaggaccc agtcatggtt ctgatttcca tgcattgatg 19320 19380 grgageettg geaggeagga geaacteaag gaagagaace tgtaceagta ceagteggag 19440 cccgtgtctc cctcgccgtg tggatggggt ggccacacct tcctcaccgt gttttgagga 19500 gcgagtggcc ggaggctcag tagggcctag cctagtggac atgcctggtg tgaccccatt 19560 totgoccott cottoctggo ctgggtgaca aagggaagtg ggtgaaagga ggtgggctgg cagggagcat ggggtgggag agggtcggag aatctggagg ctgactggtg tctggcttgc 19620 aggtggggaa gcactacctg cagttggccg gcgacacgga tgaagaactc aacagctgca 19680

19740 ccgctgtgga ctggctggtc ctcgccgcga agcagggccg tcgcgaggct gtgaagctgc ttcgccggtg cttggcggac agaagaggtg ggtctgtgtg aggcttagaa cagcctctgg agggttgagc agcttgtaat gctgcttgct aactgaacaa ctaaaatctt accaaaccta 19800 19860 19920 acgetggtga tgetgttggg aaattteagt ttetgttttg etggtggeet teteatttta 19980 gacactgttt ctggacttaa catgggatat ttaacagacc aagccatttt cattctcttt 20040 ggettgtgtt ggtateteca agtggtaaet atacateetg etteeetget gggttetgat ccaaactgag acategatec tgggttcage tgagaggcag tttccctgag gcaaagctgg agactgtaat gtggcctgca gtcagagtgg cccatgccc tgagctgatg tccgtcgagt 20100 20160 ctgggcagac cagctgaggg gctgtgggcc cacacagacc tggacaagca tgttcacttt 20220 20280 gggaggaggc aggctgaccc ttcatagata atctctttca aacagagagg caggggagga aagggacgca gctcaggcca ggggtggtga gttaggacgt tgtcctgcgc aagggaagtg 20340 getgteeetg gtgeegtggg geagtgtget teetgaaggt teeacgeete agggaaagat gaaagtgggt gteacaaagg tgtttttet aatgataeet tttttteag attgtaagag 20400 20460 20520 tattttatgc ttatcataga aaacttggac tatgtagaaa acataaagat acaaattact 20580 cataacettg aageecagaa geaacteece atattttggt gtattteett etgtgtttgt 20640 tgttgttgtt ttgagatgga gtctcactct gtcgcccagg ctagagtgca ggggtgcgat 20700 ctcaagtcac tgtaacctcc acctccctgg ttcaagcaat tctcctgcct cagccttttg agtagctgag attacaggcg tgcattacca cacctagcta atttttgtat ttttagcaga 20760 gacagggttt catcaggttg gccaggctgg tcacaaactc ctgacctcag gggatccacc ctccttggcc tcccaaagtg atgagagtac aggcgtgagc caccatgccc agcttgtatc 20820 20880 20940 atattttaag agttacattt attatacaga gtcttctctt tgaaaattaa actgatgatt 21000 ttgaaaaact aacagtggca ttgttagcca gaatttctca ccaacccagc ctgctgattc cagagcagtt ggaatgacct ggagggggct caggcggccc acacggctca ttgttgggtg 21060 ccagggatag cccagagget getggggcag agegtgcaag ggaggaggee ggttggcccc gtgttccccc agetgcacac acettetgat gtgcagttgt getttetgat ttgaaaagaa 21120 21180 21240 atacatgete atgtggaaaa ttttggaaat gtteaaaagg agaaaaacat ceagaceee gtgccagtcc tcctgccctc tgcttggttg tgccagtgtc ccaggccgtt gggggtaaag 21300 ggaggaaggc agetgetgac cageggtaaa acetgetete ceteteceeg etgtecaage 21360 21420 cttccttaga aagggctggg ctgtgtgtga gacagaggaa agctctgtag acacaggggt ggccctgcca gtgcacccag gctggtgact gcagtgagtc caccctgggt tcaagacagc 21480 21540 totgcctctt totgactgtg tgaccttgag tgagccagaa cacaggcctg tgcctccggg totgcacoto tgagagaggg gaggaacagg aagaggotgo ottottooog coagcatgta 21600 21660 gggggcactt gggggcgtct ggtgggagac cagtctggcc tcccagctgg agagtgggcg 21720 tggcgcgatg tcctcttgag tcagatgtcc atgcatcctt ccctggtaac caagtcctga caccttctat gagtctcgct cgaaagcctt ccaggcagag ttggcagggt cagagtggca 21780 ccgaaagcct aggcagggca cacaaggcct ttgaccacat cctatccctc aggcatcacg 21840 tecgagaacg aacgggaggt gaggcagete tecteegaga ecgacetgga gagggeegtg 21900 21960 cgcaaggcag ccctggtcat gtactggaag ctcaacccca agaagaagaa gcaggtggcc 22020 gtggcggagc tgctggagaa tgtcggccag gtcaacgagc acggtgcgag gattcaccct gggcaccage cttecctggg cgccageett cccacaggag ccaggacett cccatagggg 22080 ctgggacett ccctcagggg ctgggtette ccacaggage cgggacette cetgtgagga 22140 cagggccctt ccttgtgggg accaggggac cagaaccttc ctgtagagac cgtgccctag 22200 tggtgaggtg tgtgggtggc attttgacag catctgccct ggctcaagtg ctcactcatt gaataaacca gagggtattc tgcccagtgc tctgtgacca cgtctaccaa tgggacggac 22260 22320 22380 tgtgtccatc accaagtggg agcacgctac gtggtgctga gtccacccca gctactggag 22440 gtacagaggt gtggcccctg ctctgcctgc cctgggggcc ctatgatccc cagaacgtag gatgcccctg gaactggcgt gccctaggaa cagtgcgcca gtttctggtg ggctgcaggg 22500 cacgaggaga tagtcaactt gtctgactgt taatccaccc tgtcccctgc agatggaggg 22560 gcgcagccag gccccgtgcc caagtccctg cagaagcaga ggcggatgct ggagcgcctg 22620 22680 gtcagcagcg agtgtgagtg cagcccttgc cccgtctcac ccatgcctcc cagcctgcac ctgcagggcg acctetectt cetgtgcgae tecatectgg cetgccetat etcacecgtg 22740 cctcccggcc tgcgcctgca gggcgacctc tccttcctgt gcgaccccat cctggccctg 22800 ctaggatete aggeggteeg tttggggete agtgttetgg aegetgggag tagaceetge 22860 ccacctggag cgcacgcact ggagggaagg cagacccagg acagaaacca tgatgtgcca 22920 22980 gtccctcttg gacaaggaaa tactgggggt ggggactggc gggggggtcc tgagtgggga 23040 aggatgagga gggcattagg ggaaggggct ccgggcagag ggaacagcat gagcaaaggc 23100 ccaggagacc cagcagggtg tggaaggggc tctgccccag cgtaggccct ttgtaggtag 23160 gcagggaaca gagtgggcag agcctaggtt gggggataga gtctctgggg cacactgagc tgggggtgcc tctgggatgt ttgtggtcaa agactgagaa gagacgtcac atcctccacg 23220

23280 tgcagctggc cagcctcact gtcttccatc cacgtggggt agactctgca gtctgaggca 23340 ctgggagctc ctgtcctgga gaagatagac aggcaggagg cttgggggct cagtatcaat ggggggatgg gccaagaccc aggtctgcca cagactcttc ttgtgacatg ggcaggtctc 23400 atttttcttt ctgggtgtca gtttcccctt ctgaacagtg agatgatcag acaaggggac 23460 tgaaggacct cgcccatcct agaagcctct gtggcatgta gggcagagta caggtgggag 23520 23580 cacagatece acetteceae tgggecegtg aggaaacegt ccatagggtg tggtcagage cetegeetet gegtgggegg acatgggtge ttgegetget gtttteetge tecatttggg 23640 ggagacaaag aaacacctca catggaagtg ggaagaaatc tgtgactcta ggaagcccga 23700 ggaccagaga ggctgtgaca gtgtcctgcc accgaggtgg catggtgcct gctgtcctga agtgaggtgc ctctgggcag gagcagccca gcctgggtct ccatcctggg gggcactgca 23760 23820 ggcagagtct ggaccccaac ctcacttccc agtcccacag gggtttgtga tgagccgggc 23880 acacetgetg etgggeetgt egetgttget gggggegagt taggagteag egetgeeage 23940 ctgtgtcccc tccgccaggc cctcagggac ggggccccag cacccccatt gttacccctc 24000 tatcagaacg ttcccatcag gcatcatttg tttctctgcc agcttttcca acagaactcc cagaaagggg cgtctgtcat ccccttctct cgtcctccgt cctttgctct caggcctctg 24060 24120 ccacgttatt ccaccaaagc ggctcgtcta ggccatcagt gacccccttg ctcagtcact 24180 24240 tettgteett gtetgaettg atetgteage agegtgggea gagatgaetg etetteteet tagageete tecceacca ggeegggge cettgetgee acaetggetg etecttettg 24300 gggtccctag actgatgtcc tgtctctcag gacaggacat cctgcccaag gtattcatcc 24360 ctatgaggac aggggccttc cttgtgggga ccagggtctt cccgtaggga ctgtgctctg 24420 24480 gtagggagat gtgtgggtgg cattggtgac cactctcgtg tgtcagacgc cgtcctgaac 24540 cogeaagece ceagecogee caggetgeat ceagecogtg etecttocae ateteotgta 24600 cotggetgte coatggteac eteacagete agtetacagt gagetactga ggeetgtget acctgccact tgtgtgggcc cccccaaggc tgcctcatct ctttgctgca gctacgcctg 24660 ggtgctgccc cgactcctct cctcttgcac acacagctga tccattagga ggtctgtcag 24720 egeceactat caeggetgee atettggatg cageetgeet cetecetagg gtttetgeag caecetgget tgtetecete tgeeetgeee cageatggte etttettee cateetteee 24780 24900 ctggaggccc tcctggtcac catctcacca cggcaactgg ggtccttcag aggcctcatt ccctcctagg ggatcatgtt ggatagaggg gtcagtgggc acgtagetet egeggateae 24960 gttggatgga gggatcagtg ggcacgtagc aggctcttgg tggaagatgt tggatggagg 25020 ggtaagtegg cccatggcag gacgcatgtt gaatggacgg gttagcaggc atgtagtagg cccatggcag acaettgttg gatggaggtg tegcaggcac atagtaggtg tgtggcagat 25080 25140 25200 catgttggat ggageggttt agcaggtgca cagtaggccc tgggtggatc acgttgaatg 25260 gaggggttgg gggcgcagat catgttcgat ggagcggttg gcagggtgct gccctacagg 25320 geggettgte acceptgetg tgagaageee caegetgget gaagaggagg gtgtcageat gcactggagg tgcatgttgt aaggcttggc aggtgaactg ggtgaaaggt gtgggtgagt 25380 ggccccaggc ataaggagct aggcagagag ggacacttgg ggtgggggac agcacaccca 25440 ggggccgggg gccaggagtg gaggctggca cttggcaaac ctgcccctt cctcctcacc 25500 cagcotggto otcaaccoto aggoogocoa gggaagggtt tootocacot gaaccoacto 25560 25620 ageteettte tragerigge cecaegeeae egteeceage ceattgetet gigtgagggt ggcagtgggg ctgcagtgtg gggcgcccat gctgttttct ctcatgcttc agccaagaac 25680 tacatcgcgc tggatgactt tgtggagatc actaagaagt acgccaaggg cgtcatcccc 25740 agcagectgt teetgeagga egaegaagat gatgaegage tggeggggaa gagecetgag gaeetgeeac tgegtetgaa ggtgagtgae caagaeeeg gteaggeegg ageetgeete 25800 25860 25920 ccaaggactc gcgcacctca ggcagggcac cttccaggaa gctgcaggtg gggaggttcg 25980 cgcctaacaa agagtgtett acagcegtge egetggtace tttgggteat catetategt 26040 cataaggatg tgtcctcggg agagaggcct ttctttctg cgccgtcagg ctcagaaacc 26100 aggggggtg ttgggcagga gtgctaggat ggcaagcaag gggcccctgg gtctttctgt geagtgtagg gggcagtggg gegggetgga cgcagaattt catctagact tcatcactta 26160 26220 gcagatttot ccatgtatgg tocagagtgg aggccagtgc ottgaagatg cottoccega 26280 aaacaaagtg ccgtgtccgt caggccaggg aggacgtgca gaggcgccta ctgcccctgg 26340 atotgcaagg gotcagggag cgaggccagt gtgggagcgt ggtgggtgac acttgtgcag ggtgccattg ggcacacctg gaggacatga gcagctttgg cggcaggagg aaagcgggga 26400 geggggageg ggaageceag cagtgeggge cetacteetg geetgacage ttgttttett 26460 ggccatgtgg ccctatggcc tctcacagag ttgctcacag ttcagctcgc atggttgaat 26520 tagatgtgtg cotgtotcac totgcagaga coaccaggat ttocagaage ttggcotoct 26580 26640 gacccaggat ccccaagctg aggccagcac agggggcccc agcagatgat tgtcacagag 26700 gctgcgggca gtatcatgca ggcaccctgg ggttctgtct tctgaactga ctgagaacct ggaggaactg ccatcattgt attcagatgg gcgcgtgagt cagggccagg accaggagat 26760

26820 ggttgggcca ccaactgtca ggcaggcagc aggctgaaag gtcaccgtcc tcgagccagg gagaaggtca gagtaggccc gccttccggt gggggggaag agcaggaacc caggtgctgc 26880 aggagcaget teageceasa gageageagg caeageagee etgetgeagg gaeteggage 26940 27000 cagacaggtc tgagtgtgag ccccccgagt gcccagagct gcgagtcctt tagggtggca 27060 ggtggaaggc tctgctcctc ccacttggga caggctgtat gtccagggta tgacaccgac 27120 cggtctgcag aggttctgag acatgggcca ggatggccaa gaacttgaac caagggagca catggtttt actgatggtc tgctcagagc tggccctagg caagcatatt cacagattgg 27180 gtgccatcat ctccttacta atgggagatg aggaagctgg ggtgctggca tggttttggc 27240 aaagacactc ccgaaatgag agtgagggtc acaggtgaac gggttaactt ggagaagacc 27300 27360 cttgggccag gcggccatgg cccaggtgtc ccagtttatg ccatctggtg taagtactat tataataatg cotcottgca tatgogtoot gttoggaaaa ttatgtoaco tagttatgga 27420 tggtgagtct agtgttgtgt agcatctgaa aatcctattt atttatgtta cttaatgaca 27480 27540 gggtctcgtt ctgttgcaca ggctggagtg cagtggcacg gtcacagctc actgcagcct caacgtgcca aactcaagtg atcctcccac ctcagcctcc caaatagctg gactacaggc 27600 27660 atgtgccacc acacccagct gatttttttg aaaacatttt gtagcgatgg gggtctcact 27720 attigttatet acgetggtet caaacteetg ggteaagega geeteecact ttggeeteec acactgotgg gattcaggcg tgagacactg tatccagcot gaaagtcott tttagaaggg 27780 agagatttaa gotgttttga caagaagtaa acaagactot gtttccottt agttttggat 27840 27900 getgtcagag cacttegatt cetttgeagt ttgtettett agaagtetet tgtgagggag gcaatgaatc gtcacaagcg tctcccaggg ctgagagctg tcccaccttt tagtagcctt 27960 28020 ttgtagaaca aggagaggtc ttcactcaaa gtgaaaatga cagacacctc tttgtgagcc 28080 accettaete ecacaaagaa tgttecagae tecacacagt tetettetgg ageetggagg tgcaagetgt categtagat agaateetet gaaaacaaae ttaatatett aaaategtaa 28140 28200 catttttaac attacataat tggaagatcc gacacgggaa catttttgcc cacaggtttg agcagaatet egtetegget ecetteecea geetgeette tteaegggte egetgggeea 28260 28320 toggtgtggt gacgotgott cotggtttot catggcagca gaagggccga tcaccacagg 28380 cccagacaga gagctctgca gtgttctatt catagaggca gactcctcat agtttttaag tttcgttctt tttccatctc aggagttgaa tttgtttgga ccttctttgc agaaaaggag 28440 28500 actgaacttt ttaatcccat gtcagaggaa ggtcttgggt gtacattgca gggagcagaa attggggett taaaaagggg atcgtteeet ggteategag tteaggtggg ggaceageee 28560 ctccacactg tccaagcaga ggctagacgc catccaacgt aatgttctag aatattcctt 28620 gtottttaaa ggoodtotca accaggtggt tgtgtgtgtt ctaggcaaaa gaatgtgcat 28680 28740 ggctttgagt aagacaggat ttcagattta tttttaccaa ggccaccccc ttgctaccgt 28800 ggcggtcgtg cgtgaaactg gtggtgagca gtggcgggcc aggccacctt tagttgtcct getgttegea aggeceetgt aeggggatta aetgageage etgeeggetg aegeacatgt 28860 tgactcgtgt agctgttgat tttagccagc tggcctggcg tcatactaca ggggcttgcc 28920 ccaaacaaac cctggagtag gttggttttc ataaatgccc tctggctctc tggcaagcgt 28980 29040 tggaaatgcc ctcaaaccct gtagtgcctg gtcttccctg gccatctcct ggcagtgtga 29100 gegeetetet geteatgtag aaggttgttg acceeagaga gagetagggg agetgttage tgctttaatc gtttatttgc ttgttataaa acagagatta agtggactgt cacaaatata 29160 29220 catgaagcag cagagctgtt cccccacgtg tagacgtgca tgcacacact cctaaacact teegtttett ceatgageet gteettetea tetgtggaag geteagtetg tgtagaeatg catgeacaea eteataacae tteegtttee teeatgagee tgeecetete etetatetg 29280 29340 tggaagactc agtcttctgg ttgtttccag gtgtcctggt cctccagagc tgatagccag 29400 29460 getgttggca ggtgagggee acattetggt gttgteacet agttgeeatt cacetgggat ccctccttgg ccttctggtg ggcctggtgg agagaacctg ccccagggga tttgtggggt 29520 ctggtgcttc cccgaggccc ggagctgatg gggggctcca gcctggatgt gtcatgtagc 29580 ccctcagtgg gccctggaca tgcagccagg cttccctacc cccatgtggg gccgcccct aggcgtccac ttcctggtgt tggtccaggc ccctggcact tctgaagatg cacagaacct 29640 29700 29760 getttgtatg ccaegecatg etgtgtgage actggeacea tggecaettt gtececcate coctocagto cototgootg getgecotgt gttotggcag ggotcagggo ctotgagtto 29820 tgcacagacc aggaaggcat gagggctggc cctgggtggc agcgctgctt caccccatcc 29880 tgaggetget eccageatge eteceteage cetetgetee tettggetgt ggtgaaggee 29940 aagagctett tetgacetta geactgeatg cagageaggg gageaggace cacaggtegg 30000 30060 gggaaggcag cctttggcct tgactatggg gaggtagggg tgcactggtg tgtatgtgta 30120 ggtgcacacg tgtaggggtg ggtgtgcatg tgtgagggtg cacgtgtggg ggtgggtgtg 30180 cacgtgtgtg taggggtggg ttgcgtgtgt gtgaatgtgt ataggggtgg gttgtgtgaa tgtgtgtgtg taggggtggg ttgcgtgtgt gtgaatgtgt gtgtaggggt gggttgtgtg 30240 aatgcaggta ggttgcgtgt gtgtgtgtag gggtgggttg cgtgtgtgtg aatgtgtgtg 30300

30360 taggggtggg ttgtttgcgg gtaggttgcg tgtgtgtgaa tgtgt9t9ta ggggtgggtt 30420 gtgtgaatgc aggtaggttg cctgtgtgtg tgtaggggtg ggttgccgtg tgtgtgaatg 30480 tgtgtgtagg ggtggggttg tttgaatgcg ggtaggttgc gtgtgtgtga atgtgtatag gggtgggttg tgtgaatgcg tgtgtgtagg ggtgggctgc atgtgtgtgt gtaggggtgg 30540 gttgtgtgtg tgtgtatggg gtgggtttgt gtgaatgcgt gtgtgtaggg gtgggttgcg 30600 30660 tgtgtgtgtg tgcacgtgtg tgtacgggca gaaggtggcc tggcagctgc ttctcagggt 30720 cteeggecat agggagggea geteaceegg cageceegtg cagetgaaeg gtatttttge 30780 tgggagagtg gtgctgggcc ctctgcctgt gtctgcactg aactcccttt ccctaatgct tgctctgcca cccctccggg gactgcctgc ggcttctcct cctcgtaagg atcgccattt 30840 cccttcatgg aggctcaggg aggtgacatc cttgctgtag tgcagagctg ggtcacaaaa 30900 ccagctccca gacaggcatc tcagggctcc gtcatctctt catgtgggtg accctgaggg 30960 31020 gagggaagtg gggageccgt gggtccctcc agtgctggag gtcttgcagg gagagaagca 31080 cacatgcatc tagtcacgct ggtagaaggt ggggagccag gcacggggca gaggggggct ccaggcccag aagaggagg gctcacaggg actgcgagca tggggagggc cacgtggaga aggggggagg gaggaccact aggatgggc tggtgatggg aaaacgcaag ggtgcgggtt 31140 31200 ccttttgccc agaggcaggg tggtcagagg gaggcgtgag atgggagcag tgggggtcct 31260 31320 gteccageet egiteceaeg taccatetti ecceeaggig gicaagtace eccigeaege 31380 catcatggag atcaaggagt acctgattga catggcctcc agggcaggca tgcactggct gtecaccate atececaege accacateaa egegeteate ttettettea teateageaa 31440 cotcaccate gacttotteg cottotteat ecogotogte atottetace toteetteat 31500 ctccatggtg atctgcaccc tcaaggtgtt ccaggacagc aaggcctggg agaacttccg 31560 31620 cacceteace gacetgetge tgegettega geccaacetg gatgtggage aggeegaggt 31680 taacttegge tggaaceace tggageecta tgeceattte etgetetetg tettettegt catcttctcc ttccccatcg ccagcaagga ctgcatcccc tgctcggagc tggctgtcat 31740 caccggette tttacegtga ccagetacet gageetgage acceatgeag ageectacae 33800 gcacagggcc ctggccaccg aggtcaccgc cggcctgcta tcgctgctgc cctccatgcc 31860 cttgaattgg ccctacctga aggtccttgg ccagaccttc atcaccgtgc ctgtcggcca 31920 cotggtegte eteaatgtea gegtecegtg cotgetetat gtetacetge tetatetett 31980 32040 cttccgcatg gcacagctga ggaatttcaa gggcacctac tgctaccttg tgccctacct 32100 ggtgtgette atgtggtgtg ageteteegt ggteateetg etggagteea ceggeetggg getgeteege geetecateg getactteet etteetett geeeteecea teetggtgge 32160 cggcctggcc ctggtgggcg tgctgcagtt cgcccggtgg ttcacgtctc tggagctcac 32220 caagategea gteacegtgg eggtetgtag tgtgcccctg etgttgcget ggtggaccaa 32280 ggccagette tetgtggtgg ggatggtgaa gteeetgaeg eggageteea tggtcaaget 32340 32400 catectggtg tggeteaegg ceategtget gttetgetgg ttetatgtgt acegeteaga 32460 gggcatgaag gtctacaact ccacactgac ctggcagcag tatggtgcgc tgtgcgggcc acgcgcctgg aaggagacca acatggcgcg cacccagatc ctctgcagcc acctggaggg 32520 ccacagggtc acgtggaccg gccgcttcaa gtacgtccgc gtgactgaca tcgacaacag 32580 cgccgagtct gccatcaaca tgctcccgtt cttcatcggc gactggatgc gctgcctcta 32640 cggcgaggcc taccctgcct gcagccctgg caacacctcc acggccgagg aggagctctg 32700 32760 tegeettaag etgetggeea ageacecetg ceacateaag aagttegace getacaagtt tgagattacc gtgggcatgc cattcagcag cggcgctgac ggctcgcgca gccgcgagga 32820 ggacgacgte accaaggaca tegtgetgeg ggccageage gagtteaaaa gegtgetget cageetgege cagggeagee teategagtt cageaceate etggagggee geetgggeag 32880 32940 caagtggcct gtcttcgagc tcaaggccat cagctgcctc aactgcatgg cccagctctc 33000 33060 geccaccagg eggcaegtga agategagca egaetggege agcacegtge atggegeegt 33120 gaagttegee tregaettet ttttetteee atteetgteg geggeetgag gatggteege cacgaggage trecagraca tarraceard agaceetree ceagrages eccageeega 33180 caggeatgea ccagtgeeat etgtgeecac gtgtgeagae tgtggetgea gagaeettge 33240 gaccatgtgt agattgcatg gaccccgaca aagggaaggc tgctgtgtag ctctgtccac 33300 tetgaatacc aagtgtgttg ggaattgcat gccatctcca ccctgagcct gacctttctg 33360 33420 aatgacatgg gtgtgccagg ctggactagg aggttccggt gtctggaaaa gcactttaca 33480 gatgagattc cototoctcc cocaccttca ageaccetgt tecetette tttettttgt gttggatttg tttaaaaacc aaataagcat ctgtgtaacc tccacagtag catttcttat 33540 ttgtttggtc actgctacac cttagcagct cttccccttt cctgggggat gtgcacggca 33600 33660 gettgageet gteaegtggt caaggeeegg ceceateaga ggetggggga ggeggeacat 33720 tggcagtgtg tcacactgag ctgggcacca caggctgcct catgaccctc ctctccagca 33780 ggtagtgggt gaatgtgtga aggtcttgcc tgaatccatc aggacttggg aaacagagaa ccctgtgggg gtggctgtgg gggaggtccc tgccagtgtt tagaagagcc tgactgtgtt 33840

33900 cagtgccttg gagcagaaag ccagggtcct gagtggctga aataaaagcc tctggtggaa 33960 cctgcagcgc tttccttcct ttctttaccg aaaagaagtc tttcttgtac gtgcgtgaga atcagcagag cctgcactcc tgttgaatga aatgcaagtg caatttgagt tataaaagag 34020 34080 caaggttgat gtttcacagt tgatggette etgecacage gagaccetgg etteatetee 34140 agetggaggg geceetgggg catetgeegt aactgtgggg tggeetggge atgggetgee 34200 tgtgcagaga gacctgtgct gaaggtgacc atggagtgtc agcccagcca tcttcagatc ttactgageg gaaagtgcac ggtcataatt atctttgaat tecagttace catgaagtgg 34260 agcctacagg gtgattgatg gcgtgggggc tgctgtccat gcgggagtgt gttgtgaaac 34320 cacctcctgt gttccctaac ctgcagtgat gaccccatgg gattataatc agaacttagt 34380 34440 catttggggg cacccgagca gctgcaggcc cctcagcaaa cctcacccct cttgggcagc ctgtctgtcc cagccccttg ggtctttggt gtcttccctg aggttgagga cgtggcctgt 34500 34560 acctgetect gtecceegta ggetgggetg etetetgetg ggeaccagge eteacetett tgctgtgggt gggaagcgtc gagtggtcac acgatctggc ttggccacct ggtgttgcca 34620 34680 tgcaggatgt ggttgctcca ttttccttgg acgacactgg gtggtggcag ctacacccga 34740 cactgtcctc tcatcctggt ttgtcctgcc tggaggggct gcgtgaaacc acacgagagg 34800 ctcaggtggt gtcatcactc cgagccacgg gtggtggaag ctgcaccccc acactgtcct ctgcgtgaaa ccacacgaga ggctcaggag gtgtcatcac tccgagccac atgctcgccc 34860 ctgggtttct ttcccaggca atgagatgag gttggggttc agcctcattt cctctccca ttctgtggat ttgtgaagcc atggaaggcc ctcgccctgt gactctgccc ccaggatccc 34920 34980 cactgactgc agaggaggga agtcgcctga tgctttccaa gtgaacaaag atgacaacac 35040 35100 agcatotoco toacaacaco tggatgagga agatgotoca acatococoa totacagaag 35160 acggcaccga ggttcagagt ggaggccata gcacattagc acgttatcac atggcacata gragagragg aaggaraga ctrtgcctgt ccccttcccc tgggccacca cactgccact 35220 cagcatecae aattagttte taaccaaceg geagaggeae aggttggagg agaagtggtg etgtettttg ggeagagtee agaatgggea tggteeeggg tteeacteat tetgeeacaa 35280 35340 accoetgtge cacceggeae catttaacae etgteeceag geeteagtgt eccaatetgt aaaaeggaaa geetgggeta agttagtggt ttteaaaaet tettageaae accgttttgg 35400 35460 tttgtttgtt tgtttgaaat agggtctcac tttgtcaccc aggctggagt gtagtgctat 35520 cteggeteac tgcageetec acatttgtte tgggttttae agagaggete ecegggeece 35580 geegaceace ceacceagga aagaacetge egtetgeagg aacageeatt atttaacace 35640 cogtocogge cacetgetet ggtetgecee tteacegtat ggagetgtag gacaeccagg 35700 gagggaccgg gggcagggtc tcactttgct tctacgaagt agtagcattt gagagaatga 35760 35820 gtcaggaaag accgaattgg gtggtgccat ctcaagtgcc aagagagggt ttggcgccag 35880 agtttccaag ccctctggaa gcccagctcc ctaggggcat tctttcaggg ggccttcact 35940 gtccattctt gggtagcgaa gccatcagaa agacctctct gcctcctttg gacatgctgt taaagaccag tcattcaaag ctcaatcatt caagtgctct cttcctttt tttgatccta catcatgcaa gtacactccc aagtgaggtg acaaaaacgc acattctgc agatgcccat 36000 36060 36120 gaaccaggac ctgtctctca agtctgccac ctgaggacag aatcctgtaa ccaccccagc 36180 teccaateag caggatgggg tgtcaggget attaaacaaa cagecaegtg geecaacaeg 36240 totcateegg cagetegggg aaagcacact ttgacageca ggacectate egataaatgg 36300 tgcttcctct tcatgacaaa gaaaatgaac actcattcac tcaaaatatt cagcacctgc 36360 tgtgtgcttc actottcctg gcacagggga tgcagaatga acagagagcc cctgcccac tgggaggggt gtttgtgggg agatggacca ggtaccagtc agtgaatata gcacaatggc aggtagagaa aagtgctaca gtcatctacc gtgagcgctg tgatgctctg cccagtttca 36420 36480 36540 ccacattaat ggagcaccca ctatatgctg gacacatacc atgcattttc tcatcctagc 36600 ggetgttgca aaatagacac gtecattgtg aagactgegg geggtagaat egeageeece 36660 asaggtgtcc aggtcctaat ccccaaatcc tgtttgtgtg ttcccttgca tggcaggagg gatgttgcag atgggattca gttaaagatc ttgataccgg ggagatgatt ctggactttc ctatccagaa gggcccaaag taatttcaag tgtccttgta agagggaggc tggagggtca 36720 36780 36840 gggtgtgaga ttggaagatg ccaccctgca agcttcaaga tgggggaagg ggccatgagc 36900 caaggaatgt gggtgtetet caegetggaa aaggtgagga gatggttete geetgeagee 36960 tccagagaga cacagctgac agagtcagac tgggccactg acagggctct agcgtcccag attoccatgo coccaccect etgeatgget cetgagecce tetetgaggt gtetectgga 37020 aaacctttgg geteetgete cetgeetgtt ateeetgaat gttgetgeet tttgeagett 37080 37140 gtctgtccct ctctgaggct catgatgtca tctgcgtggg ccccccgcgt aattctaaca 37200 gcacccaggt aaagataaag gtgctttgtt gtttttctaa aaaggacttc gctgttgctt 37260 gagtcactca taacttgatc aattatttgg agctctaaaa gcttcccagt tgctaggaaa ccacacettg gaggetggca aaccattgtt aaagttgtte ctaaagtget gaacttetae 37320 agtgactttg gaaagtagct tggggaacaa aacaaagcaa acaaaacaga aaagactcgg 37380

37440 gttccctttt ctttccgtcc agaagtgatc aaatcagcta aactcactgt ttcaagcttt 37500 cetetaacta gatgtgtttt tttetgeegt tagecagaaa ggeeetttee tteetatttt 37560 agtcacagaa taacctgtct ctttaggaca gtggggtcct gtgctgaatc ccaccccaa agatgggaag aactcgggtg ctgcgttttg ggaagccccg gctgagatga gtgtataact 37620 ggggctgaga gccgagagcc tggcccagca agccaggcag tgaggtgacc cggtatcccg 37680 ctccccattt ctgctggagc tggaagagcc ccaaggacac cagccccatc agagggagct 37740 37800 gggeccagag etgggtgggg cageegaeta etecetgeag aacacetace geetgeetga cactggtggc tgctttgtgg acatgctttt gaaaacctcg tgagggtgat gttattgtcc 37860 37920 ccactttatc caggggtacc tgggcacgga gcagggcggt aactcacctt ggatgtctgt ggcagcetec aagatggtee cagcaatece caccacette etgetgetee ttecatgtag 37980 caggataggt ctgtgcgacc agtagaatat ggcagatgtg acgagatgtc acttctgagg tttgcttaca aaaggctgtg gctttcagtt tggctgctct ctctcggatc catcactctg 38040 38100 ggtgaggaag ccatgccgcg agcagccccg tggggaagcc tgcacctcaa ggacctggag 38160 cctcaagcca actgccacat ggtgcacttg gaaacaggga tggctgccac ggcccacact 38220 cgcctgcggc tccggggaga cacccagcca gaacctcctg gtgaatccac tcctggattc 38280 cctaccccca cagagtataa gatgacgaat gtggctttag gctgttaaat tcgggataac 38340 cgatacagtg ccaacactgg taagtgacga ggctgcaatg aatcccaggt atcctgtggc 38400 38460 tgcatctcca cctgcatggg ccatcctgta cctggcaggc cccatcctta gcctctttaa aagtccagga accttggaat gtttttctga catctcctag gctgctggat ttaccaggaa 38520 aagggacgga cccacacctt ttccctgttt gaatccattg catttcttcc aggtgtttca 38580 atcocttctg actcgatttg ctttaatgaa gcttgaggca agtgcaattt tctgcccatg 38640 38700 38760 attgtcgcct tctcagcctg acctggcatg cactctcacc ctcatctgtc atgcctcctg cttttccacc tggggggctg agaagtccgg ccatcgaaac cttggttcct gccagccacg 38820 ggagtttgga agctttatca gattcctgaa gcctcgtttc ctcatgggaa.cagtgcaggt 38880 38940 gaaagcacct teetetegga aeegggggga agatgagagg aaattaaata gatgtatgge cccgcagcag gactggcgct ctccattgtg tctgaaattg gcaggttctt ggtctcactt 39000 acttcaagaa tgaaaccacg gaccctcgcg gtgactgtta cagttcttaa aggcggcgtg 39060 39120 tetggagttt gtteettetg atatteagat gtgtteegeg tttteeteet tetggtgggt 39180 tecteetete getggtteag gagtgaaget geagacette aeggegagtg teacagetea taaacgcagt acagacccaa agagtgagca gcaattagat ctatcacaaa gaacaaaaga 39240 acaaagcctc cacaccacag aagacaaccc gagggtgtca acattactgg ctccagcagc 39300 ctgettttat teeettatet ggeeceacee acatettget gattggteca ttttgeagag agetgattgg tetgttttae agagagetga ttggteegtt ttgeagggtg etgattggtg 39360 39420 39480 cgtttacaat ccctgagcta gacacaaaag ttctccaagt ccccactaga ttagctagac 39540 acagageact gattggtgcc tttacaaacc ttgagecaga cacagagtgc tgattggtgt 39600 atttacagtc ccttagctag acacaaaggt tctccaaatc cccactagac tcaggagccc agetggette acetagtgga teccceaace gggetgeagg tggagetgee egecagteee 39660 gegeeetgeg ceeteactee teagecettg ggeggtegat gggaceegge gtgeegegga 39720 39780 deadadaded dederrated addadaerda accaedesada saccesedae esadadadada 39840 ctegggcatg gtgggctgca ggtccccagc cctgccctac ggggaggcag ctgacgcccg gegagaatte gagegeagtg etggeactge tgggggacce ggegaaccet ccacagetge 39900 39960 tggcccgggt gctaagecec teacegeceg tggcgggegg cgccgaccgg cttttccgag 40020 agegaggeca getgagecee egeceaeeeg gaactetege tggeeegeaa gegeagegeg cagocoogtt coogcoogog cototocotg cacacotoco cacaagooga gggatcoggo 40080 40140 teeggeeteg gecageecag agggateegg eteeggeete ggecageeca gagaggggge 40200 teccaeggtg cageggegg etgaagggee eetgaagege ggecagaggg ggegeegaga 40260 gcgagcgggg ctgccagtac gctgtcacct ctcaccatca ctgcccttgc ttgctctacg getgeteaga cecaaggge aagtttetee aggtatttee aaaccaggga gggetttgtg 40320 tttagtttaa gtcaaggagg ctgtcccctt ttcgaggctg tttggatttc tttcagcaaa 40380 aactagcaga agttattacg caggaacttt ttgtagcata taaagaatga atcccgatag 40440 40500 gtactgtgat ggttaccgtt aggtgtcaac ttgattggat tgagagatgc ctagaaagct 40560 agtgaagcat tgtttctggg tgtgtctgtg ggggtgttgc cagaggagac tgaaatttga 40620 gtcagtggac tgggagagga agacctctcc tccatgtggg tgggcaccat ccaatccgct 40680 gccagcgcgc ctccaactaa gcaggcagaa gaaggtggga gaagctggct tgctgagtct 40740 tecacettea tettecteae atgetggatg etteetteea etecteetge eettggacat cagactacag gttcttcggc ctttggactc tgggacttac accagtggtt tgccgaaatc 40800 40860 tgtgctttct gccacagatt gaaggctgca ctcttggctt ccctactttt gaggcttttg gactogggot gagocactac tggcttcctt cttccctagc ttgcagacag cctatcagga 40920

aactttgctt	tgtgatcatg	tgagtcaatt	ctccctgata	aacccccttt	catagacaca	40980
tagatectat	aacttctgtc	actccggaga	accctaatat	agttaccaat	agaaacctta	41040
caactttccc	tagattctgc	aggctgggtg	gagttcacca	ccctttgctt	tgaggtatca	41100
			gacagaatgg			41160
acctatgacc	gcataggttt	gagagacctg	cgttccagcc	tggcctctgc	ctttactgtg	41220
			gctcaagttc			41280
			agaatacgat			41340
			gtggtcacac			41400
			gcctcagttg			41460
ttataaagat	ctqcttttca	gggtggctat	gatttgttga	gaaatgaagt	atctatcaca	41520
			gccattcatt			41580
			tccattcatt			41640
gtgctgggca	tootcaagac	acqctccctt	ccaatgggca	gataggtaag	cgggggcctg	41700
			ctgctccaga			41760
			catctccatc			41820
ttctgccagt	ccctgaaccc	ttctcacact	ctccacccca	cccatcagga	gtcatatggc	41880
aggetatea	aggcatataa	accagagcaa	ctccatcttg	aataqqaqat	gggtaaaatg	41940
aggetgaaac	ctactqqqct	gcattcccag	acagttaagg	catctaagtt	acagggtgag	42000
ataggaggtt	gacacaaaat	acaagccata	cagaccttgc	tqataaaaca	gtttgcagta	42060
			gatggccatg			42120
ttactaccac	acteceacea	ccaccataac	agtttacaaa	tgccatggca	atqtcaqqaa	42180
ottaccctat	atogtotaga	aaggggaggg	atgaataatc	caccecttat	ttagcatatc	42240
atcagazata	accataaaaa	toggcaacca	gcagccctcg	agetacteta	tccatqqaqt	42300
agccattctt	gtattccttt	actttcctaa	taaacttgct	ttcacttttc	tccatqqact	42360
			agagecetet			42420
ccctttccaa	caacatetta	actteettte	tctttaaatt	aaattaaatq	ctcatggttt	42480
			cagttgccat			42540
			ccttcatgtt			42600
			atgtgtagac			42660
			gagactttaa			42720
			agtgtccatc			42780
ggattcactg	ctqqqccacq	qaaqqcacta	tgattatgtt	tctttcttt	tttttttt	42840
tagagactga	gtctcactct	gtcacccagg	ctggagtgca	gtagcatgat	ctcagctcac	42900
tqcaacctcc	gcctcccggg	ttcaagcgat	tetectacet	cggccttcca	agtagctggg	42960
attacaggca	cacaccacca	cagagacagg	gtttcatcac	gttagccagt	ctggtcacaa	43020
actcctgact	ctggtgatcc	accegeettg	gcctcccaaa	gtgctgggat	tacaggcgtg	43080
agccactgcg	gccggcttat	gattactttt	tgtttatgct	gtgcctaata	attatctagt	43140
tttttgtttg	tctagttttc	tccacattga	ccactaattc	atttgtgaaa	aatagaaaat	43200
ttttctcaat	gtgttaaaac	tatcagataa	gctctcaatt	tetgettece	cagccccgta	43260
gatttgttgt.	ttggaacttc	ccatcttcct	gtgtcaatct	ggactgttca	ctctctaggc	43320
			ctcactgtca			43380
ctctcctccg	tggtatccct	gtttctggga	tcccagatgg	attaactggg	aaacaggcta	43440
ggctgctata	acaaagagac	ccccaatac	agaagtttat	gcaaaccaga	attgtatttc	43500
			taggctagtg			43560
cttctctctt	gtcgctctct	ctcttttgac	ccacattttc	tatcttgaga	tctaaactag	43620
ttgctccagg	tcctgaaacc	acctttacaa	aattataact	gaggaaatta	tgacagtgaa	43680
aaaaatcaga	cctaaccgac	tccatcttcc	ttctaacctt	taagctgtcc	ttgttcattc	43740
ctggacatag	gccaaactaa	ctttggaaag	gaattcagtt	catggtttga	ctgaaacaaa	43800
attgataaca	gccctttccc	aaaaagaccc	ccettettge	ctagggtcca	gtctgccttt	43860
gcaggactaa	caaattagct	acaagattag	aaatcacagt	ttagaggtca	tgcagcctct	43920
ggctctaaga	gtctgaacct	cggcatattg	ctcctgggga	taacatcatt	attgtaaaac	43980
ctaagatcag	tgcttgagat	attttgcagg	ccctgtgctc	gatggattag	ccaacaccac	44040
ccagaccagt	aatctggctc	aaccagttct	accattgcac	ctaggaagag	aagacattaa	44100
gaaaacctca	cttcaaccca	ctatgattcc	atctccaacc	tgaccaatca	gcactctcca	44160
cttcccaagc	ccctacccac	caaattgtct	tcaaaaactg	tgatcccggc	cgggcgcagt	44220
aactcacgcc	tgtaatccca	gcactttggg	aggccaagat	gagcagatca	cttgaggtca	44280
ggagtttgag	accagcctgg	cccatgcagt	gaaaccccgt	ctctactaaa	aatacaaaaa	44340
ttagccagtc	atggttgtgg	gtgctgtaat	cccagctact	cgggaggctg	aagcaggaga	44400
atcgccgaac	ccaggaggtg	gaggttgcat	gagccaagat	cgtgccactg	cactccagcc	44460

tgggcgacag	agtgagactc	tgtctccaaa	ttaattaatt	aataaagtta	taattgaaat	44520
taacactctg	atccccgaat	gcttggggag	actgatttga	gtaataataa	aactccagcc	44580
tccctcacag	ccagctctgc	ataaattacc	ttctccattg	cagttcccct	gtcttgataa	44640
				gtggttacac		44700
gtgtctacag	tctggccagc	ctttaggatg	ggagggcagg	tgaaagacag	getteteece	44760
				cgctgttggc		44820
				gacgtacgaa		44880
gatgtcaggg	acaaccagga	gtccctqcct	catgtgtttc	cttctttcct	ggtttcgtgt	44940
				tttatgtgaa		45000
				ctccctcac		45060
				aaatatgaca		45120
				ctgggggctc		45180
				ggtaaaatga		45240
				acaggagatt		45300
				acagatccag		45360
				aaaataagtt		45420
				ctgaggtggg		45480
				atgcatctct		45540
				cagctacttg		45600
				gagtggagat		45660
				tctaaaaaaa		45720
				caaagatgaa		45780
				tgtggctttg		45840
				gctcttggga		45900
stantator	retacceas	cettetteee	tttactatat	taataaactt	actiticacti	45960
testatas	agtagtaatt	aartetteet	tatacasasa	ccaaaaaccc	tetetteeet	46020
caccergegg	accegeeeeg	gatangangt	cgcgcaagaa	cagggctggc	ctccccgagc	46080
ctygattyay	acceptation	ggcaacaacc	ggggcgacca	gtcctgagcc	ccgggagagc	46140
cegetgggtg	agagagatge	ctgctgatgg	testesests	tgcctcccag	cccacacaca	46200
						46260
				taagacacta		46320
				gcatgggtaa		46380
				ccagcattcg ttgctgctgg		46440
				tcagtctccc		46500
						46560
teeteaaagg	tatagacaca	ttastta	agetereeae	cattgcgccg	attttattt	46620
				cattttgaat		46680
				ggcctctttg		46740
				tgagatggag		46800
				acaagctctg		46860
				ttacaggcac		46920
tonnotest	cocceptate	cctagtagag	acgggeetea	ccatgttggc ccaaagtgct	cagettage	46980
ccaaaccccc	gaccccaage	gaccageetg	tatatttta	tcacctattt	tettteeest	47040
ggtgtgagee	accacgooca	geegaggeea	acaeatttcc	tcaaccgtat	cttccaatct	47100
ttggaggat	atttattet	ccaetteettg	ttotaattto	catagettes	ttagagtete	47160
cegeagagae	CCCCACCCC	geaaccatge	tottaattet	catggtttcc	atcoattato	47220
				ctatgcagat		47280
cgagttttga	aaacggcacc	ccacciggca	tootatete	aggttgcagc	ctctccttca	47340
				cacagcaggg		47400
				tgcctggaat		47460
				cagttggatg		47460
				cactgtcgcc		47520 47580
				catgttcaag		47580
				ccaccatgcc		
				ggctggtctc		47700
				gattacaggg		47760
				tgtccaaacc		47820
				cttccccggg		47880 47940
				gtcttcctgg		
cccgcagcct	ctcgcacaat	ccctggggaa	rgaacctccc	gccttctgca	22275	48000

	agggatgctt	gctgaggaag	acattcagaa	aacctcaatt	ttctccccac	cctcagaggt	48060
	ccctggtgcc	tccaggccca	gageetttet	ggggttctat	gatgcaaacc	agttgccttg	48120
	tggttgcccc	caccgcgggc	ttgggctctg	ctctctcagt	ctctaagctg	tttccactcc	48180
	cccatgtgcc	ttcttgcttc	ccatcttcaa	ggccacggtc	cagctcccgt	tctctttgtt	48240
	ttgatccctt	ctttgactct	cgagcctgtg	ggagcgaggg	tgtttgatct	gcagtgttga	48300
	gcagggttct	ctgggctcct	gcaggggacc	cagtgttgag	cccacataca	cctcgctcag	48360
	taagtagtcc	ctaaggactg	tgcagggcac	cagggacacg	gtggtgagtg	aatgatggtc	48420
	cctqqtctca	catctgtgtc	cgtgccagtg	ccagggggcc	tgggctgtgg	ggaaaggagg	48480
				aggagcaaag			48540
				acacacca			48600
	tgaggcccca	ccaggtagcc	agaaggtcca	ggatacagtt	tagtaattaa	gaccttgggg	48660
	ctctqcqqac	acgetgeetg	gggtcagacc	ctggccccaa	cactcacagt	ttgtggccat	48720
				tttccttatt			48780
				ggatggatga			48840
				tactaggaat			48900
	gaggaagcca	ggtcacccag	gcttcccca	cccccgcca	agccaatccc	tggacctagc	48960
				ggtaggtcac			49020
				aggaacgtca			49080
				aagcattgag			49140
				agcgcagggc			49200
				ccaagctgtc			49260
	ccaccactcc	acaggeteca	gccctcacac	gcctggccct	ctagaagece	tgctcactac	49320
	ctctqccacc	atctggctgc	ccetetgtee	tetgeagece	cataaaccac	caccagaaac	49380
	tecceaggaa	agagecetae	cettgeestg	ctcaagaaag	gcaatgaggt	gccaccaggg	49440
	ctacaggccc	cactttacta	cttccctgcg	tgctgtggac	ctcccaaggg	cccttgcctg	49500
	tgagcaggga	aaatccctac	ctaaaqqqqt	ggctttgtca	ccaggacgaa	gtgcccaggg	49560
	atatagaata	cetaacacta	ccatgacaaa	tgactgcaaa	ctgagaggct	taaaagagca	49620
	tatttattat	cttccaqtct	ggaggtcaga	ggtctgacac	aggeeteact	gggctgaaac	49680
	caaggtgtgg	acaggactag	tteetteegg	aaggtcccag	gaggatctgt	ttccttgcct	49740
	tttccagctt	ctagaagetg	cetgtgttcc	taggctggtg	gccccctcct	ccatcttcac	49800
	atccagcacc	gctggtcgag	tcttcatgtc	atgccttgct	gagccttttt	ctgttgctac	49860
	agetgtetee	aatacaacca	ggaacggtcc	tacactttca	cggacttggg	tgattagatg	49920
	ggtcccacat	ggataatcca	ggctaaattc	catcttcagg	tccatgacct	taatcacatc	49980
	tgcaagatcc	cagagetgge	aattggtcaa	tgttggctga	agttgggttt	ggggaggctg	50040
	aggetgeagg	atccatcacc	accetgggcc	tccgcacatg	cctgccactt	ccacccctgg	50100
	ggtttgaatc	ctgacccctc	cacttattaa	ttctactaac	ttgggtatca	gttaaattac	50160
	ctcatctctc	taggcctcct	gttctccatg	tgtacaatgg	gtataacaat	agcaaccccc	50220
				caatgagaca			50280
				ttcagtcgag			50340
				cacagtcaga			50400
				cctgtgctct			50460
	agcgccaatg	aagcccctgc	cagcagaccc	gcagaatagc	acctgccttc	ctcctgctga	50520
	acctgaagcc	cagaattccc	tcctgaaagc	cagaggcagg	gcctggctcc	aggcagggtg	50580
	cagggaaacc	caggcgtgcg	tgggacactt	acccacacac	tctcctgttt	agctcagcca	50640
	ttgtggcagg	tggggcgggg	cctctctggc	ttcctgaaga	atccaggtac	cctgtggttt	50700
	ctctcccccg	caggcttcca	ttctctggga	ccetcaggca	cgtctgtggg	ggagcactgg	50760
	atgaggagtt	atgtgctacc	tgtgtgattg	cgagctaatt	ctttaacctc	tctgaatcag	50820
	tttcctcatc	tgtatcatat	tctcatggag	agtgtgagtg	tgtgtggaga	tcatgatggg	50880
	ctatgcacac	ctgctgccag	acaaaacaag	acaactatca	ttacggagtg	tcatgtgcca	50940
	agcactgtgt	tttgcactat	ccaagttaat	cttgtccttc	ctctcccacc	acaaacctac	51000
	aagataggtc	gtcttattag	ctccatttcc	tcagtgatga	attcagagct	agggaaagtt	51060
	aagagctgca	ttaggagcta	gagggagcaa	accettgacg	tgaacccagc	ttcccagtgc	51120
	aaagcccatg	ggcatcccca	cccactgtat	tgcctcctga	tgggctccac	ctccatgagg	51180
	ttggactcac	taaaaacaaa	cagcattctg	gacctcgttt	ttgatgtaac	atttgttatt	51240
٠	ttattggaaa	aagctggtat	taacatattt	atagttttat	tcaacaattg	ggtaatttgt	51300
	gagacaccaa	agaaaaaaag	aatgcaccta	tgagttacag	agtccaaact	gatcagggct	51360
	qacaacttqa	ccaccatgta	tcccacacca	ccacccccac	caccaccacc	accaacagct	51420
	tegteeteag	agaagagcta	aattaaaaac	aaaaccaaaa	aaaccccaac	aacttcacaa	51480
	tgactatgtg	aacgcccgta	cattcgagag	táccaggaaa	tgtaagcaga	gccaggatgc	51540

aagtctgtga	ctattacact	ggtccttcca	ccgtttctgg	ttttgtccct	cccctcgaca	51600
ccttttctta	acacacattt	gatcttcaca	atttgctttg	gacatcatta	ttttccaggg	51660
atccagagac	atacttttct	tcaaagaaga	tetttteett	tcttttttct	tctttttggt	51720
ttggtaccca	aagtttaaaa	cagaagtaag	gaactaggaa	ctgtattaag	acctcctttt	51780
gaaggacatg	taagatttgt	actttgaaga	tggtaaatgt	taaatctatg	atgtgacagt	51840
			cttaacattt			51900
tcgtagcaaa	tatccaagta	atgggtaagg	ccctcagage	tgggttttgg	ctttaacacg	51960
			ctctttacaa			52020
tcctttgatt	gttaaattta	attagaatag	atatgtacat	ataatactgt	ccaggtcaac	52080
tggattttat	agtgatatat	aaacaaacat	tcttcattca	cgttgattaa	aaaaaaatca	52140
			ggccagaagt			52200
cttttacaca	cacaaaagta	tactgtaatc	cactgagaat	aactcagctg	ggtctgtttc	52260
ctgggttatg	ttatatcttg	taaaaaacaa	aacaaacaaa	ccaaaaaaaa	t tgg atttgg	52320
ctgggtctct	gctccccact	ttctgaatca	aaatgccaaa	ctacgtggct	ctgctgcaag	52380
tccatgagca	aagacgactc	agaggggtgg	gcaggtttgg	tatcaccaga	acaggagcat	52440
ctaccatgga	aacaccacct	tctctgtggc	cctcattgtc	agaggggcag	agttcccgag	52500
ggatgtgtcc	tctgggactg	tgtggtcctt	aaagtaaagg	tatcctaaaa	tggtcagaac	52560
atgcaatttc	ctttcaaagg	cagttcagtg	cattggctca	aggagggtgc	aagcccagga	52620
tgaagtggag	tcctggggag	ggccacactc	ctgaagccac	caagcagagc	gaggagetee	52680
ggggggtctt	ctctgtcttc	catcctgcgt	ctcagttctc	ctggaccctt	gtggtcgcca	52740
agtctgccat	gtcctacttc	acaagacaga	ggcattcctt	tccaaacctt	ccatttgaat	52800
gtcgctctaa	catgageege	ccacgagatg	gactggagag	aaccttgtgt	gaagacccgg	52860
acgggttcct	gacaccactg	cacggcacct	gccatgggtg	acctgtgcat	ccgctcagag	52920
cctcagcttc	ttctcgtgga	cagaggggat	cctaagggtt	cccgcttatc	cccagcatcc	52980
agcccagagc	ctggcacgct	tcgagaagtt	ggtgtttatg	gaggaaatga	atgaacaccc	53040
acctcacagt	caggaggaag	attccaaaaa	atcgtgcatg	ggagtcagtg	tccgctccgg	53100
			gcggcaggga			53160
actgcctcta	gggctgagca	ccacgcctgg	tacacagcag	aggctcagca	aatggcaggt	53220
gaatcagatg	aggacacagg	cacacagaag	acaaacccca	ctccgctcct	ctcgggaaac	53280
cgcaccagac	ctgggacctg	ggatgtttca	agacattcag	aagacctagg	agaggagctt	53340
gcatctgcaa	attctcagca	tgaattcacc	atccaaaaaa	caacggtgag	gtcatcagct	53400
ctgagacagg	gegaattgee	ccatttataa	ccaaaagaac	ccctggctgg	ctcgtttgag	53460
actcatcatc	tgtccctgga	gccctgatct	gggaccagtg	aggcatgggg	gagaagcagc	53520
tcccatcagc	teeggteect	gcaacaggac	gcactggagt	gaaaaattaa	cccggacgca	53580
taaaaagtcc	tattgatgtg	gtaaagaccg	cagaccgaga	caggaaggga	cgtgaatgaa	53640
			tgtccatttt			53700
			caattactgc			53760
gaaagctggg	gcagggaggg	ggcccaaact	tcctgtgtcc	acacactgcc	acctctgcag	53820
			cctccttgca			53880
			aggggccggg			53940
			acaggttgtt			54000
			ggatcttctt			54060
			ccacgcacac			54120
			ccagggtcac			54180
			cggtcatgat			54240
			ttctcgagaa			54300
			ccccggtggg			54360
			actccacctc			54420
			ggcaggagga			54480
			gcagtctagc			54540
			caatcccaga			54600
			cccctgtatc			54660
			tttggggcca			54720
			cctggccagg			54780
			agatcacctg			54840
			actaaaaata			54900
			gaggctgagg			54960
			cgccactgca			55020
			aagaaaagaa			55080
_			J	-	-	

55140 gttagtccag gagagaaage tetggeette caaacagact gtgcaaccac agcaggaggt 55200 agacatggaa gcagctggga cagaaaacca ccaggccctg cttccctcca ggggcccgcc tgtcccgagg actcgggcga ataaacaaac atgcatcgcc atgagggtcg gggcgagcag 55260 tgctgacgtg caggggctcg ctgccctcac cgtcccgcta aagagaattc cacaccattt 55320 ctctgctctc cctgctccta aggagaaggg gttcctgccg gtgggaggaa gggtaagttc 55380 55440 atccacatag taagaggcag gagagaaagc acagttctgt gggcctgcgc ccagagggag ggttttgggg tttggcctct gcagggccct ggagcagctg tgaggtgcaa ggtaactggg 55500 gaggaagagg atgttacgaa aagcgaccat aaagaagttg tootgotgaa ggotottoag 55560 ggaggaaatc ctgtttcctt ttggaagctg agctgggctt cctgagggtg acactgctct 55620 gtgacagaac caggtggatc cetgggtetc caggggttat gcacagagga caaaagetca 55680 55740 cacgtgaget ceggeactge agteagggge ttgggetetg gecagteege etgggteegg atcccagctc tgccctaccc tgacatgcgc actctcttag ttttctataa gaactgggat 55800 caacaaggga acgcagcccc tggtgagcgt gaatcagggg acataggctg aacaccccgc 55860 acagtgctgg gcttgaggca ctttgcttct tgttatttac caggtactcc tcgatcctaa tcgtccatgt gaccaaagcc gcacccgctt tatatgtgac tcagagcctg ggacaaggga 55920 55980 agcagcatgc gaggggggcc gggtgaacga gtcccacaga agggccctgc Ccaggegcca caggctgact gggggaggcc acaccetece egegccagca cagtggggag gcagcccet 56040 56100 ttgttcttca gggaacagtt cacagaatga acctgggtga tttcacacaa tgctggttct 56160 totgatocat ttagtggaag gagagogaca taattaaagt catttgcaac ccacacagtt 56220 cetgateete eccetgiteg ggtgtggaat teagetgaea etgetetggg ggagagggag 56280 gggcccetct catcctagag caccaggccg caccaccatg agagccattc ctcacattca ggcaggtttc ttaaattcca gaaggttccc ttaacaggga aaagggcagg ggagctgctt 56340 56400 56460 caectetect agesteatet geatgtggga ceacaacges ggetgettte agesceagtg ctcogctcct ctttcctttg gggaaagaaa ggctcctgcc ctcgccaccc gtggcgcctg 56520 taatcccage tacttgggag getgeggeag gagaagtgtt tgactccagg aggeggaggt tgeagegage egagatggeg ecactgeact ecetateeet gtgageggte aatcacagtg 56580 56640 56700 ctctcctcgc cccttggcct ggccaacttg ggcatgtgat atccctgtcc atgctgattg 56760 gtgcaaaaag tgggcaagtg acccacacag agccaatcag atccttccat gagagtttta 56820 cacagteett gggaggggtt ggetggetga ggataatgga aaggggaatg atttgggggt 56880 catctctgaa gagggagagg attgaggcca gtgtgtaaga agaagcaggg aggagcggag atggggaagc atggagagaa gaaaacggcc ggagagaaaa aaacagccct agggatacag 56940 57000 catgggecec tgggggagec ttgeccagga etecteagag caagtgtagg tgtgtttgae tecegeacee gageacgete ggetggeaca aateteteee eccaggeagg acagateaag 57060 57120 gagaacttca tggaggaggg ggcgttgaag cctgttgtgg gagggcctgc gggattcctc 57180 cgggtaggta acctggggaa gggcaggcct gccaatagga tagtccacgc aggatcactg eggeacecet gegeatacga actgggatet tgetgaagge atcacacatg gteteatece 57240 caaageggee aegaaggeea gttteetaga aeeaetttee ageegagetg aettagggge 57300 ttcctcaagc acacggtggc gagggtagaa tgtggaccag agactgagag agtccagcag gagagctgct gcctctccac agcacgctgc ccatctgcgt tctgccggtg ctaggaagcc 57360 57420 57480 ccacggcagg ggccatcggg cagccaccac gcggcagcag cggcgctctg cgggccggac 57540 caactgtcag agggggtcac caggaataag agggcagcaa ctgggagcct gccaggattc gagtttgctt tggtctgcaa ggatgtggga acctgggggg aatccttgct tctctcctga 57600 gcctctgagg ccctggaagg caggacccag ggtctgttta tcttgggacc cctgaccatg 57660 gggcatgttg ttctcagaac agtgctcaaa gtgaactggg aggtggcaca cctctatgcc 57720 ttctagaaac acccacagcc actggacaca cctgaggtcc ccagtgaagg gctcagaaca 57780 57840 ggttgagtca tagtagcccc ccagggcacc ccacccattg cgggaggcaa acaaggacag 57900 aggttecage egggeagage agagecaget gtggagegag agacagtgag gegggtgggg 57960 gaccactagg acagggcgtg gctggcgtgt aaagtgcacg caggaagtgg cgggtgggag 58020 gcaggacagg agagcccagg cctagacacc actgtcagcc tggggatgct tggcggcttc 58080 tecagtectg ggagcaggca teacetggce gegggtgeec cetggtggca gettgaagga aggacgggca gtgggtcgca gccagcgggg acctaccccg caaaacgcac ataaaagctg 58140 58200 gaatcagett gttacagetg caggteeete tegteegatt tggatagace etettgggac 58260 ccactgcacc agggaacccc aaatgcagct cagcagcatg ggaggagccc tgtctgctgg gggtgtctgg gatctatctg ggggcagggc ctagagagaa ggtcctgtgt cctgctgacc 58320 cagetytyce ageceagece eggyteggye etecateety ytttetaag cateetitag tygeeceety tyateaceat gecageceet tyeetyaget eggyetetye tyagagaece 58380 58440 58500 ctgcgggctg ggggagctcc aggatgttgg caactetete agaaatetee ttccctggac acaatgactt ggccccccac ttggatccag ccctgcttcc agggggctcc ctcctggtcc 58560 58620 tgtctctgcc atgtccagcc ctcccctcat cccacacacc aaccctgatg gtcccagccc

58680 tatgcccaga gccacagaga gtcatagtgc ggcagetete acatgaccac cacagtgcca 58740 gccaccetca gaggtetggg agageccaga cetgteatgt tgactgatge catecacagg 58800 gtggacagec ceccaceagg tgatgeecaa gteagggetg etggetetea etecaceete cttgcccacc acactggaca ggactgcggg gaggaggtga cagtacatgg gctcctgaca 58860 ggtggtatto tgatotagca gccagtgtag tetttatete cacactgtgt atcatetgga 58920 58980 gacccacttc tgaatctggg cggctggaca aagaggcatc ctgtccttga ggaagcagct 59040 gtaggagaca ctgagaggcc acctctcagc ttctgagatc gaaactcaca gatggagagt aggettgtee attteagaat ettacgeetg geaggaceet gageacaaag etgatgtgat ttgggaggge agaagaggga tttteecace teeagaatgg aggaagaate eeagagaaga 59100 59160 59220 59280 tgtccatgcc cgccctgggc tgagcccagg ctagggagac acaggaactc acttctggca 59340 ctggggegec actttccagg caggtggggt tgagagacgg ctggacttgt ggattgtgac aagccctgga gggtgtagga gctccaaggt gcccctgagc ctcagcgggc ccgagtgggg 59400 tgtcaccagg aagagagga gacagtagtg gtgatgggag gaggggtgag tagaccgatggtcaaagcca caggggtgca gggctgtctc aggacataca ggtgtggatg gatgatggtg 59460 59520 59580 accgggtgct gggctatagc cotcgcccc gacaagctgg gagaggggag cacatcaccg 59640 gggaccctga attaactaaa catgttccca ctactgccca tagggcaggc gccaacgtgg 59700 ctgtgaggit cagtgacaga agatgaagaa titcatgtcc tgccccttga atctgagege tgagagttgg acctgctctg gaaagcgtgg gcttcaccca gacacctgga cccattgagg ctgagtagec ccatgctgcg ggtcaccgga atcccagccc agacccctgc agggcagaaa 59760 59820 59880 ccetecetac ggtgaggtga ggtgcgggct gaggtcaggg cttacctgtc gctcccgttc 59940 caggcacatt caaacttgtc gaaaatgcag tcgttctcgt acagggaaca gagcttgctc 60000 cgaaggtagt catggacctg gtgggataag ggatgaggtg agtggacggg gcgtcccgac catectggee ettecacaag aagggtetea aagagcageg agggtetgea tgeeetgaca 60060 tggcccagcg cagacetget cateteagcg agggtetgaa tgetetgaca cageeegaca 60120 cagecetget cateteateg ggaggeecat gaccaggeac acggetgace ecgacegtga 60180 cacageccaa tacagecetg eteatettat eggggggeee aegaccagge acaeggetga 60240 60300 cetecacegt gacacagece aatacagece tgeteatett ategggggee caegaceagg 60360 cacacggctg acctctgagc tgtggccaga gacgggagta gcaccaggga gcagagtcca 60420 ctgtgacaaa cagaacgctc acagcacagg ggccaggacc acctggggtc cagatcctgg ctctgccctc ccagctgtgt gatcttggac aagtgatttc atctctctga gcctcagttt 60480 cttcaaactt aaagtgataa gagggcgaac ctcacagtgg ttctggcatt aagtgcaggg 60540 60600 caggeetttt gagggtaatg ateteegaga acaeagggtg geggeeatea agaaagggga 60660 agagggaacc cacagaggtt totoatcoat coacagcacg aggcactgag gotcacaggg 60720 toacacageo totaagaggo tgaccaggac cottececag gattecegta ceccacagga 607B0 gagagggtga caccccagga cctgcatcca cctgactgca gccggtccta caagccctgt acceggaggg cegeatgagt gecagecete tgetgagget ggagetgeca ggacaacagg 60840 gcacgggctc tgccctctgg gtgcggaagg gaaggtaact gggtgccatg gagcctggtt tcaactccca ggagttgaaa ttaacaactc caacgaacac agaaaatgtg aagggtggtg 60900 60960 61020 tgaacgtcaa tttcgtgtgt cagcttggct gggccaaggt accagatact tggtgtttct 61080 gtgaagacat tttgtagggg aggttaacat ttaagctgat atactgagta aagcaggctg ccctccatca tgtgggggc cttgtccaat cagtcgaagg ccctgataga acaaagacag 61140 acctccctga ggaccggggg attccgctaa cagatgcgtg tgggctcgca tagtcactct 61200 cccctgggtc accagcctgc ccgcctgctc tgcagattta gaacatgcca cgtgagctaa 61260 61320 ttccttcaaa tctcccttct ttctcagtct ctatccccat cctgttggtt ctgtttctct 613B0 gagccatctg actaatatgg tggcaaggac tacacaggaa aacagagtgg cactagggga 61440 agcaggattg ggaggaaggg cctgctattc actgcacaca ggatggttag acaaggctac 61500 ctgacteceg cetggggece tgeteatece tecceagece cegtgteete etggtgacee 61560 ttgectteec ettgggeece tgggetgeag ceccaccaag etgagggtea etgtgtteet gtotgtotgg gaccotogag ggtgaggoog aggttottoc ttotetotgg gtocagggto 61620 61680 tagcactgtg ttgggcacag ggtactggct cagtatgtgt aacaactaaa atcaaggggg 61740 atgaatggca gcaggtttta gtgttcgtgt cccacccccg gctctgcatt tttgtgtgtc ctccttactc agctcccagc agccttggtg atgcacgcgt ccaaatgcgc atgctgttct 61B00 ctctgccgtg cactaagcat ctcctgccct ctagtggcag ggtgaggaag agctctggag 61860 aaagactgtc aatctaaggt ccgctgcttg ctggctctgt cacagatttg ccatttaact 61920 61980 caattgtott ccaataaaat gggatgggga gaataccggc cccacctccc aggacagctg 62040 ggaggettag atgaggeaaa geatactatg gaettacete agtgtggete atteaacaae 62100 egtecceage ecetteacee tigeettett caaceacaga ggetgttaaa ceattaatet teccagecae tatggtgget gecagggace cattetagae aatgaggtgt aagaagtett 62160 ctgagaagca ttctggggaa gattttacaa tcacagtgaa acacgcaaca gaccccaggg 62220 gtgagateta gtgeatttee tattteetge etggaatgta ggeaaagtge ttggaggtgt ggeagceact ttgecaccat gaggtaccae atgtgaaggt ggaaaaccaa egeccaaatg 62280 62340 62400 atggtggact ggatcacaga aggaaccact gtggcgctgc cggggtcatg gagcccccc accttectgg actgeeetet ceagacteee tgttgtggga gaaaaatage eeegatttgt 62460 taagcaccgc acaccagccg aacgcagtcc tgctacacac aatttctagc acatcacaag 62520 ccaccaaaaa atgttggttg ttgtgctgct tttatgtagt tattgctatt attttagcat 62580 62640 caataggtca getgggeeag atgecaagtg cecagettae ggeeteaege tecagaacag 62700 tcattcccct ccttcgtggg gtccttcatg agaatttcag aaagctgtgt ccccctcccc ctgaaaatgc tcatagaaca cattccacgt agtttcaggg gttcatgggc ctttgctgac 62760 ctcagggatg gaggtaagtg accggacaag gggccggagg gggttggaaa tgttcatttc 62820 cctgagetge etccagaggg agecagagag ttgeteetge aggettgage egggettate 62880 62940 ctgtccctct cctagtctgg ggtctctgcc attcccacag ggacagagga gggctgagtc 63000 ctgcctgggg tgtgcagtgt gaggaggggg cctgagggag gagctggggc agtcgcaaga actcaagtaa acacacgtgg ctgacaaaca ggcggtcccc atagcggtcc ttgtgggtgt 63060 63120 ctctgagete tgcaccagtt cccagegagg cctgegeeae ecaggaeget ttcctactag 63180 gtottogoac ggaggaaagg aaagogtagg gototgagoo tgggototga atotgtoaco 63240 63300 gcccagccga gagacacctc cctcatctcc ctacctctca gtgcccgagt tccctttcca 63360 ccaaatagga tgatggetee tteteacegg gacagtaaag aatggaggtg acagatgtea agcacgtggc accccatgtg tgaggagtga cacggtgagg aaccggctgg ggtttctggt 63420 ggggtgtttt cccacccatg tttgcacggc cagatettac ccatcettca aggeccagca 63480 caaatgccac ctcctccaag aagcctccct gatctcccca cctaactgga accagctttg 63540 63600 63660 tctacccct aacatatctg aatggatgat aatagcaaga taataaataa tactgtccaa 63720 gaagggccca ggcttcacct agactccagg cttataggcc tgtgctgagg atctggaaag 63780 gaaacatgtg ctcagttcac ctctgcgtgc actgcttacg gatgcaccct gggagggcaa cgcttaaccc tetttaatgg tacageteeg atgeaggete ccagggagtg gggagggaag 63840 ccategicta catgotecae tggggeccag ectgaegete atetetgite ccacatetet ttectecetg gaattgagge ecetgggeee tggaetgeag geettgetea gggaeateca 63900 63960 64020 aageteeetg tgaggeaaga etgageaete etgeeetetg eeaagetaeg tgtggggatg agttgctgga tttcttcagc ctccgtgtct tcacctacat actgggcata tgaaagccac 64080 gcctggctag gaaggccccc tccatgggga tctcagcata gggaaaaaaag acccgggatt 64140 gggggtetee tgetgtggtg eccaectggt aggtetetat gggtettgee tecatgttea 64200 64260 ggtcccagac cttgactgta aggtagtccc gggtgagcat gtagcggccg ctgtggctga acttcacgtc ggacacggag gagatgattt ccgagaagaa tgagcggtta ctggggtcct 64320 64380 caggetette aaagaetgtg gagacagaga agcaatggee gteaetgege tgeteeegee 64440 catggggttg gcacgacgga tgactctgtt ttgcacctgg gcccatgctc tgtttattca 64500 gteatteatt catteeteaa acctagaact aaacaettae cagggaacaa geetggtaag attotgtgot gtgcagaaat agccattact atccccatto atagccaaga aaatggagga 64560 gcagctggct aaaacccatg cctggggagt cagtgctgga agaaggtggt agagtcggga 64620 64680 tttgaagcca aagctatact tgatgtgctg ccctctactg ccccctactg gtgatgctga 64740 atgccagatt gcaaaggtgt cctgacattc tcaaatgtgc tggacaatgt cctctaccag 64800 actgggcact gcttgtggct ctggcactaa ctggccctgg gaccttgggc cagtagttat ctctgttcat ggtgtcctgg gcaggcatgg ctgagcccta cttataggtg ggttttgttt 64860 cattgccatg gggtttgtaa caaaatcaaa tctgactgcc acagagttgg tacagtctcc 64920 tgtatgccat ccactgacca tctccttttt tcttggagca cctgctctgc acaggaagtt 64980 65040 gettatetgg tecetaaagg caaeggtttg etgeceacet ggacaattat agaetgggae agagtgggca atgaggacto occagacagt gtococtoco cactgococo ataacctggo 65100 65160 cttcctgagc tgcagaagtt cccaaagtgg gacaaggtct ctaagctcat ttctgctggt atctgtctca ctggtagcag tgaccctggg gctgaagtag cgtggggact aggacccctg 65220 ttgggccagg cactaactcc ctaggacctg ggccacagag agacccaggg aacgatggga 65280 agagaacagg gtggtggagt tgacagccat tcaccagcca atctggaaat acctaaacct 65340 65400 atgacaacct gtccagctgt ccccatggaa accggctgag tggcagcctt gcctgctggc 65460 ctgctctggt ctctacccca gaaacaggga agcagagctg atcacagcac cctgaggctc ccgagaggec cetecetget ggeceetete agecacaagg getegtgtee tgeeteecag 65520 gtotgtocca godcottato cootcatggg aaatggcago accocattot cootcotgto 65580 caaggtggac actgtacctg gccactgcct ctccagaaat acaactcctg tccagctccc 65640 65700 ctctgcaggg cccactggat gccctgatgg actcattcat tcattcattc atttattcac

```
65760
tcagtcaacc aatgcaaaca gcacctactc tgtgccaggc cctgggatga tgcagtgacc
agcataaagc cactgttcct gtgcagccaa cattctcctt gcagatacag acaataaaac
                                                                     65880
taagtggcgc cctccaccgc cagggagcag caagtgctgg ggaggaagag ccagcaggca
                                                                     65940
gataggtgcs ctggtagttt aggtgaacag ggcctccgtg ggaggtgctg tttgaccaag
                                                                     66000
gtctgagtga agttggggag agattggtgg cgatgcctgg agaggggtgt gctgggcaga
agggacggca cacgcaaggg ccctgaggca gggacacgcc aagggccgtg caggcagaga
                                                                     66060
                                                                     66120
aaggagtgag cagggggaac agggacgcaa ggggccaccc acgcaggatc tcatgggcca
                                                                     66180
cggagagggg tgaggaagtc accattaggg aaacgggagc cactgagggt tcagagacag
ggaggatgaa atctgagtca aggaggtagg gaggggcagg caggaggctg gagtcccctc
                                                                     66240
ccqacqqaqq aaggaagttc cagcaccegg tgggccaggg ctgcagagcc caggtgtcac
                                                                     66300
catcotgato coaggocact goatgoaggg aggtgagggg aggtgagagg agggggaggg
                                                                     66360
aagctgctta cagggcagga aaaggctccc acgtttatgt tcatgcctct ggtatccccc
                                                                     66420
                                                                     66480
caaatcagag caggcagcag gaggaaggtc cccccacct ctcttgagag caaggcctcc
                                                                     66540
aaacacctgt ctctgaagca gacccctgaa gctcaggaga tctatatccc tgtccttagc
ctetecacag cetetggtga geagtggeag cetteaacce cacacetetg ceeteaaage
                                                                     66600
catggcactg cacegggtat cetgagggca ggtggteget cettecagte etggegteaa
                                                                     66660
gatcaggaag gagggaggga gcctagttta tccactaata agtggtgtca tattttggaa
                                                                     66720
ttagaatgct atcaggctgg caggtgttta acgaaactca aaactgacag taggcgcctc
                                                                     66780
                                                                     66840
cettgecagg ageccaacce acceptecae acgeccecag teetcaggea tgegtgegae
ctcaatctcc ctccatcgtt cacaggggcg cccttctcag tggcccgagc tttcctcttt
                                                                     66900
                                                                     66960
ccacaagggc acattgaagg gaggaccaga aagaaaatca gcaccatggg aaggaagggt
gaggeegete geagagggag etgggagaga acaggetgee agggteteaa teecegagee
                                                                     67020
cetegtgtgg cettgaacge etteacetee etgagegetg geettgetee tecetacaac
                                                                     67080
aggagccaag ggcgctcttc aggaaggggc aggaggaggg ggttgcagcc aggcctggca
                                                                     67140
                                                                     67200
ccaccetggg tacaggcagg gccgcaggca gcaaagatgc tgtacagagt gagcccagtg
                                                                     67212
cacgtgctgc ag
```

<210> 2 <211> 3688 <212> DNA

<213> Homo sapiens

<400> 2

```
gtgcagaagg ccgcgctagc cggctcttca gcagcgagtg cagattgctc ccccgcggcc
                                                                           60
                                                                          120
gcagatotoc egittgegee gegitcaget gctcccgaac aactittcig ccggcccaga
                                                                          180
ggccccaggg cgtcgcagcg ccgcgtgcgg cccactcacg ggccggcagg atggactcca
                                                                          240
acactgotec getgggeece teetgeecac agecceegee ageacegeag ceccaggege
                                                                          300
gttcccgact caatgccaca gcctcgttgg agcaggagag gagcgaaagg ccccgagcac
coggacccca ggctggccct ggccctggtg ttagagacgc agcggccccc gctgaacccc
                                                                          360
                                                                          420
aggeccagea taccaggage egggaaagag cagaeggeae egggeetaca aagggagaea
tggaaateee etttgaagaa gteetggaga gggeeaagge eggggaeeee aaggeacaga
                                                                          540
ctgaggtggg gaagcactac ctgcagttgg ccggcgacac ggatgaagaa ctcaacagct
                                                                          600
gcaccgctgt ggactggctg gtcctcgccg cgaagcaggg ccgtcgcgag gctgtgaagc
tgcttcgccg gtgcttggcg gacagaagag gcatcacgtc cgagaacgaa cgggaggtga
                                                                          660
ggcagetete etecgagace gacetggaga gggccgtgcg caaggcagee etggtcatgt
                                                                          720
actggaaget caaceccaag aagaagaage aggtggeegt ggeggagetg etggagaatg
                                                                          780
                                                                          840
teggecaggt caacgagcac gatggagggg cgcagccagg eccegtgece aagtecetge
agaagcagag gcggatgctg gagcgcctgg tcagcagcga gtccaagaac tacatcgcgc
                                                                          900
                                                                          960
tggatgactt tgtggagatc actaagaagt acgccaaggg cgtcatcccc agcagcctgt
tcctgcagga cgacgaagat gatgacgagc tggcggggaa gagccctgag gacctgccac tgcgtctgaa ggtggtcaag taccccctgc acgccatcat ggagatcaag gagtacctga
                                                                         1020
                                                                         1080
ttgacatgge etecagggea ggeatgeact ggetgteeac cateateece acgeaceaca
                                                                         1140
tcaacgcgct catcttette ttcatcatca gcaacctcac catcgactte ttcgccttet
                                                                         1200
                                                                         1260
teateceget ggteatette tacetgteet teateteeat ggtgatetge acceteaagg
tgttccagga cagcaaggcc tgggagaact tccgcaccct caccgacctg ctgctgcgct
                                                                         1320
tegageceaa cetggatgtg gageaggeeg aggttaaett eggetggaae eacetggage
                                                                         1380
cctatgccca tttcctgctc tctgtcttct tcgtcatctt ctccttcccc atcgccagca
                                                                         1440
                                                                         1500
aggactgcat cocctgctcg gagetggetg teatcacegg ettetttace gtgaccaget
```

```
1560
acctgagect gageacceat geagagecet acaegegeag ggeeetggee accgaggtea
                                                                      1620
cogcoggect getatogoty orgeoctoca tycocttyaa ttygocotac otyaaggtoo
                                                                      1680
ttggccagac cttcatcacc gtgcctgtcg gccacctggt cgtcctcaat gtcagcgtcc
egigeetget ctatgtetac etgetetate tettetteeg catggeacag etgaggaatt
                                                                      1740
                                                                      1800
tcaagggcac ctactgctac cttgtgccct acctggtgtg cttcatgtgg tgtgagctct
                                                                      1860
cogtggtcat cotgetggag tecaceggee tggggetget cogegeetee ateggetact
                                                                      1920
tectetteet etttgeeete eccateetgg tggeeggeet ggeeetggtg ggegtgetge
agttogoccg gtggttcacg tototggago toaccaagat cgcagtcacc gtggcggtot
                                                                      1980
gtagtgtgcc cetgetgttg cactggtgga ccaaggccag cttctctgtg gtggggatgg tgaagtccct gacgcggagc tccatggtca agctcatcct ggtgtggctc acggccatcg
                                                                      2040
                                                                      2100
                                                                      2160
tgetgttctg etggttctat gtgtaccget cagagggeat gaaggtetac aactecacac
                                                                      2220
tgacctggca gcagtatggt gcgctgtgcg ggccacgcgc ctggaaggag accaacatgg
cgcgcaccca gatectetge agecacetgg agggccacag ggtcacgtgg accggccget
                                                                      22B0
                                                                      2340
tcaagtacgt ccgcgtgact gacatcgaca acagcgccga gtctgccatc aacatgctcc
cgttcttcat cggcgactgg atgcgctgcc tctacggcga ggcctaccct gcctgcagcc
                                                                      2400
                                                                      2460
ctggcaacac ctccacggcc gaggaggagc tctgtcgcct taagctgctg gccaagcacc
                                                                      2520
cctgccacat caagaagttc gaccgctaca agtttgagat taccgtgggc atgccattca
                                                                      2580
gcagcggcgc tgacggctcg cgcagccgcg aggaggacga cgtcaccaag gacatcgtgc
tgcgggccag cagcgagttc aaaagcgtgc tgctcagcct gcgccagggc agcctcatcg
                                                                      2640
agttcagcac catcetggag ggccgcetgg gcagcaagtg gcetgtette gagetcaagg
                                                                      2700
ccatcagetg ceteaactge atggeecage tetegeecae caggeggeae gtgaagateg
                                                                      2760
                                                                      2820
ageacgactg gegeageace gtgcatggcg ccgtgaagtt cgccttcgac ttcttttct
                                                                      2880
toccattoot groggoggoo tgaggatggt cogcoacgag gagottocag tgcatgttgc
catgaggeee tteeceagtg tggeeecage eegacaggea tgeaceagtg cegtetgtge
                                                                      2940
ccacgtgtgc agactgtggc tgcagagacc ttgcgaccat gtgtagattg catggacccc
                                                                      3000
gacaaaggga aggctgctgt gtagctctgt ccactctgaa taccaagtgt gttgggaatt
                                                                      3060
                                                                      3120
geatgecate tecaccetga geetgacett tetgagtgae atgggtgtge caggetagae
                                                                      3180
taggaggttc cggtgtctgg aaaagcactt tacagatgag attccctctc ctcccccacc
                                                                      3240
ttcaagcacc ctgttccctc tttctttctt ttgtgtttgga tttgtttaaa aaccaaataa
                                                                      3300
gcatctgtgt aacctccaca gtagcatttc ttatttgttt ggtcactgct acaccttagc
agetettece ettteetggg ggatgtgeac ggeagettga geetgteacg tggteaagge
                                                                      3360
coggececat cagaggetgg gggaggegge acattggcag tgtgtcacac tgagetggge
                                                                      3420
                                                                      3480
accacagget geeteatgae ceteetetee ageaggtagt gggtgaatgt gtgaaggtet
                                                                      3540
tgcctgaatc catcaggact tgggaaacag agaaccctgt gggggtggct gtgggggagg
                                                                      3600
tecetgecag tgtttagaag ageetgaetg tgtteagtge ettggageag aaageeaggg
3660
aaaaaaaaga aaaaagaaaa agaaataa
                                                                      3688
      <210> 3
      <211> 3512
      <212> DNA
      <213> Mus musculus
      <400> 3
cggtttcgga gcaacttcgc ggcgggctgg gaggcccagc actgcggccg gcaagatgaa
                                                                       120
ctcaggcacc ccacctccga gcccctctgg cccacctcct ccacccgcac cacagcccca
                                                                       180
ggecegggee eggeteaatg ecacegeete actggageag gacaagattg aacegeeteg
```

240 tgeteccaga ceteaggetg acceeagtge tggacgaagt getggggaag cageegetee ggagcotegg gcccctcaaa ccggcagccg ggaagaaacg gacagagctg gtcccatgaa 300 ggcagatgtg gagatcccct ttgaagaagt cctggagaaa gccaaggctg gagaccccaa 360 agcacagact gaggtgggca aacactacct acgccttgcc aacgatgcag atgaagaact 420 480 caacagetge teageegtag cetggetaat cetggeagee aageagggea ggegggagge 540 cgtgaagctg ctgaggcggt gcctagctga ccggaaaggc atcacttctg agaacgaggc tgaggtgaag cagetateet etgagaeega eetggaaagg getgtgegea aggetgeeet 600 ggtcatgtac tggaaactca accccaagaa gaagaagcag gtggctgtgt ccgagctgct 660 720 ggagaatgtt ggacaggtca acgagcagga tggaggggtg cagccaggcc cagtccccaa 780 gtccctgcag aagcagaggc gcatgctgga gcgcctcgtc agcagtgaat ccaagaacta cattgctctg gacgattttg tggagctcac caagaagtac gccaagggca tcattcccac 840 900 caacctgttc ctgcaggatg aggatgaaga tgaggacgag ctggcaggga agagccccga

```
ggacctgcca ctacgccaga aggtggtgaa gtacccttta cacgccatca tggagatcaa
                                                                           960
agagtacetg attgaegtag cetecaagge eggeatgeae tggeteteea ceattgtace
                                                                          1020
caccatcac atcaacgccc tcatcttctt cttcatcatc agcaacctaa ccatcgactt
                                                                          1080
cttegeette tteatecece tggtggtett ctatetgtee tttgtgteea tggteatetg
                                                                          1140
cacgctcaag gtgttccagg acagcaaggc ctgggagaac ttccgtactc tcaccgacct
                                                                          1200
getgetgege ttegageeca acetagaegt ggageaggee gaagtgaaet teggetggaa
                                                                          1260
ccacctggag coctacated acttoctact gtoagtogto titigtoatet totoctioce
                                                                          1320
getggecage aaggaetgea teceetgete ggagetggee gteateteea cettetteae
                                                                          1380
ggtgaccage tacatgagee tgageagete tgetgageee tataccagge gtgeeetggt
                                                                          1440
caccgaggtg gctgccggct tgctgtccct tctgcccacc gtgcctgtgg actggcgctt
                                                                          1500
cctgaaagta ctcggccaga ctttcttcac tgtgcccgtt ggccacttca tcatcctcaa
                                                                          1560
egteageete ecetgeetge tetatgteta tetettttae etettettee geatggeeea
                                                                          1620
getgaggaac ttcaagggca cttattgcta cetggtgccc tacetggtgt gettcatgtg
                                                                          1680
gtgtgaactg teegtggtea teetgeteea gtetacegge etgggettgg teegggeete
                                                                           1740
categgetae treetetree tetrigecet ecceateerg gragerages tegeertgat
                                                                          1800
gggcacggtg cagtttgccc gatggttcct gtcgctggac ctcaccaaga tcatggtcac
                                                                          1860
cacggtgatc tgcggcgtac coctgetttt ccgttggtgg accaaggcca acttetcagt
                                                                          1920
gatggggatg gtcaagtccc tgacgaagag ctccatggtg aagctcattc tggtgtggct
                                                                          1980
aacggccatc ctgctcttct gctggttcta cgtgtaccgc tcagaaggca tgaaggtcta
                                                                          2040
caactccaca ctcacctggc agcaatatgg cttcctatgt gggccccggg cctggaagga
                                                                          2100
aactaacatg gcccggaccc agatcctgtg cagccacctg gagggccaca gggtcacgtg gacaggccgc ttcaagtatg tccgagtgac cgagatcgac aacagtgctg agtcggccat
                                                                          2160
                                                                          2220
caacatgete cegttettee tgggegattg gatgegetge etgtatggeg aggeetacee
                                                                          2280
atcttgtagc tctggtaaca cgtccacggc agaggaggag ctctgccgtc tcaagcagct
                                                                          2340
ggccaagcac ccctgccaca tcaagaagtt tgaccgctac aaatttgaga tcacagtggg
                                                                           2400
catgocottt ggcaccaacg gcaaccgcgg ccatgaagag gacgacatca ccaaggacat tgttotocgt gccagcagcg agttcaagga cgtgctgctg aacctgcgcc aggggagcct
                                                                          2460
                                                                          2520
catagagttc agcaccatcc tcgagggccg cctgggtagc aagtggcccg tcttcgagct
                                                                          2580
caaggecate agetgeetea aetgeatgae geagetgtea eetgeeegga ggeaegtgaa
                                                                          2640
gategaacag gaetggegta geacagtgea eggtgeeete aagtttgeet tegaettett
                                                                          2700
cttettecca tteetgtetg eegeetgagg agegteegee getggaggag getttggtge
                                                                           2760
atgttgctgt gaagtccttc cgtgtggcca cccagccagc tggagcagca ctgtgccgtg
                                                                           2820
tgtgtgtgtg tgtgtgtgt tgtgtgtgtg tgtatgtgta ttctgctctc gtgtggttag
                                                                           2880
                                                                           2940
ateccagget etetgeteac etgtagateg cagateetge tggagggtgg ttetetttag
cactgtccac tttgaatgcc gagtgtcata agaaattgca tgctatcttc actcacaatc
                                                                           3000
etgecettee etcacagage tggaacteca ageetggeee caaagaceet ccatcacgaa
                                                                           3060
gagcacttta cagataagaa tottootooc cagttottoa tgootootto otgoocttto
                                                                           3120
cttactttgt gttggatttg ttttccaaat atgtgtgtat gtagacttca tggtagtgtt tcttatttat ttggttgctg ctaagccttg acagtggttc accttcctgg gctgtcccca
                                                                           3180
                                                                           3240
                                                                           3300
gtggtcacgt cctgcctggc ttcctacttg ggtatagcat gtccaaactg ggctctgaac
actacageet geettggage tggeetatet etgggggtgt tagagagttt gtggggatet
                                                                           3360
cttctgagta ccccaggact tgggaaataa tgcaagagta tccctttcag tacataggta
                                                                           3420
agettegeta tetteaatat egeagageea aaagecaagt tetaaggeag eegaaataaa
                                                                           3480
aagctttgaa acctaaaaaa aaaaaaaaaa aa
```

<210> 4

<211> 890

<212> PRT

<213> Homo sapiens

<400> 4

 Met Asp Ser Asn Thr Ala Pro Leu Gly Pro Ser Cys Pro Gln Pro Pro 1
 5
 10
 15
 15

 Pro Ala Pro Gln Pro Gln Ala Arg Ser Arg Leu Asn Ala Thr Ala Ser 20
 25
 30
 30
 30

 Leu Glu Glu Glu Arg Ser Glu Arg Pro Arg Ala Pro Gly Pro Gln Ala 35
 40
 45
 45

 Gly Pro Gly Pro Gly Val Arg Asp Ala Ala Ala Ala Pro Ala Glu Pro Gln 50
 55
 60

Ala Gln His Thr Arg Ser Arg Glu Arg Ala Asp Gly Thr Gly Pro Thr Lys Gly Asp Met Glu Ile Pro Phe Glu Glu Val Leu Glu Arg Ala Lys Ala Gly Asp Pro Lys Ala Gln Thr Glu Val Gly Lys His Tyr Leu Gln Leu Ala Gly Asp Thr Asp Glu Glu Leu Asn Ser Cys Thr Ala Val Asp 115 120 125

Trp Leu Val Leu Ala Ala Lys Gln Gly Arg Arg Glu Ala Val Lys Leu Leu Arg Arg Cys Leu Ala Asp Arg Gly Ile Thr Ser Glu Asn Glu Arg Glu Val Arg Gln Leu Ser Ser Glu Thr Asp Leu Glu Arg Ala Val 165 170 Arg Lys Ala Ala Leu Val Met Tyr Trp Lys Leu Asn Pro Lys Lys Lys Gln Val Ala Val Ala Glu Leu Leu Glu Asn Val Gly Gln Val Asn Glu His Asp Gly Gly Ala Gln Pro Gly Pro Val Pro Lys Ser Leu Gln Lys Gln Arg Arg Met Leu Glu Arg Leu Val Ser Ser Glu Ser Lys Asn Tyr Ile Ala Leu Asp Asp Phe Val Glu Ile Thr Lys Lys Tyr Ala Lys 245 250 255 Gly Val Ile Pro Ser Ser Leu Phe Leu Gln Asp Asp Glu Asp Asp Asp Glu Leu Ala Gly Lys Ser Pro Glu Asp Leu Pro Leu Arg Leu Lys Val Val Lys Tyr Pro Leu His Ala Ile Met Glu Ile Lys Glu Tyr Leu Ile Asp Met Ala Ser Arg Ala Gly Met His Trp Leu Ser Thr Ile Ile Pro Thr His His Ile Asn Ala Leu Ile Phe Phe Phe Ile Ile Ser Asn Leu Thr Ile Asp Phe Phe Ala Phe Phe Ile Pro Leu Val Ile Phe Tyr Leu Ser Phe Ile Ser Met Val Ile Cys Thr Leu Lys Val Phe Gln Asp Ser 355 360 365 Lys Ala Trp Glu Asn Phe Arg Thr Leu Thr Asp Leu Leu Leu Arg Phe Glu Pro Asn Leu Asp Val Glu Gln Ala Glu Val Asn Phe Gly Trp Asn 385 390 395 400 His Leu Glu Pro Tyr Ala His Phe Leu Leu Ser Val Phe Phe Val Ile . 415 Phe Ser Phe Pro Ile Ala Ser Lys Asp Cys Ile Pro Cys Ser Glu Leu Ala Val Ile Thr Gly Phe Phe Thr Val Thr Ser Tyr Leu Ser Leu Ser Thr His Ala Glu Pro Tyr Thr Arg Arg Ala Leu Ala Thr Glu Val Thr Ala Gly Leu Leu Ser Leu Leu Pro Ser Met Pro Leu Asn Trp Pro Tyr Leu Lys Val Leu Gly Gln Thr Phe Ile Thr Val Pro Val Gly His Leu Val Val Leu Asn Val Ser Val Pro Cys Leu Leu Tyr Val Tyr Leu Leu Tyr Leu Phe Phe Arg Met Ala Gln Leu Arg Asn Phe Lys Gly Thr Tyr Cys Tyr Leu Val Pro Tyr Leu Val Cys Phe Met Trp Cys Glu Leu Ser

```
535
                                          540
Val Val Ile Leu Leu Glu Ser Thr Gly Leu Gly Leu Leu Arg Ala Ser
                  550
                                    555
Ile Gly Tyr Phe Leu Phe Leu Phe Ala Leu Pro Ile Leu Val Ala Gly
                                570
                                                   575
              565
Leu Ala Leu Val Gly Val Leu Gln Phe Ala Arg Trp Phe Thr Ser Leu
           580
                              585
                                                 590
Glu Leu Thr Lys Ile Ala Val Thr Val Ala Val Cys Ser Val Pro Leu
       595
                          600
                                             605
Leu Leu His Trp Trp Thr Lys Ala Ser Phe Ser Val Val Gly Met Val
                     615
  610
                                       620
Lys Ser Leu Thr Arg Ser Ser Met Val Lys Leu Ile Leu Val Trp Leu
                 630
                                    635
Thr Ala Ile Val Leu Phe Cys Trp Phe Tyr Val Tyr Arg Ser Glu Gly
                                650
             645
                                                   655
Met Lys Val Tyr Asn Ser Thr Leu Thr Trp Gln Gln Tyr Gly Ala Leu
          660
                             665
Cys Gly Pro Arg Ala Trp Lys Glu Thr Asn Met Ala Arg Thr Gln Ile
                          680
Leu Cys Ser His Leu Glu Gly His Arg Val Thr Trp Thr Gly Arg Phe
                     695
                                       700
   690
Lys Tyr Val Arg Val Thr Asp Ile Asp Asn Ser Ala Glu Ser Ala Ile
                  710
                                   715
                                                        720
Asn Met Leu Pro Phe Phe Ile Gly Asp Trp Met Arg Cys Leu Tyr Gly
             725
                                 730
Glu Ala Tyr Pro Ala Cys Ser Pro Gly Asn Thr Ser Thr Ala Glu Glu
740 750
                            745
                                              750
          740
Glu Leu Cys Arg Leu Lys Leu Leu Ala Lys His Pro Cys His Ile Lys
       755
                        760
                                            765
Lys Phe Asp Arg Tyr Lys Phe Glu Ile Thr Val Gly Met Pro Phe Ser
                      775
                                         780
Ser Gly Ala Asp Gly Ser Arg Ser Arg Glu Glu Asp Asp Val Thr Lys
785
                  790
                                     795
Asp Ile Val Leu Arg Ala Ser Ser Glu Phe Lys Ser Val Leu Leu Ser
              805
                                 810
                                                    815
Leu Arg Gln Gly Ser Leu Ile Glu Phe Ser Thr Ile Leu Glu Gly Arg
          820
                             825
Leu Gly Ser Lys Trp Pro Val Phe Glu Leu Lys Ala Ile Ser Cys Leu
      835
                         840
                                            845
Asn Cys Met Ala Gln Leu Ser Pro Thr Arg Arg His Val Lys Ile Glu
   850
                     855
                                         860
His Asp Trp Arg Ser Thr Val His Gly Ala Val Lys Phe Ala Phe Asp
                  870
                                     875
Phe Phe Phe Pro Phe Leu Ser Ala Ala
               885
                                  890
```

<210> 5

<211> 890

<212> PRT <213> Mus musculus

<400> 5

 Met Asn Ser Gly Thr Pro Pro Pro Ser Pro Ser Gly Pro Pro Pro Pro 1
 5
 10
 15

 Pro Ala Pro Gln Pro Gln Ala Arg Ala Arg Leu Asn Ala Thr Ala Ser 20
 25
 30

 Leu Glu Gln Asp Lys Ile Glu Pro Pro Arg Ala Pro Arg Pro Gln Ala 35
 40
 45

 Asp Pro Ser Ala Gly Arg Ser Ala Gly Glu Ala Ala Ala Pro Glu Pro

Arg Ala Pro Gln Thr Gly Ser Arg Glu Glu Thr Asp Arg Ala Gly Pro Met Lys Ala Asp Val Glu Ile Pro Phe Glu Glu Val Leu Glu Lys Ala Lys Ala Gly Asp Pro Lys Ala Gln Thr Glu Val Gly Lys His Tyr Leu Arg Leu Ala Asn Asp Ala Asp Glu Glu Leu Asn Ser Cys Ser Ala Val Ala Trp Leu Ile Leu Ala Ala Lys Gln Gly Arg Arg Glu Ala Val Lys Leu Leu Arg Arg Cys Leu Ala Asp Arg Lys Gly Ile Thr Ser Glu Asn Glu Ala Glu Val Lys Gln Leu Ser Ser Glu Thr Asp Leu Glu Arg Ala Val Arg Lys Ala Ala Leu Val Met Tyr Trp Lys Leu Asn Pro Lys Lys Lys Lys Gln Val Ala Val Ser Glu Leu Leu Glu Asn Val Gly Gln Val
195 200 205 Asn Glu Gln Asp Gly Gly Val Gln Pro Gly Pro Val Pro Lys Ser Leu 210 215 220 Gln Lys Gln Arg Arg Met Leu Glu Arg Leu Val Ser Ser Glu Ser Lys Asn Tyr Ile Ala Leu Asp Asp Phe Val Glu Leu Thr Lys Lys Tyr Ala Lys Gly Ile Ile Pro Thr Asn Leu Phe Leu Gln Asp Glu Asp Glu Asp Glu Asp Glu Leu Ala Gly Lys Ser Pro Glu Asp Leu Pro Leu Arg Gln 275 280 285 Lys Val Val Lys Tyr Pro Leu His Ala Ile Met Glu Ile Lys Glu Tyr Leu Ile Asp Val Ala Ser Lys Ala Gly Met His Trp Leu Ser Thr Ile Val Pro Thr His His Ile Asn Ala Leu Ile Phe Phe Phe Ile Ile Ser Asn Leu Thr Ile Asp Phe Phe Ala Phe Phe Ile Pro Leu Val Val Phe Tyr Leu Ser Phe Val Ser Met Val Ile Cys Thr Leu Lys Val Phe Gln Asp Ser Lys Ala Trp Glu Asn Phe Arg Thr Leu Thr Asp Leu Leu Leu Arg Phe Glu Pro Asn Leu Asp Val Glu Gln Ala Glu Val Asn Phe Gly Trp Asn His Leu Glu Pro Tyr Ile His Phe Leu Leu Ser Val Val Phe Val Ile Phe Ser Phe Pro Leu Ala Ser Lys Asp Cys Ile Pro Cys Ser Glu Leu Ala Val Ile Ser Thr Phe Phe Thr Val Thr Ser Tyr Met Ser Leu Ser Ser Ser Ala Glu Pro Tyr Thr Arg Arg Ala Leu Val Thr Glu Val Ala Ala Gly Leu Leu Ser Leu Leu Pro Thr Val Pro Val Asp Trp Arg Phe Leu Lys Val Leu Gly Gln Thr Phe Phe Thr Val Pro Val Gly His Phe Ile Ile Leu Asn Val Ser Leu Pro Cys Leu Leu Tyr Val Tyr Leu Phe Tyr Leu Phe Phe Arg Met Ala Gln Leu Arg Asn Phe Lys Gly

```
Thr Tyr Cys Tyr Leu Val Pro Tyr Leu Val Cys Phe Met Trp Cys Glu
                                          540
  530
                      535
Leu Ser Val Val Ile Leu Leu Gln Ser Thr Gly Leu Gly Leu Val Arg
                  550
                                      555
Ala Ser Ile Gly Tyr Phe Leu Phe Leu Phe Ala Leu Pro Ile Leu Val
               565
                                 570
Ala Gly Leu Ala Leu Met Gly Thr Val Gln Phe Ala Arg Trp Phe Leu
                            585
           580
                                                  590
Ser Leu Asp Leu Thr Lys Ile Met Val Thr Thr Val Ile Cys Gly Val
      595
                         600
                                             605
Pro Leu Phe Arg Trp Trp Thr Lys Ala Asn Phe Ser Val Met Gly
                      615
Met Val Lys Ser Leu Thr Lys Ser Ser Met Val Lys Leu Ile Leu Val
                630
                                   635
Trp Leu Thr Ala Ile Leu Leu Phe Cys Trp Phe Tyr Val Tyr Arg Ser
              645
                                 650
                                                      655
Glu Gly Met Lys Val Tyr Asn Ser Thr Leu Thr Trp Gln Gln Tyr Gly
                                                 670
                             665
           660
Phe Leu Cys Gly Pro Arg Ala Trp Lys Glu Thr Asn Met Ala Arg Thr
                          680
                                              685
Gln Ile Leu Cys Ser His Leu Glu Gly His Arg Val Thr Trp Thr Gly
                     695
Arg Phe Lys Tyr Val Arg Val Thr Glu Ile Asp Asn Ser Ala Glu Ser 705 710 715 720
Ala Ile Asn Met Leu Pro Phe Phe Leu Gly Asp Trp Met Arg Cys Leu
725 730 735
Tyr Gly Glu Ala Tyr Pro Ser Cys Ser Ser Gly Asn Thr Ser Thr Ala
                              745
           740
Glu Glu Glu Leu Cys Arg Leu Lys Gln Leu Ala Lys His Pro Cys His
                         760
       755
                                              765
Ile Lys Lys Phe Asp Arg Tyr Lys Phe Glu Ile Thr Val Gly Met Pro 770 775 780
Phe Gly Thr Asn Gly Asn Arg Gly His Glu Glu Asp Asp Ile Thr Lys
                  790
                                     795
Asp Ile Val Leu Arg Ala Ser Ser Glu Phe Lys Asp Val Leu Leu Asn
              805
                                  810
Leu Arg Gln Gly Ser Leu Ile Glu Phe Ser Thr Ile Leu Glu Gly Arg
           820
                              825
                                                 830
Leu Gly Ser Lys Trp Pro Val Phe Glu Leu Lys Ala Ile Ser Cys Leu
835 840 845
       835
                         840
Asn Cys Met Thr Gln Leu Ser Pro Ala Arg Arg His Val Lys Ile Glu
                      855
                                          860
Gln Asp Trp Arg Ser Thr Val His Gly Ala Leu Lys Phe Ala Phe Asp
                 870
Phe Phe Phe Pro Phe Leu Ser Ala Ala
               885
```

<210> 6

<211> 38 <212> DNA

<213> Artificial Sequence

<220>

<223> /note= "synthetic construct - primer"

<400> 6
tgtaaaacga cggccagtct cgtgcagaag gccgcgct

```
<211> 38
      <212> DNA
      <213> Artificial Sequence
      <220>
      <223> /note= "synthetic construct - primer"
caggaaacag ctatgaccgc ccacagccac cgcgccac
                                                                         38
      <210> 8
      <211> 38
      <212> DNA
      <213> Artificial Sequence
      <223> /note= "synthetic construct - primer"
tgtaaaacga cggccagtct gtctccagca gacactaa
                                                                         38
      <210> 9
      <211> 38
      <212> DNA
      <213> Artificial Sequence
      <223> /note= "synthetic construct - primer"
      <400> 9
                                                                         38
caggaaacag ctatgaccca caatgctgaa ctgcagag
      <210> 10
      <211> 38
<212> DNA
      <213> Artificial Sequence
      <223> /note= "synthetic construct - primer"
      <400> 10
                                                                         38
tgtaaaacga cggccagtct gaagaccctc atgccttg
      <210> 11
      <211> 38
      <212> DNA
      <213> Artificial Sequence
      <223> /note= "synthetic construct - primer"
      <400> 11
                                                                         38
caggaaacag ctatgaccac acttctctgt gggctgtg
      <210> 12
      <211> 38
      <212> DNA
      <213> Artificial Sequence
```

```
<220>
      <223> /note= "synthetic construct - primer"
      <400> 12
tgtaaaacga cggccagttc ggagaatctg gaggctga
                                                                        38
      <210> 13
      <211> 38
      <212> DNA
      <213> Artificial Sequence
      <223> /note= "synthetic construct - primer"
caggaaacag ctatgaccca ttacaagctg ctcaaccc
                                                                        38
      <210> 14
      <211> 38
      <212> DNA
      <213> Artificial Sequence
      <223> /note= "synthetic construct - primer"
      <400> 14
tgtaáaacga cggccagtcg aaagccttcc aggcagag
                                                                        38
      <210> 15
      <211> 38
      <212> DNA
      <213> Artificial Sequence
      <220>
      <223> /note= "synthetic construct - primer"
      <400> 15
caggaaacag ctatgaccct atgggaaggt cctggctc
                                                                        38
      <210> 16
      <211> 38
      <212> DNA
      <213> Artificial Sequence
      <220>
      <223> /note= "synthetic construct - primer"
                                                                         38
tgtaaaacga cggccagtct aggaacagtg cgccagtt
      <210> 17
      <211> 38
      <212> DNA
      <213> Artificial Sequence
      <223> /note= "synthetic construct - primer"
      <400> 17
```

```
caggaaacag ctatgaccat ggagtcgcac aggaagga
                                                                                38
             <210> 18
             <211> 38
             <212> DNA
             <213> Artificial Sequence
             <223> /note= "synthetic construct - primer"
             <400> 18
                                                                                38
       tgtaaaacga cggccagtgc ccatgctgtt ttctctca
             <210> 19
             <211> 38
             <212> DNA
             <213> Artificial Sequence
             <220>
             <223> /note= "synthetic construct - primer"
             <400> 19
       caggaaacag ctatgacccc gaggacacat ccttatga
                                                                                38
             <210> 20
             <211> 38
             <21:2> DNA
             <213> Artificial Sequence
             <220>
             <223> /note= "synthetic construct - primer"
             <400> 20
       tgtaaaacga cggccagtcc tcgttcccac gtaccatc
                                                                                38
             <210> 21
             <211> 38
<212> DNA
             <213> Artificial Sequence
             <223> /note= "synthetic construct - primer"
             <400> 21
       caggaaacag ctatgaccgt agcagtaggt gcccttga
                                                                                38
             <210> 22
             <211> 38
             <212> DNA
             <213> Artificial Sequence
             <220>
             <223> /note= "synthetic construct - primer"
             <400> 22
       tgtaaaacga cggccagtcc tggtcgtcct caatgtca
                                                                                38
-----
         ·- <210> 23
```

<211> 38

WO 00/18787

<212> DNA

<220>

<213> Artificial Sequence

wn	nnn	8787

PCT/US99/22429

22237 / Hotes Synthe	ette constituet - prime.	• "
<400> 28		38
tgtaaaacga cggccagtct ggat	gegetg eetetaeg	36
<210> 29		
<211> 38		
<212> DNA		
<213> Artificial Sec	uence	•
<220>		
<223> /note= "synthe	tic construct - prime:	r"
<400> 29		
caggaaacag ctatgacctc aggo	cgccga caggaatg	38
<210> 30		
<211> 38		
<212> DNA		
<213> Artificial Sec	uence	
	•	
<220>		
	tic construct - prime:	r"
-,		
<400> 30		
tgtaaaacga cggccagttc gcct	tegact tettttte	38
030		
<210> 31		
<211> 38		
<212> DNA		
<213> Artificial Sec	nience	
VIII MILIIUI OC	, wones	
<220>		
	tic construct - prime:	r#
(223) / NOCC- Synch	ter comperate prime.	-
<400> 31		
caggaaacag ctatgacccc aaac	esstas casstort	38
caggaaacag ccatgacece anac	addedd gadaegee	
<210> 32		
<211> 20		
<212> DNA		
<213> Artificial Sec	712750	
(213) ALCITICIAT SEC	dence	
<220>		
	tic construct - prime	~H
(223) / Note: Synthe	cic consciuce - prime	•
<400> 32		
		20
gcccagctct cgcccaccag		20
<210> 33		
<211> 20	•	
<212> DNA		
<213> Artificial Sec	nence	
<220>		-
<223> /note= "synthe	tic construct - prime	r"
<400> 33		
tcaggccgcc gacaggaatg		20

WO 00/18787 PCT/US99/22429

```
<210> 34
       <211> 20
       <212> DNA
      <213> Artificial Sequence
       <223> /note= "synthetic construct - primer"
      <400> 34
cctggtcgtc ctcaatgtca
                                                                        20
      <210> 35
      <211> 20
      <212> DNA
      <213> Artificial Sequence
       <223> /note= "synthetic construct - primer"
      <400> 35
                                                                        20
ggtagggcac aaggtagcag
      <210> 36
       <211> 23
       <212> DNA
      <213> Artificial Sequence
       <223> /note= "synthetic construct - primer"
      <400> 36
gggcatgaag gtctacaact cca
                                                                        23
      <210> 37
       <211> 36
      <212> DNA
      <213> Artificial Sequence
      <220>
       <223> /note= "synthetic construct - primer"
ccgtagaggc agcgcatcca gtcgccgacc tagaac
                                                                        36
      <210> 38
       <211> 20
       <212> DNA
      <213> Artificial Sequence
      <223> /note= "synthetic construct - primer"
      <400> 38
gagggcatga aggtctacaa
                                                                        20
      <210> 39
      <211> 20
       <212> DNA
      <213> Artificial Sequence
```

WO 00/18787	PCT/US99/2242
33	
<220>	
<223> /note= "synthetic construct - primer"	
<400> 39	
cccacggtaa tctcaaactt	20
<210> 40	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> /note= "synthetic construct - primer"	
<400> 40	
tagtgtgccc ctgctgttgc	20
tagtgtgeec etgetgttge	20
<210> 41	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> /note= "synthetic construct - primer"	
<400> 41	
cccacggtaa tctcaaactt	- 20
	_ -
<210> 42	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> /note= "synthetic construct - primer"	
<400> 42	
cggtttcgga gcaacttcgc	20
.010. 40	
<210> 43 <211> 20	
<211> 20 <212> DNA	
<213> Artificial Sequence	
<220>	
<223> /note= "synthetic construct - primer"	
<400> 43	
cacctcagcc tcgttctcag	20

INTERNATIONAL SEARCH REPORT

International application No. PCT/US99/22429

A. CLASSIFICATION OF SUBJECT MATTER IPC(7) ::C07H 21/04; C07K 14/46, 16/28; C12Q 1/68; C12P 19/34 US CL :536/23.5, 24.31; 530/350, 387.9; 435/6, 91.5 According to International Patent Classification (IPC) or to both national classification and IPC				
L FIEL	DS SEARCHED	· · · · · · · · · · · · · · · · · · ·		
Minimum d	ocumentation searched (classification system followe	d by classification symbols)		
U.S. :	536/23.5, 24.31; 530/350, 387.9; 435/6, 91.5			
Documentat	tion searched other than minimum documentation to the	e extent that such documents are included	in the fields searched	
APS, ME	lata base consulted during the international search (n DLINE ms:wolfram syndrome	ame of data base and, where practicable	, search terms used)	
C. DOC	UMENTS CONSIDERED TO BE RELEVANT			
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.	
T,E	HARDY et al. Clinical and molec Wolfram syndrome kindreds demons mutations in WFS1. American Jo November 1999, Vol. 65, No. 5, page	1-17		
A	COLLIER et al. Linkage of Wolfra 4p16.1 and evidence for heterogeneity. Genetics. October 1996, Vol. 59, No.	American Journal of Human	1-17	
X Furth	er documents are listed in the continuation of Box C	See patent family annex.		
* Special extegories of cited documents: "A" document defining the general state of the ert which is not considered determined the principle or theory underlying the invention			dication but cited to understand	
"E" ear	to be of particular relevance "X" document of particular relevance; the claimed invention cannot be considered to involve an inventive step considered novel or cannot be considered to involve an inventive step.			
'L' document which may throw doubts on priority claim(s) or which is cited to attabilish the publication date of another citation or other special reason (as specified) "Y" document is taken alone "Y" document of perticular relevance; the claimed invention example be				
-	considered to involve an inventive step when the document is combined with one or more other such documents, such combination means trafering to an oral disclosure, use, exhibition or other combined with one or more other such document, such combination being obvious to a person skilled in the art			
the	sument published prior to the international filing date but later than priority date claimed	"&" document member of the same pater		
	Date of the actual completion of the international search 29 JANUARY 2000 11 FFR 2000			
Commission Box PCT	lame and mailing address of the ISA/US Commissioner of Patents and Trademarks Authorized officer			
Facsimile N	o (703) 305-3230	Telephone No. (703) 308-0196		

Facsimile No. (703) 305-3230
Form PCT/IS/_2210 (second sheet)(July 1992)*

INTERNATIONAL SEARCH REPORT

International application No. PCT/US99/22429

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
P, X	STROM et al. Diabetes insipidus, diabetes mellitus, optic atrophy and deafness (DIDMOAD) caused by mutations in a novel gene (wolframin) coding for a predicted transmembrane protein. Human Molecular Genetics. December 1998, Vol. 7, No. 13, pages 2021-2028, see entire document.	1-17
Р, Х	INOUE et al. A gene encoding a transmembrane protein is mutated in patients with diabetes mellitus and optic atrophy (Wolfram syndrome). Nature Genetics, October 1998, Vol. 20, No. 2, pages 143-148, see entire document.	1-17
x	US 5,578,444 A (EDWARDS et al.) 26 November 1996, columns 115-118, SEQ ID NO:36.	6-8
·		
	·	

Form PCT/ISA/210 (continuation of second sheet)(July 1992)*